

European Technical Approval ETA-11/0452

Ũ	
Handelsbezeichnung <i>Trade name</i>	HECO-UNIX-plus und HECO-UNIX-top Schrauben HECO-UNIX-plus and HECO-UNIX-top screws
Zulassungsinhaber Holder of approval	HECO-Schrauben GmbH & Co. KG DrKurt-Steim-Straße 28 78713 Schramberg DEUTSCHLAND
Zulassungsgegenstand und Verwendungszweck	HECO-UNIX-plus und HECO-UNIX-top Schrauben als Holzverbindungsmittel
Generic type and use of construction product	HECO-UNIX-plus und HECO-UNIX-top screws for use in timber constructions
Geltungsdauer: vom Validity: from bis to	6 December 2011 6 December 2016
Herstellwerk Manufacturing plant	HECO-Schrauben GmbH & Co. KG Dr. Kurt-Steim-Straße 28 78713 Schramberg

19 Seiten einschließlich 2 Anhänge

19 pages including 2 annexes

English translation prepared by DIBt - Original version in German language

Diese Zulassung umfasst This Approval contains



Europäische Organisation für Technische Zulassungen European Organisation for Technical Approvals



Page 2 of 19 | 6 December 2011

I LEGAL BASES AND GENERAL CONDITIONS

- 1 This European technical approval is issued by Deutsches Institut für Bautechnik in accordance with:
 - Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products¹, modified by Council Directive 93/68/EEC² and Regulation (EC) N° 1882/2003 of the European Parliament and of the Council³;
 - Gesetz über das In-Verkehr-Bringen von und den freien Warenverkehr mit Bauprodukten zur Umsetzung der Richtlinie 89/106/EWG des Rates vom 21. Dezember 1988 zur Angleichung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten über Bauprodukte und anderer Rechtsakte der Europäischen Gemeinschaften (Bauproduktengesetz - BauPG) vom 28. April 1998⁴, as amended by law of 31 October 2006⁵;
 - Common Procedural Rules for Requesting, Preparing and the Granting of European technical approvals set out in the Annex to Commission Decision 94/23/EC⁶.
- 2 Deutsches Institut für Bautechnik is authorized to check whether the provisions of this European technical approval are met. Checking may take place in the manufacturing plant. Nevertheless, the responsibility for the conformity of the products to the European technical approval and for their fitness for the intended use remains with the holder of the European technical approval.
- 3 This European technical approval is not to be transferred to manufacturers or agents of manufacturers other than those indicated on page 1, or manufacturing plants other than those indicated on page 1 of this European technical approval.
- 4 This European technical approval may be withdrawn by Deutsches Institut für Bautechnik, in particular pursuant to information by the Commission according to Article 5(1) of Council Directive 89/106/EEC.
- 5 Reproduction of this European technical approval including transmission by electronic means shall be in full. However, partial reproduction can be made with the written consent of Deutsches Institut für Bautechnik. In this case partial reproduction has to be designated as such. Texts and drawings of advertising brochures shall not contradict or misuse the European technical approval.
- 6 The European technical approval is issued by the approval body in its official language. This version corresponds fully to the version circulated within EOTA. Translations into other languages have to be designated as such.

¹ Official Journal of the European Communities L 40, 11 February 1989, p. 12

² Official Journal of the European Communities L 220, 30 August 1993, p. 1

³ Official Journal of the European Union L 284, 31 October 2003, p. 25

⁴ Bundesgesetzblatt Teil I 1998, p. 812

⁵ Bundesgesetzblatt Teil I 2006, p. 2407, 2416

⁶ Official Journal of the European Communities L 17, 20 January 1994, p. 34



Page 3 of 19 | 6 December 2011

II SPECIFIC CONDITIONS OF THE EUROPEAN TECHNICAL APPROVAL

1 Definition of products and intended use

1.1 Definition of the construction product

HECO-UNIX-plus and HECO-UNIX-top screws are self-tapping screws made from special carbon steel or stainless steel. Screws made from carbon steel are hardened. They have a corrosion protection according to Annex A 1.6. The outer thread diameter is not less than 3.5 mm and not greater than 6.0 mm. The overall length of the screws is ranging from 16 mm to 300 mm. Further dimensions are shown in Annex 2.

1.2 Intended use

The screws are intended to be used for connecting wood-based members, where requirements for mechanical resistance and stability and safety in use in the sense of the essential requirements N 1 and N 4 of Council Directive 89/106/EEC shall be fulfilled.

The screws are used for connections in load bearing timber structures between wood-based members or between those members and steel members:

- Solid timber (softwood) of strength classes C14 C40 according to EN 338⁷/ EN 14081-1⁸,
- Glued laminated timber (softwood) of at least strength class GL24c according to EN 1194⁹/ EN 14080¹⁰,
- Laminated veneer lumber LVL according to EN 14374¹¹, arrangement of the screws only perpendicular to the plane of the veneers
- Glued laminated solid timber Duo- and Triobalken according to prEN 14080¹² or national provisions that apply at the installation site
- Cross-laminated timber according to European technical approvals or national provisions that apply at the installation site

The screws may be used for connecting the following wood-based panels to the timber members mentioned above:

- Plywood according to EN 636¹³ and EN 13986¹⁴
- Oriented Strand Board, OSB according to EN 300¹⁵ and EN 13986,
- Particleboard according to EN 312¹⁶ and EN 13986,

7 8 9 10 11 12	EN 338:2009 EN 14081-1:2005+A1:2011 EN 1194:1999 EN 14080:2005 EN 14374:2004 prEN 14080:2008	Timber structures - Strength classes Timber structures – Strength graded structural timber with rectangular cross section – Part 1: General requirements Timber structures – Glued laminated timber – Strength classes and determination of characteristic values Timber structures - Glued laminated timber - Requirements Timber structures - Structural laminated veneer lumber - Requirements Timber structures – Glued laminated timber and Glued laminated solid timber -
13 14 15	EN 636:2003 EN 13986:2004 EN 300:2006	Requirements Plywood - Specifications Wood-based panels for use in construction - Characteristics, evaluation of conformity and marking Oriented strand boards (OSB) – Definition, classification and specifications
16	EN 312:2003	Particleboards - Specifications



Page 4 of 19 | 6 December 2011

- Fibreboards according to EN 622-2¹⁷, EN 622-3¹⁸ and EN 13986,
- Cement-bonded particle boards according to national provisions that apply at the installation _ site.
- Solid-wood panels according to national provisions that apply at the installation site.

Wood-based panels shall only be arranged on the side of the screw head.

According to EN 1995-1-1¹⁹ the screws made from carbon steel with d > 4 mm may be used in timber structures subject to climate conditions defined by service classes 1 and 2. According to EN 1995-1-1 the screws made from carbon steel with d ≤ 4 mm may be used in timber structures subject to climate conditions defined by service class 1. Regarding environmental conditions national provisions shall apply at the building site.

Screws made of stainless steel may also be used in conditions defined by service class 3. The scope of the screws shall be defined according to national provisions that apply at the installation site.

The screws may be used for connections subject to static or quasi static loading.

The provisions made in this European technical approval are based on an assumed working life of the screws of 50 years, provided that the conditions laid down in section 4.2 for the installation are met. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

	Characteristic	Assessment of characteristic						
2.1 Mechanical resistance and stability ^{*)}								
2.1.1	Dimensions	See Annex 2						
2.1.2	Characteristic yield moment	See Annex 1						
2.1.3	Characteristic withdrawal parameter	See Annex 1						
2.1.4	Characteristic head pull-through parameter	See Annex 1						
2.1.5	Characteristic tensile strength	See Annex 1						
2.1.6	Characteristic yield strength	No performance determined						
2.1.7	Characteristic torsional strength	See Annex 1						
2.1.8	Insertion moment	See Annex 1						

2 **Characteristics of product**

See section 2.1 of this ETA

*)



Page 5 of 19 | 6 December 2011

	Characteristic	Assessment of characteristic
2.1.9	Spacing, end and edge distances of the screws and minimum thickness of the wood based material	See Annex 1
2.1.10	Slip modulus for mainly axially loaded screws	See Annex 1
2.2 Safety in ca	se of fire	
2.2.1	Reaction to fire	Self-tapping screws are made of steel classified as Euroclass A1 in accordance with EC decision 96/603/EC, as amended by EC decision 2000/605/EC.
2.3 Hygiene, he	alth and the environment	
2.3.1	Content and/or release of dangerous substances	The product does not contain cadmium.
		There is no risk that chrome VI – contained in the chromated carbon steel screws – will be released by consideration of all possible release scenarios. ^{**})
2.4 Safety in us	e	
2.4.1	Dimensions	See Annex 2
2.4.2	Characteristic yield moment	See Annex 1
2.4.3	Characteristic withdrawal parameter	See Annex 1
2.4.4	Characteristic head pull-through parameter	See Annex 1
2.4.5	Characteristic tensile strength	See Annex 1
2.4.6	Characteristic yield strength	No performance determined
2.4.7	Characteristic torsional strength	See Annex 1
2.4.8	Insertion moment	See Annex 1
2.4.9	Spacing, end and edge distances of the screws and minimum thickness of the wood based material	See Annex 1

**)

In accordance with http://europa.eu.int-/comm/enterprise/construction/internal/dangsub/dangmain.htm. In addition to the specific clauses relating to dangerous substances contained in this European technical approval, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the EU Construction Products Directive, these requirements need also to be complied with, when and where they apply.



Page 6 of 19 | 6 December 2011

	Characteristic	Assessment of characteristic				
2.4.10	Slip modulus for mainly axially loaded screws	See Annex 1				
Protection agair	ist noise	Not relevant				
Energy econom	y and heat retention	Not relevant				
2.5 General asp	ects relating to fitness for use					
2.5.1	Durability against corrosion	See Annex 1				
2.5.2	Serviceability	The assessment for mechanical resistance and stability as well as durability against corrosion covers this property.				

2.1 Mechanical resistance and stability

Annex 1 contains the load-carrying capacities for HECO-UNIX-plus and HECO-UNIX-top screws. The design and construction shall be carried out according to national provisions that apply at the installation site in line with the partial safety factor format, e.g. in accordance with EN 1995-1-1.

3 Evaluation and attestation of conformity and CE marking

3.1 System of attestation of conformity

According to the decision 97/638/EC of the European Commission²⁰ the system 2 + of attestation of conformity applies.

This system of attestation of conformity is defined as follows:

System 2+: Declaration of conformity of the product by the manufacturer on the basis of:

- (a) Tasks for the manufacturer:
 - (1) initial type-testing of the product;
 - (2) factory production control;
 - (3) testing of samples taken at the factory in accordance with a prescribed test plan.
- (b) Tasks for the approved body:
 - (4) certification of factory production control on the basis of:
 - initial inspection of factory and of factory production control;
 - continuous surveillance, assessment and approval of factory production control.

Note: Approved bodies are also referred to as "notified bodies".



Page 7 of 19 | 6 December 2011

3.2 Responsibilities

3.2.1 Tasks for the manufacturer

3.2.1.1 Factory production control

The manufacturer shall exercise permanent internal control of production. All the elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures, including records of results performed. This production control system shall insure that the product is in conformity with this European technical approval.

The manufacturer may only use raw materials stated in the technical documentation of this European technical approval supplied with the relevant inspection documents as laid down in the control plan.

The factory production control shall be in accordance with the "control plan relating to the European technical approval ETA 11-0452 issued on 6 December 2011" which is part of the technical documentation of this European technical approval. The control plan is laid down in the context of the factory production control system operated by the manufacturer and deposited with Deutsches Institut für Bautechnik.²¹

The incoming raw materials shall be subject to controls and tests by the manufacturer before acceptance. Check of materials, such as steel rods or wire, shall include control of the inspection documents presented by suppliers (comparison with nominal values) by verifying dimension and determining material properties, e.g. chemical composition, mechanical properties and corrosion protection.

The manufactured components shall be checked visually and for dimensions. The control plan includes details of the extent, nature and frequency of testing and controls to be performed within the factory production control.

The results of factory production control shall be recorded and evaluated in accordance with the provisions of the control plan. The records shall include at least the following information:

- Designation of the product, basic material and components,
- Type of control or testing,
- Date of manufacture of the product and date of testing of the product or basic material and components,
- Result of control and testing and, if appropriate, comparison with requirements,
- Signature of person responsible for factory production control.

The records shall be presented to the approved body involved in the continuous surveillance and shall be presented to Deutsches Institut für Bautechnik on request.

3.2.1.2 Initial type testing

For initial type-testing the results of the tests performed as part of the assessment for the European technical approval may be used unless there are changes in the production line or plant. In such cases the necessary initial type-testing has to be agreed between Deutsches Institut für Bautechnik and the notified body.

21

The "control plan" is a confidential part of the European technical approval and only handed over to the approved body involved in the procedure of attestation of conformity. See section 3.2.2.



Page 8 of 19 | 6 December 2011

3.2.1.3 Other tasks for the manufacturer

The manufacturer shall, on the basis of a contract, involve a body which is approved for the tasks referred to in section 3.1 in the field of screws in order to undertake the actions laid down in section 3.2.2. For this purpose, the control plan referred to in sections 3.2.1.1 and 3.2.2 shall be handed over by the manufacturer to the approved body involved.

The manufacturer shall make a declaration of conformity, stating that the construction product is in conformity with the provisions of the European technical approval ETA-11/0452 issued on 6 Dezember 2011.

3.2.2 Tasks for the approved bodies

The approved body shall perform the

- initial inspection of factory and of factory production control,
- continuous surveillance, assessment and approval of factory production control, in accordance with the provisions laid down in the control plan.
- 3.2.2.1 Initial inspection of factory and factory production control

The approved body shall ascertain that, in accordance with the control plan, the factory, in particular the staff and equipment, and the factory production control, are suitable to ensure a continuous and orderly manufacturing of the screws with this European technical approval.

3.2.2.2 Continuous surveillance

The approved body shall control the documentation of the factory production control (FPC) twice a year including an annual visit of the factory for routine inspections. It shall be verified that the system of factory production control and the specified manufacturing processes are maintained, taking account of the control plan.

3.2.2.3 Other tasks of the approved body

The approved body shall retain the essential points of its actions referred to above and state the results obtained and conclusions drawn in a written report.

The results of certification and continuous surveillance shall be made available on demand by the certification body to Deutsches Institut für Bautechnik.

The approved certification body involved by the manufacturer shall issue an EC certificate of conformity of the factory production control stating the conformity with the provisions of this European technical approval.

In cases where the provisions of the European technical approval and its control plan are no longer fulfilled the certification body shall withdraw the certificate of conformity and inform Deutsches Institut für Bautechnik without delay.

3.3 CE marking

The CE marking shall be affixed on each packaging of the self-tapping screws. The letters "CE" shall be followed by the identification number of the approved certification body and be accompanied by the following additional information:

- the name and/or identifying mark of the producer (legal entity responsible for the manufacture),
- the last two digits of the year in which the CE marking was affixed,
- the number of the EC certificate for the factory production control,
- the number of the European technical approval,
- name of the product,



Page 9 of 19 | 6 December 2011

- outer thread diameter and length of the self-tapping screws,
- type and mean thickness of the corrosion protection,
- Stainless steel including the material number, if relevant.

4 Assumptions under which the fitness of the product for the intended use was favourably assessed

4.1 Manufacturing

HECO self-tapping screws shall be manufactured in accordance with the provisions of this European technical approval using the manufacturing processes as identified at the inspection of the plant by the notified inspection body and laid down in the technical documentation.

The European technical approval is issued for the product on the basis of agreed data/information, deposited with Deutsches Institut für Bautechnik, which identifies the product that has been assessed and judged. Changes to the product or production process, which could result in this deposited data/information being incorrect, shall be notified to Deutsches Institut für Bautechnik before the changes are introduced. Deutsches Institut für Bautechnik will decide whether or not such changes affect the approval and consequently the validity of the CE marking on the basis of the approval and if so whether further assessment or alterations to the approval shall be necessary.

4.2 Installation

The screws are driven into the wood-based member without pre-drilling or in pre-drilled holes with a diameter not exceeding the inner thread diameter d_1 . A tolerance of 0.5 mm less of the inner thread diameter d_1 may be permissible. The screw holes in steel members shall be pre-drilled with an adequate diameter greater than the outer thread diameter.

A minimum of two screws shall be used for connections in load bearing timber structures.

By fastening screws in wood-based members the head of the screws shall be flush with the surface of the wood-based member. For raised countersunk, cylinder and pan head the head part k respectively f remains unconsidered.

5 Indications to the manufacturer

5.1 Use, maintenance, repair

The assessment of the fitness for use is based on the assumption that no maintenance is required during the assumed intended working life.

Georg Feistel Head of Department *beglaubigt:* Dewitt



ANNEX 1 – Characteristic values of the load-carrying capacities

Table 1.1 Characteristic load-carrying capacities of HECO-UNIX-plus and HECO-UNIX-top screws

Outer thread diame	ter [mm]	3.5	4.0	4.5	5.0	6.0
Characteristic yield	Carbon steel	2.3	2.8	4.5	5.9	9.5
moment M _{y,k} [Nm]	Stainless steel	-	-	3.7	4.9	-
Characteristic tensile strength f _{tens,k} [kN]	Carbon steel	3.4	4.4	5.6	7.9	11.3
	Stainless steel	-	-	5.3	7.4	-
Characteristic torsional strength f _{tor,k} [Nm]	Carbon steel	2.1	2.9	4.5	6.2	11.0
	Stainless steel	-	-	4.1	6.0	-

A.1.1 General

The minimum penetration length of screws in the load-bearing wood-based members shall be $4 \cdot d$.

The outer thread diameter of screws inserted in cross-laminated timber shall be at least 6 mm. To connect cross-laminated timber the inner thread diameter d_1 of the screws shall be greater than the maximal width of the gaps in the layer.

A.1.2 Laterally loaded screws

The outer thread diameter d shall be used as effective diameter of the screw according to EN 1995-1-1.

A.1.3 Axially loaded screws

The axial slip modulus K_{ser} of the threaded part of a screw for the serviceability limit state per side shall be taken independent of angle α to the grain as:

$$K_{ser} = 780 \cdot d^{0,2} \cdot l_{ef}^{0,4}$$
 [N/mm]

where

d outer thread diameter of the screw [mm]

l_{ef} penetration length of the screw in the wood-based member [mm].

A.1.3.1 Axial withdrawal capacity

The characteristic withdrawal parameter at an angle of $30^{\circ} < \alpha \le 90^{\circ}$ to the grain based on a characteristic density of the wood-based member of 350 kg/m³ is

 $f_{ax,k}$ = 11.8 N/mm² for screws with 3.5 mm \leq d \leq 6.0 mm

For screws penetrating more than one layer of cross-laminated timber the different layers may be taken into account proportionally. In the lateral surfaces of the cross-laminated timber the screws shall be fully inserted in one layer.

HECO-UNIX-plus and HECO-UNIX-top screws	
Characteristic values of the load-carrying capacities	Annex 1.1

(1.1)



A.1.3.2 Head pull-through capacity

The characteristic value of the head pull-through parameter for HECO-UNIX-plus and HECO-UNIX-top screws for a characteristic density of 350 kg/m³ of the timber and for wood-based panels like

- plywood according to EN 636 and EN 13986
- oriented strand board, OSB according to EN 300 and EN 13986
- particleboard according to EN 312 and EN 13986
- fibreboards according to EN 622-2, EN 622-3 and EN 13986
- cement-bonded particle boards according to national provisions that apply at the installation site,
- solid-wood panels according to national provisions that apply at the installation site.

with a thickness of more than 20 mm is

$f_{head,k}$ = 13.0 N/mm².

For wood-based panels a maximum characteristic density of 380 kg/m³ shall be used in equation (8.40b) of EN 1995-1-1.

For wood based panels with a thickness $12 \text{ mm} \le t \le 20 \text{ mm}$ the characteristic value of the head pull-through parameter for HECO-UNIX-plus and HECO-UNIX-top screws is:

$f_{head,k}$ = 8.0 N/mm²

For wood based panels with a thickness of less than 12 mm the characteristic head pull-through capacity for the screws shall be based on a characteristic value of the head pull-through parameter of 8 N/mm², and limited to 400 N complying with the minimum thickness of the wood based panels of 1.2·d, with d as outer thread diameter and the values in Table 1.2.

Table 1.2 Minimum thickness of wood based panels

Wood based panel	Minimum thickness [mm]
Plywood	6
Fibreboards (hardboards and medium boards)	6
Oriented Strand Boards, OSB	8
Particleboards	8
Cement-bonded particle board	8
Solid wood Panels	12

For HECO-UNIX-plus and HECO-UNIX-top screws with a full thread the withdrawal capacity of the thread in the woodbased member with the screw head may be taken into account instead of the head pull-through capacity.

In steel-to-timber connections the head pull-through capacity is not governing.

A.1.4 Spacing, end and edge distances of the screws and minimum thickness of the wood based material

Minimum thickness for structural members is t = 24 mm.

A.1.4.1 Laterally and/or axially loaded screws

Screws in pre-drilled holes

For HECO screws in pre-drilled holes the minimum spacing, end and edge distances are given in EN 1995-1-1:2004+A1: 2008, clause 8.3.1.2 and Table 8.2 as for nails in pre-drilled holes. Here, the outer thread diameter d shall be considered.

Screws in non pre-drilled holes

For HECO screws in non pre-drilled holes minimum spacing and distances are given in EN 1995-1-1:2004+A1: 2008, clause 8.3.1.2 and Table 8.2 as for nails in non-predrilled holes. Here, the outer thread diameter d shall be considered.

HECO-UNIX-plus and HECO-UNIX-top screws

Characteristic values of the load-carrying capacities

Annex 1.2



For Douglas fir members minimum spacing and distances parallel to the grain shall be increased by 50%. Minimum distances from the unloaded edge perpendicular to the grain may be reduced to $3 \cdot d$ also for timber thickness t < $5 \cdot d$, if the spacing parallel to the grain and the end distance is at least $25 \cdot d$.

A.1.4.2 Only axially loaded screws

For HECO-UNIX-plus and HECO-UNIX-top screws the minimum spacing, end and edge distances are given in EN 1995-1-1:2004+A1: 2008, clause 8.7.2 and Table 8.6.

A.1.5 Insertion moment

The ratio between the characteristic torsional strength $f_{tor,k}$ and the mean value of insertion moment $R_{tor,mean}$ fulfills the requirement for all screws.

A.1.6 Durability against corrosion

Screws made from carbon steel may have the coatings according to Table 1.3

Table 1.3 Coatings of the screws

Coating		Thickness of the coating [μm]				
electrogalvanised	blue chromated					
	yellow chromated	4 - 10				
	black chromated	4 - 10				
	olive chromated					
zinc-nickel coating, gal	vanic cladded, chromated	8 - 12				
zinc flake basecoat		12 - 18				


Steel no. 1.4567 is used for screws made from stainless steel. Contact corrosion shall be avoided.

HECO-UNIX-plus and HECO-UNIX-top screws


Characteristic values of the load-carrying capacities

Annex 1.3











HECO Work do not serve to the serve to	ZL
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	
L Lv Lt Lt Lt Lt Lt Lt <thlt< th=""> Lt Lt Lt<!--</td--><td></td></thlt<>	
20 16 21 21 21 21 26 26 25 21 21 30 26 26 26 25 26 36 35 35 35 45 <	Lt
30 26 26 26 25 <td></td>	
35 31 31 31 30 1	
40 36 36 36 35 35 10 10 10 45 41 41 41 40 40 40 40 10 10 50 46 46 46 45 45 45 10 10 55 51 51 50 50 10 10 10 60 56 56 55 55 10 10 10 65 61 61 61 60 60 10 10 70 66 66 66 65 65 10 10 75 71 71 70 665 10	
45 41 41 40 45 45 45 45 45 45 45 45 45 45 45 45 45 46 46 45 45 50 50 50 55 55 55 55 55 55 65 66 66 66 66 66 66 66 66 65 65 65 10 105 105 105 105 105 105 105 105 105 106 106 106 106 106 106 106 106 106 106 106 106	
55 51 51 50 50 50 10 10 60 56 56 55 55 55 10 10 65 61 61 61 60 60 10 10 70 66 66 66 65 65 10 10 75 71 71 70 65 10 10 10 90 76 76 75 65 10 10 10 100 10 10 105 105 10 10 10 110 10 115 115 115 10 10 10 120 10 115 115 115 115 115 115 115 140 10 115 115 115 115 115 115 115 115 115 115 115 115 115 115 115 115	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
65 61 61 60	
70 66 66 65 65 1 1 1 75 71 71 70 65 1 1 1 80 76 76 75 65 1 1 1 90 76 76 75 65 1 1 1 90 1 1 85 85 85 1 1 1 100 10 1 105 105 1<	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	———————————————————————————————————————
80 76 76 76 75 65 1 1 1 90 1 1 85 85 85 1 1 1 100 1 1 95 95 95 1 1 1 110 10 105 105 105 105 1 1 1 120 10 115 115 115 1	———————————————————————————————————————
90 90 85 105 105 105 105 105 105 105 105 11	
110 10 105 105 105 105 120 115 115 115 115 115 130 105 115 115 115 115 140 125 135 135 105 105 150 145 145 145 145 145 160 155 155 155 155 180 190 105 105 105	
120 115 <td></td>	
130 Image: Constraint of the system of the	
140 Lv without shank ribs 135 Image: Constraint of the stand sta	
150 145 145 160 155 155 180 80 155 190 80 155	———————————————————————————————————————
160 155 155 180 80 100 190 80 80	
190 80 80	
220 80 240 80	
240 80 80 80 80 80 80 80 80 80 80 80 80 80	
300 80 80	
Other thread lengths for Ig ≥ 4*d up to max. standard thread length, are allowed IECO-UNIX-plus and HECO-UNIX-top screws IECO-UNIX-top screw with countersunk head, Pozi-Drive Anr	




			Material: C	old heading a carbon		ecification				
°4*°00	up u		Lv ±1 40° ng grooves	≠5° -+ ₽ + }	thing ribs	Manur P 	facturer's ma	rk H	HEC	O ZL
Nom.	diameter	Ø 3,5	5 Ø 4,0	Ø 4,5	Ø 5,0	Ø 6,	0			
d	upper tol. lower tol.	3,5 ⁺⁰	$^{0,3}_{0,1}$ 4,0 $^{+0}_{-0}$	^{,3} ₁ 4,5 ^{+0,3} _{-0,1}	5,0 ^{+0,3} -0,1	6,0 +	0,3 ,1			
d 1	upper tol. lower tol.	2,35 2,15	2,65 2,45	2,9 2,7	3,2 3,0	4,1 3,8				
d h	upper tol. lower tol.	6,9 ⁺⁰	$^{0,1}_{,4}$ 7,9 $^{+0}_{-0}$	^{,1} 4 8,9 ^{+0,1} -0,4	9,6 +0,1	11,7	+0,1 -0,4			
<u>d</u> s	upper tol. lower tol.				/ariable thread	4,4 4,2				
<u>P</u>	upper tol.	2,1	2,5	2,7	3,0	3,6				
<u>k</u>	lower tol.	1,8	2,1	2,3	2,3 2,6				<u> </u>	
	COSS upper tol.	T15 1,6	T20 1,55	T25	T25 2,25	T30				
t	lower tol.	1,3	1,25	1,5	1,85	2,5 2,1				
	A	3,35			4,53	5,63		Lt	1	Lt
	L 20	Lv 16	Lt Lv	<u>t Lv Lt</u>	Lv Lt	Lv	Lt Lv		Lv	
	25 30	21 26	21 26	26	25					
	30 35	31	31	31	30				1	
	40	36	36	36	35	35				
	45 50	41 46	41 46	41 46	40 45	40 45		_		+
	50	40	46 51	51	45 50	45 50			-	
	60		56	56	55	55				
	65		61	61	60	60				
	70 75		66 71	66 71	65 70	65 65			+	+
	80		76	76	75	65				
	90				85	85				+
	100 110				95 105	95 105			+	+
	120				115	115				
	130		1	abank riba		125				+
	140 150			shank ribs		135 145		-	+	+
	160					155				
	180						80			
	190 200						80 80		+	+
	220						80			
	240						80			
	260 280					+ $+$	80 80	_		+
	300						80			
ECO-U	NIX-plus an	Id HECO	-UNIX-top sc	nax. standard rews nead, T-Drive	nread length	are allow	ed		An	inex 2.4

Page 17 of European technical approval ETA-11/0452 on 6 December 2011

English translation prepared by DIBt





Z35153.11



	Material: Cold heading acc. HECO specification carbon steel														
				Lv	[±] 1.5								ŀ	HECO) 71
		-		 	0°/±5°)							'		
	X k									Ma	nufacturer's	mark H			
•.		6 m	illing ribs				<u>₽</u> -	_	뒤	미					
-4-															
60	dh d			A H	H-H	Ľ	A.A.	1 P	\leq	26°±			Å		
			TV	V V	V	/ /	VV	┤───			L				
		5					Cuttin	g ribs	'			A			
		_ t			Lt	t ±1.5		-				dh	-		
				L js	17			_							
Nom	. diameter	Ø:		Ø	4,0	Ø	4,5	Ø	5,0	Ø	6,0				
d	upper tol. lower tol.	3,5	+0,3 -0,1	4,0	+0,3 -0,1	4,5	+0,3 -0,1								
d 1	upper tol. lower tol.	2,3 2, ¹			65 45		2,9 2,7								
d h	upper tol. lower tol.	5,2	+0,2 -0,2	6,1	+0,1 -0,3	6,8	+0,1 -0,3								
ds	upper tol.														
	lower tol.														
P								riable th	nread p	itch					
k	upper tol. lower tol.	2, 2,			,1 ,7		,4 ,0								
	Recess	, 			,, 15		20								
	upper tol.	1,			65		55								
t	lower tol.	1,2			,4		25								
	А	3,3		3,	94	4,	53								
		Lv	Lt	Lv	Lt	Lv	Lt	Lv	Lt	Lv	Lt	Lv	Lt	Lv	Lt
	20 25														
	30 35														
	40 45	36		36											
	50	41 46		41 46		45									
	55 60	51 56		51 56		50 55									
	65			61		60									
	70 75			66		65 70									
	80			Lv wit	hout sha	75 nk ribs									
Othe	r thread leng	ths for	$\lg \ge 4$	*d up t	o max	. stanc	lard th	read le	ngth, a	are allo	wed		•		
HECO-I	JNIX-plus ar	d HEC	O-UN	IX-ton	screw	s									
					551 5 44	-								٨٥٩	ev 2 6
HECO-L	ECO-UNIX-top Floorboard screw with raised countersunk head, T-Drive								Annex 2.6						

Z35153.11

Page 19 of European technical approval ETA-11/0452 on 6 December 2011



