Deutsches Institut für Bautechnik

Zulassungsstelle für Bauprodukte und Bauarten

Bautechnisches Prüfamt

Eine vom Bund und den Ländern gemeinsam getragene Anstalt des öffentlichen Rechts

Kolonnenstraße 30 B D-10829 Berlin Tel.: +493078730-0 Fax: +493078730-320 E-Mail: dibt@dibt.de www.dibt.de





Mitglied der EOTA Member of EOTA

European Technical Approval ETA-10/0473

English translation prepared by DIBt - Original version in German language

Handelsbezeichnung

Trade name

Berner Hochleistungsanker BHA

Berner High-Performance Anchor BHA

Zulassungsinhaber

Holder of approval

Berner Trading Holding GmbH

Bernerstraße 6 74653 Künzelsau **DEUTSCHLAND**

Zulassungsgegenstand und Verwendungszweck

Kraftkontrolliert spreizender Metalldübel aus galvanisch verzinktem Stahl in den Größen 10, 12, 15, 18, 24, 28 und 32 zur Verankerung im Beton

Generic type and use

of construction product

Torque-controlled expansion anchor made of galvanised steel of sizes 10, 12, 15, 18, 24, 28 and 32 for use in concrete

Geltungsdauer: vom Validity: from

bis to

31 January 2012

4 March 2011

verlängert vom extended from

6 February 2012

bis to

7 October 2016

Herstellwerke Manufacturing plants Berner Herstellwerk 6

Berner manufacturing plant 6

Diese Zulassung umfasst This Approval contains

15 Seiten einschließlich 8 Anhänge 15 pages including 8 annexes





Extension of validity of the European technical approval ETA-10/0473 English translation prepared by DIBt

Page 2 of 15 | 6 February 2012

I LEGAL BASES AND GENERAL CONDITIONS

- 1 This European technical approval is issued by Deutsches Institut für Bautechnik in accordance with:
 - Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products¹, modified by Council Directive 93/68/EEC² and Regulation (EC) N° 1882/2003 of the European Parliament and of the Council³;
 - Gesetz über das In-Verkehr-Bringen von und den freien Warenverkehr mit Bauprodukten zur Umsetzung der Richtlinie 89/106/EWG des Rates vom 21. Dezember 1988 zur Angleichung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten über Bauprodukte und anderer Rechtsakte der Europäischen Gemeinschaften (Bauproduktengesetz - BauPG) vom 28. April 1998⁴, as amended by law of 31 October 2006⁵;
 - Common Procedural Rules for Requesting, Preparing and the Granting of European technical approvals set out in the Annex to Commission Decision 94/23/EC⁶;
 - Guideline for European technical approval of "Metal anchors for use in concrete Part 2: Torque controlled expansion anchors ", ETAG 001-02.
- Deutsches Institut für Bautechnik is authorized to check whether the provisions of this European technical approval are met. Checking may take place in the manufacturing plants. Nevertheless, the responsibility for the conformity of the products to the European technical approval and for their fitness for the intended use remains with the holder of the European technical approval.
- This European technical approval is not to be transferred to manufacturers or agents of manufacturers other than those indicated on page 1, or manufacturing plants other than those indicated on page 1 of this European technical approval.
- This European technical approval may be withdrawn by Deutsches Institut für Bautechnik, in particular pursuant to information by the Commission according to Article 5(1) of Council Directive 89/106/EEC.
- Reproduction of this European technical approval including transmission by electronic means shall be in full. However, partial reproduction can be made with the written consent of Deutsches Institut für Bautechnik. In this case partial reproduction has to be designated as such. Texts and drawings of advertising brochures shall not contradict or misuse the European technical approval.
- The European technical approval is issued by the approval body in its official language. This version corresponds fully to the version circulated within EOTA. Translations into other languages have to be designated as such.
- Official Journal of the European Communities L 40, 11 February 1989, p. 12
- Official Journal of the European Communities L 220, 30 August 1993, p. 1
- Official Journal of the European Union L 284, 31 October 2003, p. 25
- Bundesgesetzblatt Teil I 1998, p. 812
- 5 Bundesgesetzblatt Teil I 2006, p. 2407, 2416
- Official Journal of the European Communities L 17, 20 January 1994, p. 34



Extension of validity of the European technical approval ETA-10/0473 English translation prepared by DIBt

Page 3 of 15 | 6 February 2012

II SPECIFIC CONDITIONS OF THE EUROPEAN TECHNICAL APPROVAL

1 Definition of product and intended use

1.1 Definition of the construction product

The Berner High-Performance Anchor BHA of sizes 10, 12, 15, 18, 24, 28 and 32 is an anchor made of galvanised steel which is placed into a drilled hole and anchored by torque-controlled expansion.

An illustration of the product and intended use is given in Annex 1.

1.2 Intended use

The anchor is intended to be used for anchorages for which requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 of Council Directive 89/106 EEC shall be fulfilled and failure of anchorages made with these products would cause risk to human life and/or lead to considerable economic consequences.

The anchor may be used for anchorages with requirements related to resistance to fire.

The anchor is to be used only for anchorages subject to static or quasi-static loading in reinforced or unreinforced normal weight concrete of strength classes C20/25 at minimum and C50/60 at most according to EN 206: 2000-12. It may be anchored in cracked and non-cracked concrete.

The anchor may only be used in structures subject to dry internal conditions.

The provisions made in this European technical approval are based on an assumed working life of the anchor of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

2 Characteristics of the product and methods of verification

2.1 Characteristics of the product

The anchor corresponds to the drawings and provisions given in Annexes 2 and 3. The characteristic material values, dimensions and tolerances of the anchor not given in Annexes 2 and 3 shall correspond to the respective values laid down in the technical documentation⁷ of this European technical approval.

Regarding the requirements concerning safety in case of fire it is assumed that the anchor meets the requirements of class A1 in relation to reaction to fire in accordance with the stipulations of the Commission decision 96/603/EC, amended by 2000/605/EC.

The characteristic values for the design of anchorages are given in Annexes 4 and 5.

Z5030.12 8.06.01-33/12

7

The technical documentation of this European technical approval is deposited at the Deutsches Institut für Bautechnik and, as far as relevant for the tasks of the approved bodies involved in the attestation of conformity procedure, is handed over to the approved bodies.



Extension of validity of the European technical approval ETA-10/0473

Page 4 of 15 | 6 February 2012

English translation prepared by DIBt

The characteristic values for the design of anchorages regarding resistance to fire are given in Annexes 6 and 7. They are valid for use in a system that is required to provide a specific fire resistance class.

Each anchor is marked according to Annex 1.

The anchor shall only be supplied as a complete unit.

2.2 Methods of verification

The assessment of fitness of the anchor for the intended use in relation to the requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 has been made in accordance with the "Guideline for European technical approval of Metal Anchors for Use in Concrete", Part 1 "Anchors in general" and Part 2 "Torque-controlled expansion anchors", on the basis of Option 1.

The assessment of the anchor for the intended use in relation to the requirements for resistance to fire has been made in accordance with the Technical Report TR 020 "Evaluation of anchorages in concrete concerning resistance to fire".

In addition to the specific clauses relating to dangerous substances contained in this European technical approval, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the Construction Products Directive, these requirements need also to be complied with, when and where they apply.

3 Evaluation and attestation of conformity and CE marking

3.1 System of attestation of conformity

According to the decision 96/582/EG of the European Commission⁸ the system 2(i) (referred to as system 1) of attestation of conformity applies.

This system of attestation of conformity is defined as follows:

System 1: Certification of the conformity of the product by an approved certification body on the basis of:

- (a) Tasks for the manufacturer:
 - (1) factory production control;
 - (2) further testing of samples taken at the factory by the manufacturer in accordance with a prescribed control plan;
- (b) Tasks for the approved body:
 - (3) initial type-testing of the product;
 - (4) initial inspection of factory and of factory production control;
 - (5) continuous surveillance, assessment and approval of factory production control.

Note: Approved bodies are also referred to as "notified bodies".

Official Journal of the European Communities L 254 of 08.10.1996.



Extension of validity of the European technical approval ETA-10/0473 English translation prepared by DIBt

Page 5 of 15 | 6 February 2012

3.2 Responsibilities

3.2.1 Tasks of the manufacturer

3.2.1.1 Factory production control

The manufacturer shall exercise permanent internal control of production. All the elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures, including records of results performed. This production control system shall insure that the product is in conformity with this European technical approval.

The manufacturer may only use initial/ raw/ constituent materials stated in the technical documentation of this European technical approval.

The factory production control shall be in accordance with the control plan which is part of the technical documentation of this European technical approval. The control plan is laid down in the context of the factory production control system operated by the manufacturer and deposited at Deutsches Institut für Bautechnik⁹.

The results of factory production control shall be recorded and evaluated in accordance with the provisions of the control plan.

3.2.1.2 Other tasks of manufacturer

The manufacturer shall, on the basis of a contract, involve a body which is approved for the tasks referred to in section 3.1 in the field of anchors in order to undertake the actions laid down in section 3.2.2. For this purpose, the control plan referred to in sections 3.2.1.1 and 3.2.2 shall be handed over by the manufacturer to the approved body involved.

The manufacturer shall make a declaration of conformity, stating that the construction product is in conformity with the provisions of this European technical approval.

3.2.2 Tasks of approved bodies

The approved body shall perform the

- initial type-testing of the product,
- initial inspection of factory and of factory production control,
- continuous surveillance, assessment and approval of factory production control,

in accordance with the provisions laid down in the control plan.

The approved body shall retain the essential points of its actions referred to above and state the results obtained and conclusions drawn in a written report.

The approved certification body involved by the manufacturer shall issue an EC certificate of conformity of the product stating the conformity with the provisions of this European technical approval.

In cases where the provisions of the European technical approval and its control plan are no longer fulfilled the certification body shall withdraw the certificate of conformity and inform Deutsches Institut für Bautechnik without delay.

3.3 CE marking

The CE marking shall be affixed on each packaging of the anchor. The letters "CE" shall be followed by the identification number of the approved certification body, where relevant, and be accompanied by the following additional information:

- The name and address of the holder of the approval (legal entity responsible for the manufacturer),

The control plan is a confidential part of the documentation of the European technical approval, but not published together with the ETA and only handed over to the approved body involved in the procedure of attestation of conformity. See section 3.2.2.



Extension of validity of the European technical approval ETA-10/0473 English translation prepared by DIBt

Page 6 of 15 | 6 February 2012

- The last two digits of the year in which the CE marking was affixed,
 - The number of the EC certificate of conformity for the product,
 - The number of the European technical approval,
 - The number of the guideline for European technical approval,
 - Use category (ETAG 001-1 Option 1),
 - Size.

4 Assumptions under which the fitness of the product for the intended use was favourably assessed

4.1 Manufacturing

The European technical approval is issued for the product on the basis of agreed data/information, deposited with Deutsches Institut für Bautechnik, which identifies the product that has been assessed and judged. Changes to the product or production process, which could result in this deposited data/information being incorrect, should be notified to Deutsches Institut für Bautechnik before the changes are introduced. Deutsches Institut für Bautechnik will decide whether or not such changes affect the approval and consequently the validity of the CE marking on the basis of the approval and if so whether further assessment or alterations to the approval shall be necessary.

4.2 Design of anchorages

The fitness of the anchor for the intended use is given under the following conditions:

The anchorages are designed in accordance with the "Guideline for European technical approval of Metal Anchors for Use in Concrete", Annex C, Method A under the responsibility of an engineer experienced in anchorages and concrete work.

Verifiable calculation notes and drawings are taking account of the loads to be anchored.

The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports).

The design of anchorages under fire exposure has to consider the conditions given in the Technical Report TR 020 "Evaluation of anchorages in concrete concerning resistance to fire". The relevant characteristic anchor values are given in Annexes 6 and 7. The design method covers anchors with a fire attack from one side only. If the fire attack is from more than one side, the design method may be taken only, if the edge distance of the anchor is $c \ge 300 \text{ mm}$.

4.3 Installation of anchors

The fitness for use of the anchor can only be assumed if the anchor is installed as follows:

- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site,
- Use of the anchor only as supplied by the manufacturer without exchanging the components of an anchor.
- Anchor installation in accordance with the manufacturer's specifications and drawings and using the appropriate tools,
- Checks before placing the anchor to ensure that the strength class of the concrete in which the anchor is to be placed is in the range given and is not lower than that of the concrete to which the characteristic loads apply,
- Check of concrete being well compacted, e.g. without significant voids,



Extension of validity of the European technical approval ETA-10/0473 English translation prepared by DIBt

Page 7 of 15 | 6 February 2012

- Edge distances and spacings not less than the specified values without minus tolerances.
 - Positioning of the drill holes without damaging the reinforcement,
 - In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted drill hole is filled with high strength mortar and if under shear or oblique tension load it is not in the direction of load application,
 - Cleaning of the hole of drilling dust,
 - Anchor installation such that the effective anchorage depth is complied with. This compliance
 is ensured when the embedment mark of the anchor does no more exceed the concrete
 surface.
 - Application of the torque moment given in Annex 3 using a calibrated torque wrench.

5 Responsibility of the manufacturer

The manufacturer is responsible to ensure that the information on the specific conditions according to 1 and 2 including Annexes referred to as well as sections 4.2 and 4.3 is given to those who are concerned. This information may be made by reproduction of the respective parts of the European technical approval. In addition all installation data shall be shown clearly on the package and/or on an enclosed instruction sheet, preferably using illustration(s).


The minimum data required are:

- Diameter of drill bit,
- Thread diameter,
- Maximum thickness of the fixture,
- Minimum effective anchorage depth,
- Minimum hole depth,
- Torque moment,
- Information on the installation procedure, including cleaning of the hole, preferably by means of an illustration,
- Reference to any special installation equipment needed,
- Identification of the manufacturing batch.


All data shall be presented in a clear and explicit form.

Georg Feistel beglaubigt:
Head of Department G. Lange







Marking: Identifying mark of the producer, anchor identity nominal drill hole diameter / max. thickness of fixture e.g. BHA 15/25



Type with countersunk screw head SK BHA 10 - 18



Type with cap nut H BHA 10 - 24




Bolt type B BHA 10 - 32

- 1 Hexagon screw
- 2 Countersunk screw
- (3) Cap nut
- (4) Hexagon nut
- (5) Threaded rod

- 6 Conical nut
- 7 Spacer sleeve
- 8 Expansion sleeve
- 9 Plastic sleeve
- (10) Washer

 T_{inst}

(11) Conical washer



1) h_{ef}: effective anchorage depth

 $\frac{^{2)}}{^{3)}} t_{fix}$: thickness of fixture drill hole depth

4) h_{min}: minimal member thickness

⁵⁾ T_{inst}: installation torque

Berner High-Performance Anchor BHA

Product and intended use

Annex 1






Table 1: Anchor Dimensions [mm]

Type of anchor			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BHA 32
thread	M =		6	8	10	12	16	20	24
Diameter conical nut	ø d _c	=	10	12	14,8	17,8	23,7	27,5	31,5
sw	type H		13	17	17	19	24	-	-
	type SK 1)	=	4	5	6	8	-	-	-
	type S / B		10	13	17	19	24	30	36
t _{fix} type H / S / B	min	>	0	0	0	0	0	0	0
t _{fix} type SK	min	2	5	6	6	8	-		-
t _{fix} type H / S / B / SK	max	≤	250	250	300	350	400	500	500
anchor length screw/bolt	L _{s,} L _{h,} L _b (- t _{fix})	≥	49	74	89	99	124	149	174
anchor length countersunk	L _{sk} (- t _{fix})	\geq	54	79	95	107	-	-	-

¹⁾ internal hexagon

Berner High-Performance Anchor BHA	
Anchor types Anchor dimensions	Annex 2



Table 2: Materials

Part	Designation	Material
1	Hexagon screw 2)	Steel class 8.8; DIN EN ISO 898-11) 2)
2	Countersunk screw head 2)	Steel class 8.8; DIN EN ISO 898-11)
3	Cap nut	Steel class 8 1)
4	Hexagon nut 2)	Steel class 8 1)
5	Thread rod	Steel $R_m \ge 800 \text{ N/mm}^2$; $R_e \ge 640 \text{ N/mm}^2$
6	Conical nut 3)	Steel EN 10277 1) 3)
7	Spacer sleeve	Steel EN 10305 1)
8	Expansion sleeve	Steel EN 10139 ¹⁾ / EN 10277 ¹⁾
9	Plastic sleeve	ABS (Plastic)
10	Washer 2)	Steel EN 10139 1) 2)
11	Conical washer 2)	Steel EN 10277 1) 2)

galvanized according to EN ISO 4042, min $5\mu m$

Table 3: Installation parameters

Type of anch	BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BHA 32		
Nominal dri	II hole Diameter	$d_0 = [mm]$	10	12	15	18	24	28	32
Maximum diameter of drill bit $d_{cut} \leq [r]$		$d_{cut} \leq [mm]$	10,45	12,50	15,50	18,50	24,55	28,55	32,70
Depth of drill hole		$h_1 \ge [mm]$	55	80	90	105	125	155	180
Diameter of clearance hole		$d_f \leq [mm]$	12	14	17	20	26	31	35
Diameter of	Diameter of counter sunk		18	22	25	32	-	-	-
Depth of co	ounter sunk, 90°	BH A SK	5,0	5,8	5,8	8,0	-	-	-
	Type S		10	22,5	40	80	160	180	200
Required	Type SK	$T_{inst} = [Nm]$	10	22,5	40	80	-	-	-
installation torque	Туре Н	. mar []	10	22,5	40	80	90	-	-
Type B	Туре В		10	17,5	38	80	120	180	200

Table 4: Minimum thickness of concrete member, minimum spacing and minimum edge distances of anchors

Type of anchor		BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BHA 32
Minimum thickness of concrete member	h _{min} [mm]	80	120	140	160	200	250	300
Minimum spacing, cracked concrete	s _{min} [mm]	40	50	60	70	80	100	120
	for c ≥ [mm]	40	80	120	140	180	200	260
Minimum spacing,	s_{min} [mm]	40	60	70	80	100	120	160
uncracked concrete	for c ≥ [mm]	70	100	100	160	200	220	360
Minimum edge distance,	c _{min} [mm]	40	50	60	70	80	100	120
cracked concrete	for s ≥ [mm]	40	80	120	160	200	220	280
Minimum edge distance,	c _{min} [mm]	40	60	70	80	100	120	180
uncracked concrete	for $s \ge [mm]$	70	100	140	200	220	240	380

Intermediate values may be calculated by linear interpolation.

Berner High-Performance Anchor BHA	A 0
Materials Installation parameters Member dimensions	Annex 3

Functional coating BHA 10 – 24 (conical-) washer, BHA 28 + 32 hexagon screw Functional coating BHA 10 – 32 conical nut



Design method A – according to ETAG 001, Annex C Table 5: characteristic values for tension loads. Type S. SK, B, H

Characteristic values for tension loads, Type 3, 3K, B, H													
Type of anchor S, SK, B, I	-		BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 ³⁾	BHA 28 ⁴⁾	BHA 32 ⁴⁾				
Steel failure													
Characteristic resistance	$N_{Rk,s}$	[kN]	16,1	29,3	46,4	67,4	125,3	195,8	282,0				
Partial safety factor	γ _{Ms} 1)			1,5									
Pullout failure													
Characteristic resistance in cracked concrete	N _{Rk,p} [kN]	C20/25	7,5	12	16	25	2)	2)	2)				
Characteristic resistance in non-cracked concrete	N _{Rk,p} [kN]	C20/25	2)	2)	2)	2)	2)	2)	2)				
		C25/30				1,10							
	C30/37	1,22											
Increasing factors for	216	C35/45				1,34							
$N_{Rk,p}$	ψ_{c}	C40/50				1,41							
		C45/55				1,48							
		C50/60				1,55							
Partial safety factor	γ _{Mp} 1)					1,5 ⁵⁾	i						
Concrete cone failure a	nd spl	itting fail	ure										
Effective anchorage depth	h _{ef}	[mm]	40	60	70	80	100	125	150				
Spacing	S _{cr,N}	[mm]	120	180	210	240	300	375	450				
Edge distance	c _{cr,N}	[mm]	60	90	105	120	150	187,5	225				
Spacing (splitting)	s _{cr,sp}	[mm]	190	300	320	340	380	480	570				
Edge distance (splitting)	c _{cr,sp}	[mm]	95	150	160	170	190	240	285				
Partial safety factor	γ _{Mc} 1)					1,5 ⁵⁾	ı						

Displacements under tension loads, Type S, SK, B, H Table 6:

Type of anchor S, SK, B, H			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 ¹⁾	BHA 28 ²⁾	BHA 32 ²⁾
Tension load in cracked concrete	N	[kN]	3,6	5,7	7,6	11,9	17,1	24,0	31,5
Corresponding displacement	δ_{N0}	[mm]	0,8	0,2	0,3	0,4	0,6	0,7	0,7
	$\delta_{N^{\infty}}$	[mm]	1,7	0,9	1,3	1,6	1,8	1,3	1,1
Tension load in non-cracked concrete	N	[kN]	6,0	11,2	14,1	17,2	24,0	33,6	44,2
Corresponding	δ_{N0}	[mm]	0,6	0,1	0,2	0,3	0,2	0,3	0,3
displacement	δ_{N_∞}	[mm]	1,7	0,9	1,3	1,6	1,8	1,3	1,1

¹⁾ Only BHA S, BHA B and BHA H.
2) Only BHA S and BHA B.

Berner High-Performance Anchor BHA	
Design method A Characteristic values for tension loads displacements	Annex 4

¹⁾ In absence of other national regulations. ²⁾ Pullout failure not decisive. ³⁾ Only BHA S, BHA B and BHA H. ⁴⁾ Only BHA S and BHA B. ⁵⁾ The partial safety factor $\gamma_2 = 1,0$ is included.



Table 7: Design method	A, charactei	istic val	ues for	shear	oads			
Type of anchor S, SK, B, H		BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 ³⁾	BHA 28 ⁴⁾	BHA 32 ⁴⁾
Steel failure without lever arm								
Characteristic resistance Type S / SK	V _{Rk,s} [kN]	18	33	59	76	146	174	217
Characteristic resistance Type B / H	V _{Rk,s} [kN]	16	27	41	62	119	146	169
Partial safety factor	γ _{Ms} 1)	1,25						
Steel failure with lever arm								
Characteristic bending resistance	M ⁰ _{Rk,s} [Nm]	12	30	60	105	266	518	896
Partial safety factor	γ _{Ms} 1)				1,25			
Concrete pryout failure								
Factor in equation (5.6) of ETAG 001 Annex C, 5.2.3.3	k	1,0 2,0						
Partial safety factor	1) γ _{Μep}	1,5 ²⁾						
Concrete edge failure								

40

10

60

12

70

15

80

18

1,5 ²⁾

100

24

125

28

150

32

[mm]

 d_{nom} [mm]

γ_{Mc} 1)

Effective length of anchor

Effective diameter of anchor

under shear loading

Partial safety factor

Displacements under shear loads 1) Table 8:

Type of anchor S, SK			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 ²⁾	BHA 28 ²⁾	BHA 32 ²⁾
Shear load in cracked and cracked concrete	V	[kN]	10,3	18,9	33,7	43,4	83,4	99,4	124
Corresponding	δ_{V0}	[mm]	2,4	2,7	4,4	5,0	7,0	6,0	8,0
displacement	$\delta_{V\infty}$	[mm]	3,6	4,1	6,6	7,5	10,5	9,0	12,0

Type of anchor B, H			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28 ³⁾	BHA 32 ³⁾
Shear load in cracked and non-cracked concrete	V	[kN]	8,9	15,4	23,4	35,4	68,0	83,4	96,6
Corresponding	δ_{V0}	[mm]	2,2	2,3	3,0	5,0	7,0	5,0	5,0
displacement	δ_{V_∞}	[mm]	3,3	3,5	4,5	7,5	10,5	7,5	7,5

 $^{^{1)}}$ Tolerance of clearance hole not included in the displacements. $^{2)}$ Only BHA S. $^{3)}$ Only BHA B.

Berner High-Performance Anchor BHA	
Design method A Characteristic values for shear loads displacements	Annex 5

8.06.01-33/12 Z5430.12

 $[\]stackrel{\mbox{\scriptsize 1}}{\sim}$ In absence of other national regulations.

The partial safety factor γ_2 = 1,0 is included. Only BHA S, BHA B and BHA H Only BHA S and BHA B.



Table 9: Characteristic values	oi resistari								
R30, Fire resistance duration 30) minutes		BHA	BHA	BHA		ВНА	BHA	BHA
Steel failure			10	12	15	18	24	28	32
Characteristic resistance	TNI	(LANI)	Loo	20	2.0	4.0	0.0	100	20.0
	$N_{Rk,s,fi,30}$	(kN)	0,2	2,0	3,2	4,8	8,9	13,9	20,0
Pull-out failure			1						
Characteristic resistance	$N_{Rk,p,fi,30}$	(kN)	1,8	3,0	4,0	6,3	9,0	12,6	16,5
in concrete C20/25 to C50/60 Concrete cone failure									
Characteristic resistance	T0	T	I						
in concrete C20/25 to C50/60	N ⁰ _{Rk,c,fi,30}	(kN)	1,8	5,0	7,4	10,3	18,0	31,4	49,6
m derivate de gree la deares			ВНА						
R60, Fire resistance duration 60 minutes				BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BH <i>A</i> 32
Steel failure		_							
Characteristic resistance	N _{Rk,s,fi,60}	(kN)	0,2	1,3	2,3	3,9	7,3	11,3	16,3
Pull-out failure		1	•						
Characteristic resistance	T _{No.}	(kN)	1,8	3,0	4,0	6,3	9,0	12,6	16,5
in concrete C20/25 to C50/60	N _{Rk.p.,fi,60}	(KIV)	1,0	3,0	4,0	0,3	9,0	12,0	10,
Concrete cone failure									
Characteristic resistance	N ⁰ _{Rk,c,fi,60}	(kN)	1,8	5,0	7,4	10,3	18,0	31,4	49,6
in concrete C20/25 to C50/60	1 - HK,CJI,60	(/	.,.	-,-	.,.	,.	, -		,
R90, Fire resistance duration 90	minutes		вна	вна	BHA	ВНА	ВНА	ВНА	BH
			10	12	15	18	24	28	32
Steel failure	T	T	T						
Characteristic resistance	$N_{Rk,s,fi,90}$	(kN)	0,1	0,6	1,4	3,0	5,6	8,8	12,6
Pull-out failure									
Characteristic resistance	N _{Rk.p.,fi,90}	(kN)	1,8	3,0	4,0	6,3	9,0	12,6	16,5
in concrete C20/25 to C50/60	1° -NK þ,II,90	(,		0,0	.,0	0,0	0,0	,	
Concrete cone failure									
Concrete cone randre Characteristic resistance in concrete C20/25 to C50/60	N ⁰ _{Rk,cfi,90}	(kN)	1,8	5,0	7,4	10,3	18,0	31,4	49,6
Characteristic resistance in concrete C20/25 to C50/60		(kN)							
Characteristic resistance in concrete C20/25 to C50/60		(kN)	1,8 BHA 10	5,0 BHA 12	7,4 BHA 15	10,3 BHA 18	18,0 BHA 24	31,4 BHA 28	ВН
Characteristic resistance in concrete C20/25 to C50/60		(kN)	ВНА	вна	вна	ВНА	вна	ВНА	ВН
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure	20 minutes	(kN)	ВНА	вна	вна	ВНА	вна	ВНА	BH/ 32
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BH/ 32
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure	20 minutes N _{Rk,s,fi,120}	(kN)	BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 4,8	BHA 28 7,5	32 10,8
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance	20 minutes		BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	32 10,8
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure	20 minutes N _{Rk,s,fi,120}	(kN)	BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 4,8	BHA 28 7,5	32 10,8
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance	20 minutes $N_{Rk,s,fi,120}$ $N_{Rk,p,fi,120}$	(kN)	0,1 1,5	0,2 2,4	BHA 15 1,0	BHA 18 2,6	### August	BHA 28 7,5	10,8 13,2
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance	20 minutes N _{Rk,s,fi,120}	(kN)	BHA 10	BHA 12	BHA 15	BHA 18	BHA 24 4,8	BHA 28 7,5	10,8 13,2
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance in concrete C20/25 to C50/60	20 minutes N _{Rk,p,fi,120} N _{Rk,p,fi,120}	(kN)	0,1 1,5	0,2 2,4	BHA 15 1,0	BHA 18 2,6 5,0	### August	BHA 28 7,5	49,6 BH / 32 10,8 13,2 39,7
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance	20 minutes N _{Rk,p,fi,120} N _{Rk,p,fi,120} S _{cr,N}	(kN)	0,1 1,5	0,2 2,4	BHA 15 1,0	BHA 18 2,6 5,0 8,2 4 80	BHA 24 4,8 7,2 14,4 x h _{ef} 100	BHA 28 7,5	10,8 13,2
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance in concrete C20/25 to C50/60	20 minutes N _{Rk,p,fi,120} N _{Rk,p,fi,120}	(kN) (kN) (kN)	0,1 1,5 1,5	0,2 2,4 4,0	3,2 5,9	BHA 18 2,6 5,0 8,2 4 80 2	BHA 24 4,8 7,2 14,4 x h _{ef} 100 x h _{ef}	7,5 10,1 25,2	10,8 13,2 39,7
Characteristic resistance in concrete C20/25 to C50/60 R120, Fire resistance duration 1 Steel failure Characteristic resistance Pull-out failure Characteristic resistance in concrete C20/25 to C50/60 Concrete cone failure Characteristic resistance in concrete C20/25 to C50/60	N _{Rk,p,fi,120} N _{Rk,p,fi,120} N _{Rk,c,fi,120} S _{cr,N} S _{min}	(kN) (kN) (mm) (mm)	0,1 1,5 1,5	90,2 0,2 2,4 4,0 60 x h _{ef} ;	BHA 15 1,0 3,2 5,9	BHA 18 2,6 5,0 8,2 4 80 2 expos	BHA 24 4,8 7,2 14,4 x h _{ef} 100 x h _{ef} ure fro	7,5 10,1 25,2	10,8 13,2 39,7

In absence of other national regulations the partial safety factor for resistance under fire exposure $\gamma_{M,fi} = 1,0$ is recommended

Berner High-Performance Anchor BHA	
Characteristic tension load resistance under fire exposure - according to TR 020	Annex 6



Table 10:	Characteristic values o	f resistance to she	ar Ioads un	der fire exposure
-----------	-------------------------	---------------------	-------------	-------------------

R30, Fire resistance duration 30 minutes			BHA	BHA	BHA	BHA	BHA	BHA	BHA
			10	12	15	18	24	28	32
Steel failure without lever arm									
Characteristic resistance	$V_{Rk,s,fi,30}$	(kN)	0,3	2,0	3,2	4,8	8,9	13,9	20,0
Steel failure with lever arm									
Characteristic bending resistance	$M^{o}_{Rk,s,fi,30}$	(Nm)	0	2	4	7	19	37	64

R60, Fire resistance duration 60 minutes			BHA	BHA	BHA	BHA	BHA	BHA	BHA
			10	12	15	18	24	28	32
Steel failure without lever arm									
Characteristic resistance	$V_{\rm Rk,s,fi,60}$	(kN)	0,3	1,3	2,3	3,9	7,3	11,3	16,3
Steel failure with lever arm									
Characteristic bending resistance	M ⁰ _{Rk,s,fi,60}	(Nm)	0	1	3	6	15	30	52

R90, Fire resistance duration 90 minutes			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BHA 32
Steel failure without lever arm									
Characteristic resistance	$V_{\rm Rk,s,fi,90}$	(kN)	0,2	0,6	1,4	3,0	5,6	8,8	12,6
Steel failure with lever arm									
Characteristic bending resistance	M ⁰ _{Rk,s,fi,90}	(Nm)	0	1	2	5	12	23	40

R120 Fire resistance duration 120 minutes			BHA 10	BHA 12	BHA 15	BHA 18	BHA 24	BHA 28	BHA 32
Steel failure without lever arm									
Characteristic resistance	$V_{\rm Rk,s,fi,120}$	(kN)	0,1	0,2	1,0	2,6	4,8	7,5	10,8
Steel failure with lever arm									
Characteristic bending resistance	M ⁰ _{Rk,s,fi,120}	(Nm)	0	0	1	4	10	20	34

Concrete pry-out failure

In Equation (5.6) of ETAG 001, Annex C, 5.2.3.3, the k-factor for BHA 12-32 is 2,0, respectively 1,0 for BHA 10 and the relevant values of $N_{Rk,cfi}$ above Annex 6 Table 9 have to be considered in the design.

Concrete edge failure

The characteristic resistence $V^0_{Rk,cfi}$ in concrete C20/25 to C50/60 is determined by: $V^0_{Rk,cfi} = 0,25 \times V^0_{Rk,c}$ (R30, R60, R90) $V^0_{Rk,cfi} = 0,20 \times V^0_{Rk,c}$ (R120) with $V^0_{Rk,c}$ as initial value of the characteristic resistance in cracked concrete C20/25

under normal temperature according to ETAG 001, Annex C, 5.2.3.4..


In absence of other national regulations the partial safety factor for resistance under fire exposure $\gamma_{M,fi}$ = 1,0 is recommended

Berner High-Performance Anchor BHA


Characteristic shear load values under fire exposure - according to TR 020 Annex 7




Installation instruction for the Berner High-Performance Anchor BHA BHA 10 M6 to BHA 32 M24 S, H, B, SK




Installation instruction BHA 10 - 32 S



Installation instruction BHA 10 - 18 SK



Installation instruction BHA 10 - 32 B



Installation instruction BHA 10 - 24 H

Berner High-Performance Anchor BHA	
Installation instructions	Annex 8