

European Technical Approval ETA-04/0116

Handelsbezeichnung ATRION Verbundmörtelsystem AVM-BGZ / -R / -HCR Trade name ATRION Injection System AVM-BGZ / -R / -HCR Zulassungsinhaber Adolf Würth GmbH & Co. KG Holder of approval Reinhold-Würth-Straße 12-17 74653 Künzelsau DEUTSCHLAND Zulassungsgegenstand Kraftkontrolliert spreizender Verbunddübel mit Ankerstange und und Verwendungszweck Innengewindehülse IG zur Verankerung im Beton Generic type and use Torque controlled bonded anchor with anchor rod and of construction product internal threaded rod IG for use in concrete Geltungsdauer: vom 13 June 2013 Validity: from bis 7 June 2018 to Herstellwerk Werk A, Deutschland Manufacturing plant

English translation prepared by DIBt - Original version in German language

Diese Zulassung umfasst
This Approval contains40 Seiten einschließlich 32 Anhänge
40 pages including 32 annexesDiese Zulassung ersetzt
This Approval replacesETA-04/0116 mit Geltungsdauer vom 19.08.2011 bis 31.07.2014
ETA-04/0116 with validity from 19.08.2011 to 31.07.2014





Page 2 of 40 | 13 June 2013

I LEGAL BASES AND GENERAL CONDITIONS

- 1 This European technical approval is issued by Deutsches Institut für Bautechnik in accordance with:
 - Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products¹, modified by Council Directive 93/68/EEC² and Regulation (EC) N° 1882/2003 of the European Parliament and of the Council³;
 - Gesetz über das In-Verkehr-Bringen von und den freien Warenverkehr mit Bauprodukten zur Umsetzung der Richtlinie 89/106/EWG des Rates vom 21. Dezember 1988 zur Angleichung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten über Bauprodukte und anderer Rechtsakte der Europäischen Gemeinschaften (Bauproduktengesetz - BauPG) vom 28. April 1998⁴, as amended by Article 2 of the law of 8 November 2011⁵;
 - Common Procedural Rules for Requesting, Preparing and the Granting of European technical approvals set out in the Annex to Commission Decision 94/23/EC⁶;
 - Guideline for European technical approval of "Metal anchors for use in concrete Part 5: Bonded anchors", ETAG 001-05.
- 2 Deutsches Institut für Bautechnik is authorized to check whether the provisions of this European technical approval are met. Checking may take place in the manufacturing plant. Nevertheless, the responsibility for the conformity of the products to the European technical approval and for their fitness for the intended use remains with the holder of the European technical approval.
- 3 This European technical approval is not to be transferred to manufacturers or agents of manufacturers other than those indicated on page 1, or manufacturing plants other than those indicated on page 1 of this European technical approval.
- 4 This European technical approval may be withdrawn by Deutsches Institut für Bautechnik, in particular pursuant to information by the Commission according to Article 5(1) of Council Directive 89/106/EEC.
- 5 Reproduction of this European technical approval including transmission by electronic means shall be in full. However, partial reproduction can be made with the written consent of Deutsches Institut für Bautechnik. In this case partial reproduction has to be designated as such. Texts and drawings of advertising brochures shall not contradict or misuse the European technical approval.
- 6 The European technical approval is issued by the approval body in its official language. This version corresponds fully to the version circulated within EOTA. Translations into other languages have to be designated as such.
- ¹ Official Journal of the European Communities L 40, 11 February 1989, p. 12
- Official Journal of the European Communities L 220, 30 August 1993, p. 1
- ³ Official Journal of the European Union L 284, 31 October 2003, p. 25
- ⁴ Bundesgesetzblatt Teil I 1998, p. 812
- ⁵ Bundesgesetzblatt Teil I 2011, p. 2178

Official Journal of the European Communities L 17, 20 January 1994, p. 34



Page 3 of 40 | 13 June 2013

II SPECIFIC CONDITIONS OF THE EUROPEAN TECHNICAL APPROVAL

1 Definition of product/ products and intended use

1.1 Definition of the construction product

The ATRION Injection System AVM-BGZ /-R /-HCR is a torque controlled bonded anchor consisting of a mortar cartridge with ATRION Injection Adhesive AVM-BGZ or AVM-BGZ Express and an anchor rod with expansion cones and an external connection thread or internal connection thread (type IG).

The load transfer is realised by mechanical interlock of several cones in the bonding mortar and then via a combination of bonding and friction forces in the anchorage ground (concrete).

An illustration of the product and intended use is given in Annex 1.

1.2 Intended use

The anchor is intended to be used for anchorages for which requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 of Council Directive 89/106 EEC shall be fulfilled and failure of anchorages made with these products would cause risk to human life and/or lead to considerable economic consequences. Safety in case of fire (Essential Requirement 2) is not covered in this European technical approval.

The anchor is to be used only for anchorages subject to static or quasi-static loading in reinforced or unreinforced normal weight concrete of strength classes C20/25 at minimum and C50/60 at most according to EN 206:2000-12.

The anchor may be anchored in cracked and non-cracked concrete.

The anchor may be installed in dry or wet concrete; it must not be installed in flooded holes.

The anchor installed in hammer drilled holes may also be used under seismic action according to Annex 23 (performance category C2 only for sizes given in Annex 2).

The anchor with required bore hole diameters $d_0 \ge 14$ mm may be installed in dry or wet concrete or in water filled holes. The anchor with bore hole diameters $d_0 < 14$ mm may only be installed in dry or wet concrete.

The anchor may be used within the following temperature ranges:

Temperature range:	-40 °C to +80 °C	(max short term temperature +80 °C and max long term temperature +50 °C)
Temperature range:	-40 °C to +120 °C	(max short term temperature +120 °C and max long term temperature +72 °C)

Anchor rods made of zinc plated or hot-dip galvanised steel:

The element made of zinc plated or hot-dip galvanised steel may only be used in structures subject to dry internal conditions.

Anchor rods made of stainless steel (A4):

The element made of stainless steel with additional marking A4 may be used in structures subject to dry internal conditions and also in structures subject to external atmospheric exposure (including industrial and marine environment), or exposure to permanently damp internal conditions, if no particular aggressive conditions exist. Such particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor swimming pools or atmosphere with extreme chemical pollution (e.g. in desulphurization plants or road tunnels where de-icing materials are used).



Page 4 of 40 | 13 June 2013

Anchor rods made of high corrosion resistant steel (HCR):

The element made of high corrosion resistant steel with additional marking HCR may be used in structures subject to dry internal conditions and also in structures subject to external atmospheric exposure, in permanently damp internal conditions or in other particular aggressive conditions. Such particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor swimming pools or atmosphere with chemical pollution (e.g. in desulphurization plants or road tunnels where deicing materials are used).

The provisions made in this European technical approval are based on an assumed working life of the anchor of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

2 Characteristics of product and methods of verification

2.1 Characteristics of product

The anchor corresponds to the drawings and provisions given in the Annexes. The characteristic material values, dimensions and tolerances of the anchor not indicated in the Annexes shall correspond to the respective values laid down in the technical documentation⁷ of this European technical approval.

The characteristic values for the design of anchorages are given in the Annexes.

Each anchor rod is marked in accordance with the Annexes.

Each mortar cartridge shall be marked with the identifying mark of the producer and with the trade name, processing notes, shelf life, hazard code, curing time and processing time (depending on temperature) in accordance with Annex 1.

2.2 Methods of verification

The assessment of fitness of the anchor for the intended use in relation to the requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 has been made in accordance with the "Guideline for European technical approval of Metal Anchors for Use in Concrete", Part 1 "Anchors in general" and Part 5 "Bonded anchors" as well as the Technical Report TR 018 "Torque-controlled bonded anchors", on the basis of Option 1 and ETAG 001 Annex E "Assessment of Metal Anchors under Seismic Action".

In addition to the specific clauses relating to dangerous substances contained in this European technical approval, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the Construction Products Directive, these requirements need also to be complied with, when and where they apply.

The technical documentation of this European technical approval is deposited at the Deutsches Institut für Bautechnik and, as far as relevant for the tasks of the approved bodies involved in the attestation of conformity procedure, is handed over to the approved bodies.

7



Page 5 of 40 | 13 June 2013

3 Evaluation and attestation of conformity and CE marking

3.1 System of attestation of conformity

According to the decision 96/582/EG of the European Commission⁸ the system 2(i) (referred to as System 1) of attestation of conformity applies.

This system of attestation of conformity is defined as follows:

System 1: Certification of the conformity of the product by an approved certification body on the basis of:

- (a) Tasks for the manufacturer:
 - (1) factory production control;
 - (2) further testing of samples taken at the factory by the manufacturer in accordance with a prescribed control plan;
- (b) Tasks for the approved body:
 - (3) initial type-testing of the product;
 - (4) initial inspection of factory and of factory production control;
 - (5) continuous surveillance, assessment and approval of factory production control.

Note: Approved bodies are also referred to as "notified bodies".

3.2 Responsibilities

3.2.1 Tasks of the manufacturer

3.2.1.1 Factory production control

The manufacturer shall exercise permanent internal control of production. All the elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures, including records of results performed. This production control system shall insure that the product is in conformity with this European technical approval.

The manufacturer may only use initial / raw / constituent materials stated in the technical documentation of this European technical approval.

The factory production control shall be in accordance with the control plan which is part of the technical documentation of this European technical approval. The control plan is laid down in the context of the factory production control system operated by the manufacturer and deposited at Deutsches Institut für Bautechnik.⁹

The results of factory production control shall be recorded and evaluated in accordance with the provisions of the control plan.

3.2.1.2 Other tasks of manufacturer

The manufacturer shall, on the basis of a contract, involve a body which is approved for the tasks referred to in section 3.1 in the field of anchors in order to undertake the actions laid down in section 3.2.2. For this purpose, the control plan referred to in sections 3.2.1.1 and 3.2.2 shall be handed over by the manufacturer to the approved body involved.

The manufacturer shall make a declaration of conformity, stating that the product is in conformity with the provisions of this European technical approval.

⁹ The control plan is a confidential part of the European technical approval and only handed over to the approved body involved in the procedure of attestation of conformity. See section 3.2.2.

⁸ Official Journal of the European Communities L 254 of 08.10.1996.



Page 6 of 40 | 13 June 2013

3.2.2 Tasks of approved bodies

The approved body shall perform the following tasks in accordance with the provisions laid down in the control plan:

- initial type-testing of the product,
- initial inspection of factory and of factory production control,
- continuous surveillance, assessment and approval of factory production control.

The approved body shall retain the essential points of its actions referred to above and state the results obtained and conclusions drawn in a written report.

The approved certification body involved by the manufacturer shall issue an EC certificate of conformity of the product stating the conformity with the provisions of this European technical approval.

In cases where the provisions of the European technical approval and its control plan are no longer fulfilled the certification body shall withdraw the certificate of conformity and inform Deutsches Institut für Bautechnik without delay.

3.3 CE marking

The CE marking shall be affixed on each packaging of anchors. The letters "CE" shall be followed by the identification number of the approved certification body, where relevant, and be accompanied by the following additional information:

- the name and address of the holder of the approval (legal entity responsible for the manufacture),
- the last two digits of the year in which the CE marking was affixed,
- the number of the EC certificate of conformity for the product,
- the number of the European technical approval,
- the number of the guideline for European technical approval,
- use category (ETAG 001-1 Option 1, in addition: seismic performance category C2 where applicable),
- size.

4 Assumptions under which the fitness of the product for the intended use was favourably assessed

4.1 Manufacturing

The anchor is manufactured in accordance with the provisions of the European technical approval using the automated manufacturing process as identified in the inspection of the plant by the Deutsches Institut für Bautechnik and the approved body and laid down in the technical documentation.

The European technical approval is issued for the product on the basis of agreed data/information, deposited with Deutsches Institut für Bautechnik, which identifies the product that has been assessed and judged. Changes to the product or production process, which could result in th is deposited data/information being incorrect, should be notified to Deutsches Institut für Bautechnik before the changes are introduced. Deutsches Institut für Bautechnik will decide whether or not such changes affect the European technical approval and consequently the validity of the CE marking on the basis of the European technical approval and if so whether further assessment or alterations to the European technical approval shall be necessary.



Page 7 of 40 | 13 June 2013

4.2 Design of anchorages

The fitness of the anchor for the intended use is given under the following conditions:

The anchorages are designed either in accordance with

- ETAG 001 "Guideline for European technical approval of Metal Anchors for use in concrete", Annex C, method A

or in accordance with

CEN/TS 1992-4:2009, design method A

and Technical Report TR 045 "Design of metal Anchors under Seismic Action" under the responsibility of an engineer experienced in anchorages and concrete work.

Anchorages shall be positioned outside of critical regions (e.g. plastic hinges) of the concrete structure. Fastenings in stand-off installation or with a grout layer under seismic action are not covered.

Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored.

For the anchor rod IG fastening screws or threaded rods made of appropriate steel and strength class acc. to Annex 24 shall be specified. The minimum screw-in depth L_{sdmin} and maximum thread length L_{th} of the fastening screw or the threaded rod for installation of the fixture shall be met the requirements according to Annex 25. The length of the fastening screw or the threaded rod shall be determined depending on thickness of fixture, admissible tolerances, available thread length and minimum and maximum thread engagement length.

The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.).

4.3 Installation of anchors

The fitness for use of the anchor can only be assumed if the anchor is installed as follows:

- anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site,
- anchor installation in accordance with the manufacturer's specifications and drawings using the tools indicated in the technical documentation of this European technical approval,
- use of the anchor only as supplied by the manufacturer without exchanging the components of an anchor,
- checks before placing the anchor to ensure that the strength class of the concrete in which the anchor is to be placed is in the range given and is not lower than that of the concrete to which the characteristic loads apply,
- check of concrete being well compacted, e.g. without significant voids,
- keeping the effective anchorage depth,
- edge distance and spacing not less than the specified values without minus tolerances,
- positioning of the drill holes without damaging the reinforcement,
- in case of aborted drill hole: the drill hole shall be filled with mortar,
- cleaning the drill hole following the manufacturers installation instructions given in the Annexes,
- Installation conditions in dry or wet concrete or in water filled bore holes only as given in the Annexes, water filled bore holes (where admissible) must not be polluted otherwise the cleaning of the drill hole must be repeated,
- Anchor installation according to the installation instructions given in the Annexes,



Page 8 of 40 | 13 June 2013

- the anchor component installation temperature shall be at least +5 °C; during curing of the injection mortar the temperature of the concrete must not fall below -5 °C; observing the curing time given in the Annexes until the anchor may be loaded,
- the fastening screw or threaded rods with washer and nut for the anchor rod IG shall comply with specifications given in Annex 24.

5 Indications to the manufacturer

5.1 Responsibility of the manufacturer

It is in the responsibility of the manufacturer to ensure that the information on the specific conditions according to 1 and 2 including Annexes referred to and 4.2 and 4.3 as well as 5.2 is given to those who are concerned. This information may be made by reproduction of the respective parts of the European technical approval. In addition all installation data shall be shown clearly on the package and/or on an enclosed instruction sheet, preferably using illustration(s).

The minimum data required are:

- installation parameters acc. to Annex 5 for anchor rod or Annex 25 for anchor rod IG,
- for anchor rod IG requirements for fastening screw or threaded rod, washer and nut acc. to Annex 24,
- information on the installation procedure, including cleaning of the hole with the cleaning equipments, preferably by means of an illustration,
- exact volume of injection mortar related to element size,
- Storage temperature of anchor components,
- Admissible temperature range of the concrete at installation,
- Processing time and minimum curing time depending on temperature given in the Annexes,
- identification of the manufacturing batch.
- All data shall be presented in a clear and explicit form.

5.2 Packaging, transport and storage

The injection cartridges shall be protected against sun radiation and shall be stored according to the manufacturer's installation instructions in dry condition at temperatures of at least +5 °C to not more than +25 °C.


Mortar cartridges with expired shelf life must no longer be used.

The anchor shall only be packaged and supplied as a complete unit. Mortar cartridges may be packed separately from anchor rods (including nut and washer).

The manufacturer's installation instruction shall indicate that the ATRION Injection Adhesive AVM-BGZ or AVM-BGZ Express shall be used with the corresponding anchor rods of the manufacturer according to Annex 2.

Andreas Kummerow p.p. Head of Department *beglaubigt:* Baderschneider







Page 10 of European technical approval ETA-04/0116 of 13 June 2013

English translation prepared by DIBt







¹⁾ Illustration with hexagon head screw exemplified; other screws or threaded rods also permitted (see Annex 24, requirements of the fastening screw or threaded rod)

ATRION Injection System AVM-BGZ /-R /-HCR with anchor rod	l III	M8	M10	M12	M16	M20	M24
Static or quasi-static action		\checkmark					
Seismic action		- C2 -					
ATRION Injection System AVM-BGZ /-R /-HCR with anchor rod -IG	M6	M8	M10	M12	M16	M20	
Static or quasi-static action			٢	(
Seismic action	-						


ATRION Injection System AVM-BGZ /-R /-HCR

Intended use

Page 11 of European technical approval ETA-04/0116 of 13 June 2013

English translation prepared by DIBt





Marking of length	В	С	D	E	F	G	н	Ι	J	ĸ	L	М		
Length of anchor min \geq	50,8	63,5	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	5	
Length of anchor max <	63,5	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	203,2	2	
Marking of length	N	0	Р	0	R	s	т	11	v	w	x	V	7	>7
Marking of length	N	0		Q	R	S	T	U	V	W	X	T	Z	>Z
Marking of lengthLength of anchor min \geq	203,2	-	228,6	Q 241,3 254,0	254,0	279,4			V 355,6 381,0	381,0		т 431,8		>Z 482,6

Table 1:	Dimensions	of anchor	rod	M8 – M12	

	Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
	Additional marking			1	2	1	2	1	2	3	4	5	6	7
1	Anchor rod	Thread		M8	M8	M10	M10	M12	M12	M12	M12	M12	M12	M12
		Number of cones		2	3	3	3	3	3	4	4	6	6	6
		d _k	=	8,0	8,0	9,7	9,7	10,7	12,5	12,5	12,5	12,5	12,5	12,5
		t _{fix} min	Ν	1	1	1	1	1	1	1	1	1	1	1
		t _{fix} max	\leq	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
		L min		53	64	76	91	96	91	101	116	121	131	146
		L max		3052	3063	3075	3090	3095	3090	3100	3115	3120	3130	3145
3	Hexagon nut	SW		13	13	17	17	19	19	19	19	19	19	19
												Dim	onsions	in mm

Dimensions in mm

ATRION Injection System AVM-BGZ /-R /-HCR

Dimensions of anchor rod, Anchor rod M8 – M12



Tabl	Fable 2: Dimensions of anchor rod M16 – M24												
	Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
	Additional ma	rking		1	2	3	4	1	2	3	1	2	3
1	Anchor rod	Thread		M16	M16	M16	M16	M20	M20	M20	M24	M24	M24
		Number of cones		3	4	6	6	3	6	6	6	6	6
		d _k	=	16,5	16,5	16,5	16,5	19,7	22,0	22,0	24,0	24,0	24,0
		t _{fix} min	\geq	1	1	1	1	1	20 (1)	20 (1)	20 (1)	20 (1)	20 (1)
		t _{fix} max	\geq	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
		L min		115	130	151	171	144	204	224	211	241	266
		L max		3114	3129	3150	3170	3143	3203	3223	3240	3240	3265
3	Hexagon nut	SW		24	24	24	24	30	30	30	36	36	36

Table 3: Materials

Part	Designation	Steel, zinc plated	Steel, hot-dip galvanised ≥ 40µm	Stainless steel A4	High corrosion resistant steel (HCR)
1	Anchor rod	Steel acc. to EN 10087, galvanised and coated	Steel acc. to EN 10087, hot-dip galvanised and coated	Stainless steel, 1.4401, 1.4404, 1.4571, 1.4362, EN 10088, coated	High corrosion resistant steel 1.4529, 1.4565 acc. to EN 10088, coated
2	Washer	Steel, galvanised	Steel, galvanised	Stainless steel, 1.4401, 1.4571, EN 10088	High corrosion resistant steel 1.4529 or 1.4565, acc. to EN 10088
3	Hexagon nut DIN 934	Property class 8 acc. to EN ISO 898-2, galvanised	Property class 8 acc. to EN ISO 898-2, hot-dip galvanised	ISO 3506, A4-70, 1.4401, 1.4571, EN 10088	ISO 3506, Property class 70, high corrosion resistant steel 1.4529 or 1.4565, EN 10088
4	Mortar cartridge	Vinylester resin, styre	ene free, mixing ratio 1:	10	

ATRION Injection System AVM-BGZ /-R /-HCR

Dimensions of anchor rod M16 – M24, Materials, Anchor rod




Anchor size						M8 -	M10 and	75 M1	2 7	0 M12 a	nd 80 l	M12 - M	24
Nominal diameter of drill hole		do			[mm]		< 14				≥ 14		
	dry co	ncrete			-		yes				yes		
Installation allowable in	wet co	oncrete			-	yes					yes		
water-filled hole 1) -							no				yes		
⁾ Special requirements see Sec													
Table 5: Installation	n para	mete	rs, M	18 – N	/12								
	<u> </u>		40	50	60	75	75	70	80	95	100	110	12
Anchor size	•		40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	12 M1
Anchor size Effective anchorage depth	∙ h _{ef} ≥	[mm]											
	h _{ef} ≥ d₀ =	[mm] [mm]	M8	M8	M10	M10	M12	M12	M12	M12	M12	M12	M1
Effective anchorage depth			M8 40	M8 50	M10 60	M10 75	M12 75	M12 70	M12 80	M12 95	M12 100	M12 110	M1 12
Effective anchorage depth Nominal diameter of drill hole	d ₀ =	[mm]	M8 40 10	M8 50 10	M10 60 12	M10 75 12	M12 75 12	M12 70 14	M12 80 14	M12 95 14	M12 100 14	M12 110 14	M1 12 14
Effective anchorage depth Nominal diameter of drill hole Depth of drill hole	d₀ = h₀ ≥	[mm] [mm]	M8 40 10 42	M8 50 10 55	M10 60 12 65	M10 75 12 80	M12 75 12 80	M12 70 14 75	M12 80 14 85	M12 95 14 100	M12 100 14 105	M12 110 14 115	M ¹ 12 13 13
Effective anchorage depth Nominal diameter of drill hole Depth of drill hole Diameter of cleaning brush	$\begin{array}{c} d_0 = \\ h_0 \geq \\ D \geq \\ T_{inst} \leq \end{array}$	[mm] [mm] [mm] [Nm]	M8 40 10 42 10,8	M8 50 10 55 10,8	M10 60 12 65 13,0	M10 75 12 80 13,0	M12 75 12 80 13,0	M12 70 14 75 15,0	M12 80 14 85 15,0	M12 95 14 100 15,0	M12 100 14 105 15,0	M12 110 14 115 15,0	M ² 12 13 13
Effective anchorage depth Nominal diameter of drill hole Depth of drill hole Diameter of cleaning brush Installation torque	$\begin{array}{c} d_0 = \\ h_0 \geq \\ D \geq \\ T_{inst} \leq \end{array}$	[mm] [mm] [mm] [Nm]	M8 40 10 42 10,8	M8 50 10 55 10,8	M10 60 12 65 13,0	M10 75 12 80 13,0	M12 75 12 80 13,0	M12 70 14 75 15,0	M12 80 14 85 15,0	M12 95 14 100 15,0	M12 100 14 105 15,0	M12 110 14 115 15,0	M1 12 14 13

²⁾ After the installation the annular gap in the clearance hole in the fixture has to be filled completely by excess mortar.. ³⁾ If hole diameter in the fixture d_f \leq 14 mm, annular gap does not have to be filled by mortar (see Annex 9).

Table 6: Installation parameters, M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Effective anchorage depth	h _{ef} ≥	[mm]	90	105	125	145	115	170	190	170	200	225
Nominal diameter of drill hole	d ₀ =	[mm]	18	18	18	18	22	24	24	26	26	26
Depth of drill hole	$h_0 \geq$	[mm]	98	113	133	153	120	180	200	185	215	240
Diameter of cleaning brush	D≥	[mm]	19,0	19,0	19,0	19,0	23,0	25,0	25,0	27,0	27,0	27,0
Installation torque	T _{inst} ≤	[Nm]	50	50	50	50	80	80	80	100	120	120
Diameter of clearance hole in the	ne fixture	:										
Pre-setting installation	$d_{\rm f} \leq$	[mm]	18	18	18	18	22	24 (22)	24 (22)	26	26	26
Through-setting installation 4)	$d_{\rm f} \leq$	[mm]	20	20	20	20	24	26	26	28	28	28

⁴⁾ After the installation the annular gap in the clearance hole in the fixture has to be filled completely by excess mortar.



Installation conditions, Installation parameters, Anchor rod



		instructions		
Maki	•	eaning of hamme	r drilled holes	
1	Pre-setting installation V	90 ⁻	Use Hammer drill or air drill with drill bit and depth gauge. Dr concrete surface.	rill perpendicular to
	Through- setting installation D	90°		
	Thro sei insta	€	Drill hole must be cleaned directly prior to installation of the	e anchor.
	v	M8-M16	AVM-BGZ M8 - M16: Blow out drill hole from the bottom with ATRION Blow-out pump two times. The Extension Tube with reduced diameter must be out pump for the diameter M8.	
2		min. 6 bar 2x +++ 	AVM-BGZ M20 - M24: Connect ATRION Air Blower AVM-DAB to compressed air (m Open air valve and blow out drill hole along the entire depth v motion at least two times.	
			AVM-BGZ M10 - M16: Blow out drill hole from the bottom with ATRION Blow-out pump two times.	AVM-HAB at least
		min. 6 bar 2x ++++++++++++++++++++++++++++++++++++	AVM-BGZ M20 - M24: Connect ATRION Air Blower AVM-DAB to compressed air (m Open air valve and blow out drill hole along the entire depth w motion at least two times.	
3	>		Check diameter of ATRION Steel Brush SB. If Brush can be p hole without any resistance, it must be replaced. Chuck Brush	into drill machine.
•	٩		Turn on drill machine. Brush drill hole back and forth along t depth at least two times while rotated by drill machine	he entire drill hole
	>		AVM-BGZ M8 - M16: Blow out drill hole from the bottom with ATRION Blow-out pump two times. The Extension Tube with reduced diameter must be out pump for the diameter M8.	
4		min. 6 bar 2x	AVM-BGZ M20 - M24: Connect ATRION Air Blower AVM-DAB to compressed air (m Open air valve and blow out drill hole along the entire depth v motion at least two times.	
	0	M8 - M16	AVM-BGZ M10 - M16: Blow out drill hole from the bottom with ATRION Blow-out pump two times.	AVM-HAB at least
		min. 6 bar 2x	AVM-BGZ M20 - M24: Connect ATRION Air Blower AVM-DAB to compressed air (m Open air valve and blow out drill hole along the entire depth v motion at least two times.	
AT	RION Inj	ection System	AVM-BGZ /-R /-HCR	
- N		-	hammer drilled holes -	Annex 6



Maki	ing and clea	aning of diamond	l core drilled holes
1	Pre-setting installation V		Use diamond drill with diamond drill bit and depth gauge. Drill perpendicular to concrete surface.
	Through- setting installation D		Drill hole must be cleaned directly prior to installation of the anchor.
2	>		Remove drill core at least up to the nominal hole depth and check drill hole
2	٩	\rightarrow	depth.
3	>		Flushing of drill hole: Flush drill hole with water, starting from the bottom, until
,	٩		clear water gets out of the drill hole.
4	>	min.6 bar 2x +++	Connect ATRION Air Blower AVM-DAB to compressed air (min. 6 bar, oil- free). Open air valve and blow out drill hole along the entire depth with back
4	۵	min.6 bar 2x ←→	and forth motion at least two times.

ATRION Injection System AVM-BGZ /-R /-HCR	
Installation instructions - Making and cleaning of diamond core drilled holes - Anchor rod	Annex 7

Page 16 of European technical approval ETA-04/0116 of 13 June 2013



Injec	tion			
5	N + Q	AN LESSON	Check expiration date on AVM-BGZ cartridge. Never use when ex from cartridge. Screw Mixer Nozzle SM on cartridge. When using a n use a new Mixer Nozzle. Never use cartridge without Mixer Nozzle a Nozzle without helix inside.	ew cartridge always
6	N + Q	min. 2x min. 10 cm	Insert cartridge in Dispenser. Before injecting discard mortar (at leas line of 10 cm) until it shows a consistent grey colour. Never use this m	
7	>	++++ */*	Prior to injection check if Mixer Nozzle reaches the bottom of the dri reach the bottom, plug Mixer Extension VS onto Mixer Nozzle in orde drill hole. Fill hole with a sufficient quantity of injection mortar. Start the drill hole and work out to avoid trapping air pockets.	er to properly fill the
	tion	of anchor rod		
Inser	uon	of anchor rod		
8	>		Insert the anchor rod by hand, rotating slightly up to the full embedme on the anchor rod. The anchor rod is properly set when excess mo hole. If the hole is not completely filled, pull out anchor rod, let morta and start again from No. 3.	rtar seeps from the
	٥		Insert the anchor rod by hand, rotating slightly up to the full embedm installation the annular gap in the clearance hole in the fixture has to by excess mortar. If the hole is not completely filled, pull out anchor drill out hole and start again from No. 3.	be filled completely
9	>	₩ S	Follow minimum curing time shown in Table 7: and Table 8:. During	curing time anchor
	۵		rod must not be moved or loaded.	
	٧			
10	D		Remove excess mortar.	
11	∧ + Q		The fixture can be mounted after curing time. Apply installation torqu Table 5: or Table 6: by using torque wrench.	ue T _{inst} according to
AT	RIO	N Injection Sys	stem AVM-BGZ /-R /-HCR	
- ar	ncho	tion instructio or installation - ⁻ rod		Annex 8






Table 7: Maximum processing time and minimum curing time AVM-BGZ

Temperature [°C]	Maximum processing	Minimum	curing time
in the drill hole	time	dry concrete	wet concrete
+ 40 °C	1,4 min	15 min	30 min
+ 35 °C to +39 °C	1,4 min	20 min	40 min
+ 30 °C to +34 °C	2 min	25 min	50 min
+ 20 °C to +29 °C	4 min	45 min	1:30 h
+ 10 °C to + 19 °C	6 min	1:20 h	2:40 h
+ 5 °C to + 9 °C	12 min	2:00 h	4:00 h
0 °C to + 4 °C	20 min	3:00 h	6:00 h
- 4 °C to - 1 °C	45 min	6:00 h	12:00 h ¹⁾
- 5 °C	1:30 h	6:00 h	12:00 h ¹⁾

¹⁾ It must be ensured that icing does not occur in the drill hole. The hole must be drilled and cleaned directly prior to the installation of the anchor.

ATRION Injection System AVM-BGZ /-R /-HCR

Installation instructions through-setting installation with clearance between concrete and anchor plate, Processing time, curing time AVM-BGZ, Anchor rod



Table 8: Maximu	m processing time and ı	minimum curing time /	AVM-BGZ Express
Temperature [°C]	Maximum processing	Minimum o	curing time
in the drill hole	time	dry concrete	wet concrete
+ 30 °C	1 min	10 min	20 min
+ 20 °C to + 29 °C	1 min	20 min	40 min
+ 10 °C to + 19 °C	3 min	40 min	80 min
+ 5 °C to + 9 °C	6 min	1:00 h	2:00 h
+ 0 °C to + 4 °C	10 min	2:00 h	4:00 h
- 4 °C to -1 °C	20 min	4:00 h	8:00 h ¹⁾
-5 °C	40 min	4:00 h	8:00 h ¹⁾

¹⁾ It must be ensured that icing does not occur in the drill hole. The hole must be drilled and cleaned directly prior to the installation the anchor.

Table 9:Minimum thickness of concrete, minimum spacing and edge distance,M8 - M12

Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Minimum thickness of concrete	h _{min}	[mm]	80	80	100	110 100 ²⁾	110	110	110	130 125 ²⁾	130	140	160
Cracked concrete													
Minimum spacing	S min	[mm]	40	40	40	40	50	55	40	40	50	50	50
Minimum edge distance	Cmin	[mm]	40	40	40	40	50	55	50	50	50	50	50
Non-cracked concrete													
Minimum spacing	Smin	[mm]	40	40	50	50	50	55	55	55	80 ³⁾	80 ³⁾	80 ³⁾
Minimum edge distance	C _{min}	[mm]	40	40	50	50	50	55	55	55	55 ³⁾	55 ³⁾	55 ³⁾

Table 10:Minimum thickness of concrete, minimum spacing and edge distance,
M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Minimum thickness of concrete	h _{min}	[mm]	130	150	170 160 ²⁾	190 180 ²⁾	160	230 220 ²⁾	250 240 ²⁾	230 220 ²⁾	270 260 ²⁾	300 290 ²⁾
Cracked concrete												
Minimum spacing	Smin	[mm]	50	50	60	60	80	80	80	80	80	80
Minimum edge distance	C _{min}	[mm]	50	50	60	60	80	80	80	80	80	80
Non-cracked concrete												
Minimum spacing	Smin	[mm]	50	60	60	60	80	80	80	80	105	105
Minimum edge distance	C _{min}	[mm]	50	60	60	60	80	80	80	80	105	105

²⁾ The remote face of the concrete member shall be inspected to ensure there has been no break-through by drilling. In case of break-through the ground of the drill hole shall be closed with high strength mortar. The full bonded length h_{ef} shall be achieved and any potential loss of injection mortar shall be compensated.

³⁾ For an edge distance $c \ge 80$ mm a minimum spacing $s_{min} = 55$ mm is applicable.

ATRION Injection System AVM-BGZ /-R /-HCR

Processing time, curing time AVM-BGZ Express, Minimum thickness of concrete, Minimum spacing and edge distance Anchor rod



Table 11: Characteristic values for tension load under static or quasi-static action, ETAG 001, Annex C, design method A, M8 – M12 100 40 60 75 70 80 95 110 125 50 75 Anchor size M8 M8 M10 M10 M12 M12 M12 M12 M12 M12 M12 Steel failure [kN] Characteristic tension Steel, zinc plated 25 25 35 49 54 57 57 15 18 54 57 resistance N_{Rk,s} Stainless steel A4, HCR [kN] 15 18 25 25 35 49 54 54 57 57 57 Partial safety factor [-] 1,5 γMs Pullout 50°C²⁾/80°C³⁾ 1) [kN] Characteristic resistance NRk.p in 72°C²⁾/120°C³⁾ cracked concrete C20/25 [kN] 5 7,5 12 12 12 16 20 20 30 30 30 50°C²⁾/80°C³⁾ 9 Characteristic resistance N_{Rk.p} in [kN] 40 50 50 non-cracked concrete C20/25 72°C²⁾/120°C³⁾ [kN] 6 9 16 16 16 16 25 25 30 30 30 Splitting for standard thickness of concrete (The higher resistance of Case 1 and Case 2 may be applied). Standard thickness of concrete 100 100 120 150 150 140 160 $h_{\text{std}} \geq 2 \ h_{\text{ef}}$ [mm] 190 200 220 250 Case 1 Characteristic resistance on 1) N⁰_{Rk,sp}⁴⁾ [kN] 7.5 9 16 20 20 20 30 40 40 40 concrete C20/25 Respective spacing [mm] 3 h_{ef} Scr.sp Respective edge distance [mm] $1,5 h_{ef}$ C_{cr,sp} Case 2 6 h_{ef} | 6 h_{ef} | 5 h_{ef} | 7 h_{ef} | 7 h_{ef} | 5 h_{ef} | 3 h_{ef} | 5 h_{ef} | 4 h_{ef} | 6 h_{ef} 5 h_{ef} Spacing S_{cr,sp} [mm] Edge distance [mm] 3 h_{ef} 3 h_{ef} 2,5h_{ef} 3,5h_{ef} 3,5h_{ef} 2,5h_{ef} 1,5h_{ef} 2,5h_{ef} 2 h_{ef} 3 h_{ef} $2.5h_{ef}$ C_{cr,sp} Splitting for minimum thickness of concrete (The higher resistance of Case 1 and Case 2 may be applied.) Minimum thickness of concrete $h_{\text{min}} \geq$ [mm] 80 80 100 | 100 | 110 | 110 | 110 | 125 | 130 | 140 160 Case 1 Characteristic resistance in N⁰_{Rk,sp}⁴⁾ 7.5 16 16 16 20 25 25 30 30 30 [kN] concrete C20/25 Respective spacing 3 h_{ef} -3 h_{ef} [mm] S_{cr,sp} Respective edge distance [mm] $1,5 h_{ef}$ _ 1,5h_{ef} C_{cr,sp} Case 2 6 h_{ef} | 7 h_{ef} | 6 h_{ef} | 7 h_{ef} | 7 h_{ef} | 7 h_{ef} | 6 h_{ef} | 7 h_{ef} | 6 h_{ef} | 6 h_{ef} | 6 h_{ef} Spacing [mm] S_{cr,sp} Edge distance 3 h_{ef} 3,5h_{ef} 3 h_{ef} 3,5h_{ef} 3,5h_{ef} 3,5h_{ef} 3 h_{ef} 3,5h_{ef} 3 h_{ef} 3 h_{ef} 3 h_{ef} [mm] 3 h_{ef} C_{cr,sp} C25/30 [-] 1,10 Increasing factors for C30/37 1,22 [-] N_{Rk,p} and N⁰_{Rk,sp} C40/50 [-] 1,41 Ψc C45/55 1,48 [-] C50/60 1,55 [-] Concrete cone failure 70 80 95 100 110 125 40 50 60 75 75 Effective anchorage depth h_{ef}≥ [mm] Spacing [mm] 3 h_{ef} Scr N Edge distance 1,5 h_{ef} C_{CLN} [mm] 1,5 Partial safety factor [-] $\gamma_{Mp} = \gamma_{Msp} = \gamma_{Mc}$

¹⁾ Pullout failure is not decisive

²⁾ Maximum long term temperature

³⁾ Maximum short term temperature

⁴⁾ For the proof against splitting failure according to ETAG 001 Annex C, $N_{Rk,c}^{0}$ in equation (5.3) has to be replaced by $N_{Rk,sp}^{0}$ with consideration of the member thickness ($\psi_{ucr,N} = 1,0$).

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for tension load under static or quasi-static action, ETAG 001, Annex C, design method A, Anchor rod M8 – M12



Table 12: Characteristic values for tension load under static or quasi-static action, ETAG 001. Annex C. design method A, M16 – M24 170 190 170 200 225 90 105 125 145 115 Anchor size M24 M20 M24 M24 M20 M16 M16 M16 M16 M20 (LG) (LG) (LG) (LG) (LG) Steel failure Characteristic tension Steel, zinc plated 88 95 96 188 222 222 222 [kN] 111 111 188 [kN] 95 resistance N_{Rk,s} Stainless steel A4, HCR 88 111 114 165 194 194 194 111 165 1,68 Partial safety factor 1,5 [-] 1,5 γMs Pullout Characteristic resistance N_{Rk,p} in <u>50°C²⁾/80</u>°C³⁾ [kN] 72°C²⁾/120°C³⁾ cracked concrete C20/25 25 30 50 50 30 [kN] 60 60 75 75 75 50°C²⁾/80°C³⁾ Characteristic resistance N_{Rk,p} in 75 [kN] 72°C²⁾/120°C³⁾ [kN] 35 50 50 40 75 75 95 95 95 non-cracked concrete C20/25 25 Splitting for standard thickness of concrete (The higher resistance of Case 1 and Case 2 may be applied.) 250 290 230 Standard thickness of concrete $h_{std} \ge 2 h_{ef}$ [mm] 180 200 340 380 340 400 450 Case 1 Characteristic resistance in N⁰_{Rk,sp}⁴⁾ 1) 1) [kN] 40 50 50 60 115 140 cracked concrete C20/25 Respective spacing S_{cr,sp} [mm] 3 h_{ef} Respective edge distance C_{cr,sp} [mm] 1,5 h_{ef} Case 2 4 h_{ef} 4 h_{ef} | 3 h_{ef} 3 h_{ef} 3 h_{ef} Spacing [mm] 4 h_{ef} 4 h_{ef} 4 h_{ef} 3 h_{ef} 3,6 h_{ef} S_{cr,sp} Edge distance 2 h_{ef} 2 h_{ef} 2 h_{ef} 1,5 h_{ef} 1,5 h_{ef} 2 h_{ef} | 1,5 h_{ef} | 1,5 h_{ef} | 1,8 h_{ef} [mm] | 2 h_{ef} C_{cr,sp} Splitting for minimum thickness of concrete (The higher resistance out of Case 1 and Case 2 may be applied.) 180 220 240 Minimum thickness of concrete [mm] 130 150 160 160 220 260 290 h_{min} ≥ Case 1 Characteristic resistance in $N^0_{Rk,sp}$ ⁴⁾ 1) [kN] 35 50 40 50 75 75 115 115 concrete C20/25 S_{cr,sp} 3 h_{ef} Respective spacing [mm] 3 h_{ef} _ Respective edge distance $1.5 h_{ef}$ C_{cr,sp} [mm] $1,5 h_{ef}$ Case 2 Spacing [mm] | 5 h_{ef} 5 h_{ef} | 6 h_{ef} 5 h_{ef} | 5 h_{ef} 5,2 h_{ef} 4,4 h_{ef} 5,2 h_{ef} 4,4 h_{ef} 4,4 h_{ef} S_{cr,sp} [mm] 2,5 h_{ef} 2,5 h_{ef} 3 h_{ef} 2,5 h_{ef} 2,5 h_{ef} 2,5 h_{ef} 2,6 h_{ef} 2,2 h_{ef} 2,6 h_{ef} 2,2 h_{ef} 2,2 h_{ef} 2,2 h_{ef} Edge distance C_{cr,sp} C25/30 [-] 1,10 Increasing factors for C30/37 [-] 1,22 N_{Rk,p} and N⁰_{Rk,sp} C40/50 [-] 1,41 Ψc C45/55 [-] 1,48 C50/60 1,55 [-] Concrete cone failure Effective anchorage depth 90 105 125 145 115 | 170 190 170 200 225 h_{ef}≥ [mm] Spacing [mm] 3 h_{ef} S_{cr,N} Edge distance [mm] $1,5 h_{ef}$ C_{cr,N} Partial safety factor 1,5 $\gamma_{Mp} = \gamma_{Msp} = \gamma_{Mc}$ [-] ¹⁾ Pullout failure is not decisive

²⁾ Maximum long term temperature

³⁾ Maximum short term temperature

⁴⁾ For the proof against splitting failure according to ETAG 001 Annex C, $N_{Rk,c}^{0}$ in equation (5.3) has to be replaced by $N_{Rk,sp}^{0}$ with consideration of the member thickness ($\psi_{ucr,N} = 1,0$).

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for tension load under static or quasi-static action, ETAG 001, Annex C, design method A, Anchor rod M16 – M24



Table 13: Displacements under tension loads, M8 – M12

•					•								
Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Tension load in cracked concrete	Ν	[kN]	4,3	6,1	8,0	11,1	11,1	10,0	12,3	15,9	17,1	19,8	24,0
Displacement	δ_{N0}	[mm]	0,5	0,5	0,5	0,6	0,6	0,6	0,6	0,6	0,6	0,7	0,7
Displacement	δ _{N∞}	[mm]						1,3					
Tension load in non-cracked concrete	Ν	[kN]	4,3	8,5	11,1	15,6	15,6	14,1	17,2	19,0	24,0	23,8	23,8
Displacement	δ _{N0}	[mm]	0,2	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,6	0,6
	δ _{N∞}	[mm]						1,3					

Table 14: Displacements under tension loads, M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Tension load in cracked concrete	Ν	[kN]	14,6	18,4	24,0	30,0	21,1	38,0	44,9	38,0	48,5	57,9
Displacement	δ _{N0}	[mm]	0,7	0,7	0,7	0,8	0,7	0,8	0,8	0,8	0,9	0,9
Displacement	δ _{N∞}	[mm]		1	,3		1,1			1,3		
Tension load in non-cracked concrete	Ν	[kN]	20,5	25,9	33,0	35,7	29,6	53,3	63,0	53,3	67,9	81,1
Displacement	δ_{N0}	[mm]	0,6	0,6	0,6	0,6	0,5	0,6	0,6	0,6	0,6	0,6
Displacement	$\delta_{N\infty}$	[mm]		1	,3		1,1			1,3		

ATRION Injection System AVM-BGZ /-R /-HCR

Displacements under tension load Anchor rod



Table 15:Characteristic values for shear load under static or quasi-static action,
ETAG 001, Annex C, design method A, M8 – M12

Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Steel failure with	out lever arm												
Characteristic shear resistance	Steel, zinc plated	[kN]	14	14	21	21	34	34	34	34	34	34	34
V _{Rk,s}	Stainless steel A4, HCR	[kN]	15	15	23	23	34	34	34	34	34	34	34
Partial safety factor	or γ _{Ms}	[-]						1,25					
Steel failure with	lever arm												
Characteristic bending moments	Steel, zinc plated	[Nm]	30	30	60	60	105	105	105	105	105	105	105
	Stainless steel A4, HCR	[Nm]	30	30	60	60	105	105	105	105	105	105	105
Partial safety facto	or γ _{Ms}	[-]						1,25					
Concrete pryout	failure												
Factor in equation ETAG 001, Annex 5.2.3.3		[-]						2					
Partial safety facto	or γ _{Μcp}	[-]						1,5					
Concrete edge fa	ailure												
Effective length of in shear load	f anchor I _f	[mm]	40	50	60	75	75	70	80	95	100	110	112
Diameter of ancho	or d _{nom}	[mm]	10	10	12	12	12	14	14	14	14	14	14
Partial safety facto		[-]						1,5					

Table 16: Displacements under shear loads, M8 – M12

Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Shear load in non-cracked concrete	V	[kN]	8,3	8,3	13,3	13,3	19,3	19,3	19,3	19,3	19,3	19,3	19,3
Displacements	δ_{V0}	[mm]	2,4	2,5	2,9	2,9	3,3	3,3	3,3	3,3	3,3	3,3	3,3
Displacements	δ_{V^∞}	[mm]	3,6	3,8	4,4	4,4	5,0	5,0	5,0	5,0	5,0	5,0	5,0

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for shear load under static or quasi-static action, ETAG 001, Annex C, design method A, Displacements under shear loads, Anchor rod M8 – M12



Table 17:Characteristic values for shear load under static or quasi-static action,ETAG 001, Annex C, design method A, M16 – M24

		40013			, .,							
Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Steel failure without	lever arm											
Characteristic shear	Steel, zinc plated	[kN]	63	63	63	63	70	149 ¹⁾ (98)	149 ¹⁾ (98)	178 ¹⁾ (141)	178 ¹⁾ (141)	178 ¹⁾ (141)
resistance $V_{Rk,s}$	Stainless steel A4, HCR	[kN]	63	63	63	63	86	131 ¹⁾ (86)	131 ¹⁾ (86)	156 ¹⁾ (123)	156 ¹⁾ (123)	156 ¹⁾ (123)
Partial safety factor	γMs	[-]		1,	25		1,4			1,25		
Steel failure with leve	er arm											
Characteristic	Steel, zinc plated	[Nm]	266	266	266	266	392	519	519	896	896	896
bending moments M ⁰ _{Rk,s}	Stainless steel A4, HCR	[Nm]	266	266	266	266	454	454	454	784	784	784
Partial safety factor	γMs	[-]		1,	25		1,4			1,25		
Concrete pryout failu	ire											
Factor in equation (5.6 ETAG Annex C, 5.2.3.		[-]						2				
Partial safety factor	γ́Мср	[-]					,	5, ا				
Concrete edge failure	÷											
Effective length of anc shear load	hor in I _f	[mm]	90	105	125	144	115	170	190	170	200	208
Diameter of anchor	d _{nom}	[mm]	18	18	18	18	22	24	24	26	26	26
Partial safety factor	γмс	[-]						1,5				

 $^{1)}$ This values may only be applied if $l_t \geq$ 0,5 $t_{\rm fix}$




Table 18: Displacements under shear loads, M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Shear load in non-cracked concrete	V	[kN]	36	36	36	36	44	75 (49)	75 (49)	89 (71)	89 (71)	89 (71)
Dianlacamenta	δvo	[mm]	3,8	3,8	3,8	3,8	3,0	4,3 (3,0)	4,3 (3,0)	4,6 (3,5)	4,6 (3,5)	4,6 (3,5)
Displacements	$\delta_{V^{\infty}}$	[mm]	5,7	5,7	5,7	5,7	4,5	6,5 (4,5)	6,5 (4,5)	6,9 (5,3)	6,9 (5,3)	6,9 (5,3)

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for shear load under static or quasi-static action, ETAG 001, Annex C, design method A, Displacements under shear loads, Anchor rod M16 – M20



Table 19: Characteristic values for tension load under static or quasi-static action, CEN/TS 1992-4, design method A, M8 – M12 40 50 60 75 75 70 80 95 100 110 125 Anchor size M12 M12 M12 M12 M8 M8 M10 M10 M12 M12 M12 Steel failure Characteristic tension Steel, zinc plated 25 25 49 [kN] 15 18 35 54 54 57 57 57 resistance N_{Rk.s} Stainless steel A4, HCR [kN] 15 18 25 25 35 49 54 54 57 57 57 Partial safety factor [-] 1.5 γMs Pullout 1) 50°C²⁾/80°C³⁾ [kN] Characteristic resistance N_{Rk,p} in 72°C²⁾/120°C³⁾ [kN] 5 7,5 12 12 12 16 20 20 30 30 30 cracked concrete C20/25 k₈ [-] 7,2 50°C²⁾/80°C³⁾ 9 40 50 [kN] 50 Characteristic resistance N_{Rk,p} in 72°C²⁾/120°C [kN] 6 9 16 16 16 16 25 25 30 30 30 non-cracked concrete C20/25 10,1 ka [-] Splitting for standard thickness of concrete (The higher resistance of Case 1 and Case 2 may be applied). Standard thickness of concrete 100 100 150 160 $h_{std} \ge 2 h_{ef}$ [mm] 120 150 140 190 200 220 250 Case 1 Characteristic resistance on N⁰_{Rk,sp}⁴⁾ 1) [kN] 7,5 9 16 20 20 20 30 40 40 40 concrete C20/25 Respective spacing [mm] 3 h_{ef} Scr,sp Respective edge distance [mm] 1,5 h_{ef} C_{cr,sp} Case 2 6 h_{ef} | 6 h_{ef} | 5 h_{ef} | 7 h_{ef} | 7 h_{ef} | 5 h_{ef} | 3 h_{ef} | 5 h_{ef} | 4 h_{ef} | 6 h_{ef} | 5 h_{ef} Spacing [mm] S_{cr,sp} Edge distance [mm] 3 h_{ef} 3 h_{ef} 2,5h_{ef} 3,5h_{ef} 3,5h_{ef} 2,5h_{ef} 1,5h_{ef} 2,5h_{ef} 2 h_{ef} 3 h_{ef} 2,5h_{ef} C_{cr,sp} Splitting for minimum thickness of concrete (The higher resistance of Case 1 and Case 2 may be applied.) Minimum thickness of concrete 80 100 100 110 110 110 125 130 140 160 [mm] 80 $h_{\text{min}} \geq$ Case 1 Characteristic resistance in N⁰_{Rk,sp}⁴⁾ 25 [kN] 7,5 _ 16 16 16 20 25 30 30 30 concrete C20/25 Respective spacing 3 h_{ef} S_{cr,sp} [mm] -3 h_{ef} $1,5 h_{e}$ Respective edge distance [mm] 1,5 h_{ef} C_{cr,sp} -Case 2 Spacing [mm] S_{cr,sp} Edge distance [mm] C_{cr,sp} C25/30 [-] 1.10 Increasing factors for C30/37 [-] 1,22 N_{Rk.p} and N⁰_{Rk.sp} C40/50 [-] 1,41 Ψc C45/55 [-] 1,48 C50/60 1.55 [-] Concrete cone failure Effective anchorage depth 40 50 60 75 75 70 80 95 | 100 | 110 | 125 h_{ef}≥ [mm] Factor for cracked concrete 7.2 [-] ker Factor for non-cracked concrete [-] 10,1 kucr Spacing [mm] 3 h_{ef} Scr N Edge distance [mm] 1,5 h_{ef} C_{cr,N} 1,5 Partial safety factor [-] $\gamma_{Mp} = \gamma_{Msp} = \gamma_{Mc}$ ¹⁾ Pullout failure is not decisive

2)

Maximum long term temperature 3)

Maximum short term temperature

⁴⁾ For the proof against splitting failure according to CEN/TS 1992-4-5, $N_{Rk,c}^{0}$ in equation (23) has to be replaced by $N_{Rk,sp}^{0}$ with consideration of the member thickness ($\psi_{ucr,N} = 1,0$).

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for tension load under static or quasi-static action, CEN/TS 1992-4, design method A, Anchor rod M8 – M12



Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Steel failure												
Chanastaristis tansian Steel, zin	c plated	[kN]	88	95	111	111	96	188	188	222	222	222
Characteristic tension Stainless resistance N _{Rk,s} HCR	steel A4,	[kN]	88	95	111	111	114	165	165	194	194	194
Partial safety factor	γMs	[-]		1	,5		1,68			1,5		
Pullout												
	50°C ²⁾ /80°C ³⁾	[kN]					1)				
Characteristic resistance N _{Rk,p}	72°C ²⁾ /120°C ³⁾	[kN]	25	30	50	50	30	60	60	75	75	75
in cracked concrete C20/25	k ₈	[-]					7,	2				
	50°C ²⁾ /80°C ³⁾	[kN]		1)		75	· · · ·		1)		
Characteristic resistance N _{Rk,p} in non-cracked concrete C20/25	72°C ²⁾ /120°C ³⁾	[kN]	25	35	50	50	40	75	75	95	95	95
In horeacked concrete C20/25	k ₈	[-]					10	,2				
Splitting for standard thick	ness of conc	rete (The hig	gher re	esistan	ce of C	Case 1	and Ca	ase 2 r	nay be	applied	l.)
Standard thickness of concrete	$h_{std} \ge 2 h_{ef}$	[mm]	180	200	250	290	230	340	380	340	400	450
Case 1												
Charakteristic resistance in cracked concrete C20/25	N ⁰ _{Rk,sp} ⁴⁾	[kN]	40	50	50	60	1)	115	1)	140
Respective spacing	S _{cr,sp}	[mm]					3	h _{ef}				
Respective edge distance	C _{cr.sp}	[mm]					1,5	h _{ef}				
Case 2		-										
Spacing	S _{cr,sp}	[mm]	4 h _{ef}	4 h _{ef}	4 h _{ef}	4 h _{ef}	3 h _{ef}	3 h _{ef}	4 h _{ef}	3 h _{ef}	3 h _{ef}	3,6 h
Edge distance	C _{cr,sp}	[mm]	2 h _{ef}	2 h _{ef}	2 h _{ef}	2 h _{ef}	$1,5 h_{ef}$	1,5 h _{ef}	2 h _{ef}	1,5 h _{ef}	1,5 h _{ef}	1,8 h
Splitting for minimum thick	ness of cond	crete (The hi	igher r	esistar	nce out	ofCa	se 1 ar	d Cas	e 2 may	y be ap	plied
Minimum thickness of concrete	h _{min} ≥	[mm]	130	150	160	180	160	220	240	220	260	290
Case 1					•							
Characteristic resistance in concrete C20/25	N ⁰ _{Rk,sp} ⁴⁾	[kN]	35	50	40	50	-	75	75	1)	115	115
Respective spacing	S _{cr,sp}	[mm]		3	h _{ef}		-			3 h _{ef}		
Respective edge distance	C _{cr,sp}	[mm]			h _{ef}		-			1,5 h _{ef}		
Case 2												
Spacing	S _{cr,sp}	[mm]	÷.	5 h _{ef}						5,2 h _{ef}		
Edge distance	C _{cr,sp}		2,5 h _{ef}	$2,5 h_{ef}$	3 h _{ef}	2,5 h _{ef}	2,5 h _{ef}	2,6 h _{ef}	2,2 h _{ef}	2,6 h _{ef}	2,2 h _{ef}	2,2 h
-	C25/30	[-]						10				
Increasing factors for	C30/37	[-]					1,	22				
N _{Rk,p} and N ⁰ _{Rk,sp} ψ _C	C40/50	[-]					,	41				
-	C45/55	[-]						48				
	C50/60	[-]					1,	55				
Concrete cone failure												
Effective anchorage depth	h _{ef} ≥	[mm]	90	105	125	145	115	170	190	170	200	225
Factor for cracked concrete	k _{cr}	[-]					7,					
Factor for non-cracked concrete	k _{ucr}	[-]					10,					
Spacing	S _{cr,N}	[mm]						h _{ef}				
Edge distance	C _{cr,N}	[mm]					1,5					
Partial safety factor γ _M	p= γ _{Msp} =γ _{Mc} ⁵⁾	[-]						1,5				

⁴⁾ For the proof against splitting failure according to CEN/TS 1992-4-5, $N_{Rk,c}^{0}$ in equation (23) has to be replaced by $N_{Rk,sp}^{0}$ with consideration of the member thickness ($\psi_{ucr,N} = 1,0$).

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for tension load under static or quasi-static action, CEN/TS 1992-4, design method A, Anchor rod M16 – M20



Table 21: Displacements under tension loads, M8 – M12

·													
Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Tension load in cracked concrete	Ν	[kN]	4,3	6,1	8,0	11,1	11,1	10,0	12,3	15,9	17,1	19,8	24,0
Displacement	δ_{N0}	[mm]	0,5	0,5	0,5	0,6	0,6	0,6	0,6	0,6	0,6	0,7	0,7
Displacement	δ _{N∞}	[mm]						1,3					
Tension load in non-cracked concrete	Ν	[kN]	4,3	8,5	11,1	15,6	15,6	14,1	17,2	19,0	24,0	23,8	23,8
Displacement	δ _{N0}	[mm]	0,2	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,6	0,6
Displacement	δ _{N∞}	[mm]						1,3					

Table 22: Displacements under tension loads, M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Tension load in cracked concrete	Ν	[kN]	14,6	18,4	24,0	30,0	21,1	38,0	44,9	38,0	48,5	57,9
Dicplocoment	δ _{N0}	[mm]	0,7	0,7	0,7	0,8	0,7	0,8	0,8	0,8	0,9	0,9
Displacement	$\delta_{N\infty}$	[mm]		1	,3		1,1			1,3		
Tension load in non-cracked concrete	Ν	[kN]	20,5	25,9	33,0	35,7	29,6	53,3	63,0	53,3	67,9	81,1
Displacement	δ_{N0}	[mm]	0,6	0,6	0,6	0,6	0,5	0,6	0,6	0,6	0,6	0,6
Displacement	$\delta_{N\infty}$	[mm]		1	,3		1,1			1,3		

ATRION Injection System AVM-BGZ /-R /-HCR

Displacements under tension load Anchor rod



Table 23: Characteristic values for shear load under static or quasi-static action, CEN/TS 1992-4, design method A, M8 – M12 40 50 60 75 75 70 80 95 100 110 125 Anchor size M12 M8 M8 M10 M10 M12 M12 M12 M12 M12 M12 Steel failure without lever arm Steel, zinc [kN] 14 14 21 21 34 34 34 34 34 34 34 Characteristic plated shear resistance Stainless steel $V_{Rk,s}$ [kN] 15 15 23 23 34 34 34 34 34 34 34 A4, HCR k_2 Factor of ductility [-] 1,0 1,25 Partial safety factor [-] γ́Ms Steel failure with lever arm Steel, zinc [Nm] 30 30 60 60 105 105 105 105 105 105 105 Characteristic plated bending moments Stainless steel M⁰_{Rk,s} 30 30 105 [Nm] 60 60 105 105 105 105 105 105 A4, HCR Partial safety factor 1,25 [-] γ́Ms Concrete pryout failure Factor in equation (27) 2 k₃ [-] CEN/TS 1992-4-5, 6.3.3 Partial safety factor [-] 1,5 γмср Concrete edge failure Effective length of anchor in 75 75 70 80 95 100 lf [mm] 40 50 60 110 112 shear load Diameter of anchor $\mathbf{d}_{\mathsf{nom}}$ 10 10 12 12 12 14 14 14 14 14 14 [mm] 1,5 Partial safety factor [-] γмс

Table 24: Displacements under shear loads M8 – M12

Anchor size			40 M8	50 M8	60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Shear load in non-cracked concrete	V	[kN]	8,3	8,3	13,3	13,3	19,3	19,3	19,3	19,3	19,3	19,3	19,3
Displacements	δ_{V0}	[mm]	2,4	2,5	2,9	2,9	3,3	3,3	3,3	3,3	3,3	3,3	3,3
Displacements	$\delta_{V^{\infty}}$	[mm]	3,6	3,8	4,4	4,4	5,0	5,0	5,0	5,0	5,0	5,0	5,0

Characteristic values for tension load under static or quasi-static action, CEN/TS 1992-4, design method A, Displacements under shear loads, Anchor rod M8 – M12



Table 25:Characteristic values for tension load under static or quasi-static action,
CEN/TS 1992-4, design method A, M16 – M24

	· · · · · · · · · · · · · · · · · · ·	· 9· · ·		,-								
Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Steel failure without I	ever arm											
Characteristic shear	Steel, zinc plated	[kN]	63	63	63	63	70	149 ¹⁾ (98)	149 ¹⁾ (98)	178 ¹⁾ (141)	178 ¹⁾ (141)	178 ¹⁾ (141)
resistance $V_{Rk,s}$	Stainless steel A4, HCR	[kN]	63	63	63	63	86	131 ¹⁾ (86)	131 ¹⁾ (86)	156 ¹⁾ (123)	156 ¹⁾ (123)	156 ¹⁾ (123)
Factor of ductility	k 2	[-]					1,	0				
Partial safety factor	γMs	[-]		1,	25		1,4			1,25		
Steel failure with lev	er arm											
Characteristic bending	Steel, zinc plated	[Nm]	266	266	266	266	392	519	519	896	896	896
moments $M^0_{Rk,s}$	Stainless steel A4, HCR	[Nm]	266	266	266	266	454	454	454	784	784	784
Partial safety factor	γMs	[-]		1,	25		1,4			1,25		
Concrete pryout fail	ure											
Factor in equation (27) CEN/TS 1992-4-5, 6.3		[-]						2				
Partial safety factor	γМср	[-]					,	5, ا				
Concrete edge failur	re											
Effective length of ancl shear load	hor in l _f	[mm]	90	105	125	144	115	170	190	170	200	208
Diameter of anchor	d _{nom}	[mm]	18	18	18	18	22	24	24	26	26	26
Partial safety factor	γмс	[-]			29	eu		1,5				

¹⁾ This values may only be applied if $l_t \ge 0.5 t_{fix}$






Table 26: Displacements under shear loads M16 – M24

Anchor size			90 M16	105 M16	125 M16	145 M16	115 M20	170 M20 (LG)	190 M20 (LG)	170 M24 (LG)	200 M24 (LG)	225 M24 (LG)
Shear load in non-cracked concrete	V	[kN]	36	36	36	36	44	75 (49)	75 (49)	89 (71)	89 (71)	89 (71)
Displacements	δ _{V0}	[mm]	3,8	3,8	3,8	3,8	3,0	4,3 (3,0)	4,3 (3,0)	4,6 (3,5)	4,6 (3,5)	4,6 (3,5)
Displacements	δ _{V∞}	[mm]	5,7	5,7	5,7	5,7	4,5	6,5 (4,5)	6,5 (4,5)	6,9 (5,3)	6,9 (5,3)	6,9 (5,3)
										-		

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for tension load under static or quasi-static action, CEN/TS 1992-4, design method A, Displacements under shear loads, Anchor rod M16 – M24



Table 27:	Chara M10 –		tic value	es for sei	smic	actio	n, Ca	itego	ry C2	, des	ign n	netho	od A,	
Anchor size						60 M10	75 M10	75 M12	70 M12	80 M12	95 M12	100 M12	110 M12	125 M12
Tension load														
Steel failure														
Characteristic te	nsion	Steel, zi	inc plated		[kN]	2	25	35	49	5	4		57	
resistance N _{Rk,s,s}	seis	Stainles	s steel A4,	HCR	[kN]	2	:5	35	49	5	4		57	
Partial safety fac	tor			γMs,seis	[-]					1,5				
Pullout failure	е													
Characteristic re				0°C ²⁾ /80°C ³⁾	[kN]		6					10,9		
cracked concrete		N _{Rk,p,seis}	72	2°C ²⁾ /120°C ³⁾	[kN]		5	,1				8,4		
Partial safety fac		<u> </u>		γMp,seis	[-]					1,5				
Displacemen		r seism	ic tensior					<u> </u>		1				
Displacements fo				$\delta_{N,seis(DLS)}^{(1)}$	[mm]			,01				33		
Displacements for	or ULS			$\delta_{\text{N,seis(ULS)}}^{\text{1)}}$	[mm]		2	,99			3,	93		
Shear load	• • •													
Steel failure v	without I													
Characteristic sh resistance V _{Rk,s,s}			inc plated		[kN]	12					27,2			
Partial safety fac		Stainles	s steel A4,		[kN] [-]	13	9,8			1,25	27,2			
Displacement		seismi	ic shear le	γMs,V,seis						1,20				
Displacements for		3013111	it shear h	δ _{V,seis(DLS)} ¹⁾	[mm]	2	06				2,47			
Displacements for				δv,seis(ULS) ¹⁾	[mm]		74				5,12			
Steel failure v		r arm		v,seis(0L3)	[]						•,•=			
Characteristic re				M ⁰ _{Rk,s.seis}	[Nm]			no	perforn	nance o	letermi	ned		
The characteri	stic seism	nic resista	ance El asia			ne dete	rmined		•					
$F_{k,seis} = \alpha_{gap}$		-	ATTOO T K,SEIS		gonan	50 4010	minou	uo						
	α _{gap}	reduction		take into ac shear loading		iertia et	ffects d	ue to a	n annu	lar gap	betwee	en faste	ener and	d
				earance betw		stener a	and fixtu	ure						
		= 0,5	connectior ETAG 001	ns with hole o , Annex C	clearand	ce acco	ording to	o Table	1, CE I	N/TS 19	992-4-1	or to T	able 4.	1,
	α_{seis}		on factor to , see Table	take into ac 30.	count th	ne influe	ence of	large o	cracks a	and sca	tter of	oad-dis	splacen	nent
	F ⁰ _{Rk,seis}			ic seismic res s for static or						in Table	e 27, fo	r all oth	ier failu	re
γMs,seis, γMp,seis				nic action for ic action may			des giv	ren in T	able 27	, for all	other f	ailure r	nodes,	the
DLS – Damage ULS – Ultimate			-	-										
¹⁾ The listed displ ²⁾ Maximum long ³⁾ Maximum shor	acements term tem	s represe perature		ilues.										
ATRION Inj	jection	Syste	m AVM	-BGZ /-R	/-HCF	२								
Characteris Anchor roc			or seism	ic action	, Cate	gory	C2,	desig	ın me	ethod	А,	An	nex 2	1



Anchor size					90 M16	105 M16	125 M16	145 M16
Tension load				ł				
Steel failure								
Characteristic ter	nsion	Steel, zi	nc plated	[kN]	88	95	1′	1
resistance N _{Rk,s,se}		Stainless	steel A4, HCR	[kN]	88	95	11	1
Partial safety fact			γMs,seis	[-]		1,	5	
Pullout failure	;							
Characteristic res			50°C ²⁾ /80°C ³⁾	[kN]	12,9	16,2	2′	,1
cracked concrete	C20/25	N _{Rk,p,seis}	72°C ²⁾ /120°C ³⁾	[kN]	10,5	14,7	20),9
Partial safety fact	tor		γMp,seis	[-]		1,	5	
Displacemen	ts under	seismic	tension loads					
Displacements fo	or DLS		$\delta_{ m N,seis(DLS)}^{1)}$	[mm]		1,	48	
Displacements fo	or ULS		$\delta_{ extsf{N}, extsf{seis}(extsf{ULS})}^{ extsf{1}}$	[mm]		4,	43	
Shear load								
Steel failure w	vithout le	ever arm						
Characteristic sh			nc plated	[kN]		50	,4	
resistance V _{Rk,s,se}	eis	Stainless	s steel A4, HCR	[kN]		50	,4	
Partial safety fact	tor		γ̂Ms,V,seis	[-]		1,	25	
Displacement	ts under	seismic	shear loads					
Displacements fo	or DLS		$\delta_{V,seis(DLS)}^{(1)}$	[mm]		2,	91	
Displacements fo	or ULS		$\delta_{V,seis(ULS)}$ 1)	[mm]		6,	80	
Steel failure w	vith leve	r arm						
Characteristic res	sistance		M ⁰ _{Rk,s.seis}	[Nm]		no performan	ce determined	
The characteris $F_{k,seis} = \alpha_{gap}$	_		ce F _{k,seis} of a fastening	shall be	determined as	6		
where	α_{gap}	fixture in	factor to take into acco case of shear loading.			-	ap between fa	stener and
		,	hole clearance betwe					
			nnections with hole cle FAG 001, Annex C	earance	according to T	able 1, CEN/TS	5 1992-4-1 or to	o Table 4.1,
	α_{seis}	reduction	factor to take into acco ee Table 30.	ount the	influence of la	rge cracks and	scatter of load-	displacement
I	F ⁰ Rk,seis		racteristic seismic resis le values for static or q				able 28, for all (other failure
γMs,seis, γMp,seis			für seismic action for t or static or quasi-static				r all other failur	re
DLS – Damage ULS – Ultimate I								
⁾ The listed displa ²⁾ Maximum long 1 ³⁾ Maximum short	term temp	erature	mean values.					
ATRION Inj	ection	System	AVM-BGZ /-R /-	HCR				
Characteris Anchor rod		ues for	seismic action,	Categ	ory C2, de	esign metho	od A, A	nnex 22



The seismic performance of anchors subjected to seismic loading is categorized by performance categories C1 and C2. The assignment of the seismic performance categories C1 and C2 to the seismicity level and building importance classes is in the responsibility of each individual Member State.

The values of a_g or that of the product a_g · S used in a Member State to define thresholds for the seismicity classes may be found in its National Annex of EN 1998-1:2004 (EC8) and may be different to the values given in Table 29.

The recommended categories C1 and C2 given in Table 29 are given in the case that no national requirements are defined.

Table 29: Recommended seismic performance categories for anchors

Seis	micity level ^{a)}	Importa	nce Class acc. to	EN 1998-1:2004,	, 4.2.5		
Class	a _g ⋅ S ^{c)}	Ι	II	III	IV		
Very low ^{b)}	a _g · S ≤ 0,05 g	No additional requirement					
low ^{b)}	0,05 g < a _g · S ≤ 0,1 g						
> low	a _g · S > 0,1 g	C1 C2					

a) The values defining the seismicity level may be found in the National Annex of EN 1998-1.

b) Definition according to EN 1998-1:2004, 3.2.1 C)

a_g =

- $\gamma_1 \cdot \mathbf{a}_{gR}$ Design ground acceleration on type A ground (Ground types as defined in EN 1998-1:2004, Table 3.1);
 - importance factor (see EN 1998-1:2004, 4.2.5); $\gamma_1 =$
 - reference peak ground acceleration on type A ground a_{aR} = (see EN 1998-1:2004, 3.2.1);
- Soil factor (see e.g. EN 1998-1:2004, 3.2.2). S =
- d) C1 for fixing non-structural elements to structures

e) C2 for fixing structural elements to structures

Reduction factor α_{seis} Table 30:

Loading	Failure mode	Single fastener	Fastener group
	Steel failure	1,0	1,0
Tension	Pull-out failure	1,0	0,85
Tension	Concrete cone failure	0,85	0,75
	Splitting failure	1,0	0,85
	Steel failure	1,0	0,85
Shear	Concrete edge failure	1,0	0,85
	Concrete pry-out failure	0,85	0,75

ATRION Injection System AVM-BGZ /-R /-HCR

Recommended seismic performance categories for anchors, Reduction factor α_{eq}






Table 31: Dimensions on anchor rod-IG

2														
Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Internal thread		-	M6	M6	M8	M8	M10	M10	M12	M12	M12	M16	M16	M20
Number of cones		-	2	3	3	3	3	4	3	4	6	3	6	6
Outer diameter	d _k	[mm]	8,0	8,0	9,7	10,7	12,5	12,5	16,5	16,5	16,5	19,7	22,0	24,0
Thread length	L _{th}	[mm]	12	15	16	19	20	23	24	27	30	32	32	40
Total length	L	[mm]	41	52	63	78	74	84	94	109	130	120	180	182
Length identifier		[mm]	L _{dh} < 18	L _{dh} > 19	L _{dh} < 22,5	L _{dh} > 23,5	L _{dh} < 27	L _{dh} > 28	L _{dh} < 31,5	32,5 < L _{dh} < 34,5	L _{dh} > 35,5	d _k < 21	d _k > 21	-

Table 32: Materials

Part	Designation	Steel, zinc plated	Stainless steel A4	High corrosion resistant steel (HCR)
1	Anchor rod	Steel acc. to EN 10087, galvanised and coated	Stainless steel, 1.4401, 1.4404, 1.4571, 1.4362, EN 10088, coated	High corrosion resistant steel 1.4529, 1.4565 acc. to EN 10088, coated
4	Mortar cartridge	Vinylester resin, styrene free,	, mineral aggregate 1:10	

Requirements of the fastening screw or the threaded rod and nut

- Minimum screw-in depth L_{sdmin} see Table 34
- The length of screw or the threaded rod must depending on the thickness of fixture t_{fix}, available thread length L_{th} (= maximum available thread length, see Table 34) and the minimum screw-in depth L_{sdmin} be established.
- $A_5 > 8 \%$ Ductility

Steel, zinc plated

- Minimum property class 8.8 according to EN ISO 898-1 or EN ISO 898-2
- Stainless steel A4
- Material 1.4401; 1.4404; 1.4578; 1.4571; 1.4439; 1.4362 EN 10088
- Minimum property class 70 according to EN ISO 3506
- High corrosion resistant steel (HCR)
- Material 1.4529; 1.4565 acc. to EN 10088
- Minimum property class 70 according to EN ISO 3506

ATRION Injection System AVM-BGZ /-R /-HCR

Dimensions, Materials Anchor rod-IG

Г



1

Anchor size							M6 -	- M8			M1	0 – M2	0	
Nominal diameter of drill hole		d₀			[mm]		< '	14				≥ 14		
	dry conc	rete			-		ye	es				yes		
Installation allowable in	wet cond				-		ye	es				yes		
	water-fill	ed hole	; ¹⁾		-		n	0				yes		
Table 34: Installati Anchor size	on para	mete	rs 40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Effective anchorage depth	h _{ef} =	[mm]	40	50	60	75	70	80	90	105	125	115	170	170
Nominal diameter of drill hole	d ₀ =	[mm]	10	10	12	12	14	14	18	18	18	22	24	26
Depth of drill hole	$h_0 \geq$	[mm]	42	55	65	80	80	85	98	113	133	120	180	185
Diameter of cleaning brush	n D≥	[mm]	10,8	10,8	13,0	13,0	15,0	15,0	19,0	19,0	19,0	23,0	25,0	27,0
Installation torque	T _{inst} ≤	[Nm]	8	8	10	10	15	15	25	25	25	50	50	80
Diameter of clearance hole in the fixture	e d _f ≤	[mm]	7	7	9	9	12	12	14	14	14	18	18	22
Available thread length	L _{th}	[mm]	12	15	16	19	20	23	24	27	30	32	32	40
Minimum screw-in depth	L_{sdmin}	[mm]	7	7	9	9	12	12	14	14	14	18	18	22
		-			he	ef			Imin	//	2			

 ATRION Injection System AVM-BGZ /-R /-HCR

 Installation conditions,

 Installation parameters

 Annex 25



Insta	allation instruc	tions anchor rod-IG
Makir	ng and cleaning o	f hammer drilled holes
1	90	Use Hammer drill or air drill with drill bit and depth gauge. Drill perpendicular to concrete surface.
	₩	Drill hole must be cleaned directly prior to installation of the anchor.
	M8-M16	AVM-BGZ-IG M6 - M12: Blow out drill hole from the bottom with ATRION Blow-out pump AVM-HAB at least two times. The Extension Tube with reduced diameter must be added to the Blow-out pump for the diameter M8.
2	min. 6 bar 2x	AVM-BGZ-IG M16 - M20: Connect ATRION Air Blower AVM-DAB to compressed air (min. 6 bar, oil-free). Open air valve and blow out drill hole along the entire depth with back and forth motion at least two times.
3		Check diameter of ATRION Steel Brush SB. If Brush can be pushed into the drill hole without any resistance, it must be replaced. Chuck Brush into drill machine. Turn on drill machine. Brush drill hole back and forth along the entire drill hole depth at least two times while rotated by drill machine.
4	M8-M16	AVM-BGZ-IG M6 - M12: Blow out drill hole from the bottom with ATRION Blow-out pump AVM-HAB at least two times. The Extension Tube with reduced diameter must be added to the Blow-out pump for the diameter M8.
4	min. 6 bar 2x	AVM-BGZ-IG M16 - M20: Connect ATRION Air Blower AVM-DAB to compressed air (min. 6 bar, oil-free). Open air valve and blow out drill hole along the entire depth with back and forth motion at least two times.
Maki	ng and cleaning o	f diamond drilled holes

Making and cleaning of diamond drilled holes

1		Use diamond drill with diamond drill bit and depth gauge. Drill perpendicular to concrete surface.
		Drill hole must be cleaned directly prior to installation of the anchor.
2		Remove drill core at least up to the nominal hole depth and check drill hole depth.
3		Flushing of drill hole: Flush drill hole with water, starting from the bottom, until clear water gets out of the drill hole.
4	min.6 bar	Connect ATRION Air Blower AVM-DAB to compressed air (min. 6 bar, oil-free). Open air valve and blow out drill hole along the entire depth with back and forth motion at least two times.

Installation instructions - Drilling and cleaning -Anchor rod-IG

Page 35 of European technical approval ETA-04/0116 of 13 June 2013

English translation prepared by DIBt



	Inject	tion	
	5	- BULLESSOR	Check expiration date on AVM-BGZ cartridge. Never use when expired. Remove cap from AVM-BGZ cartridge. Screw Mixer Nozzle on cartridge. When using a new cartridge always use a new Mixer Nozzle. Never use cartridge without Mixer Nozzle and never use Mixer Nozzle without helix inside.
	6	min. 2x min. 10 cm	Insert cartridge in Dispenser. Before injecting discard mortar (at least 2 full strokes or a line of 10 cm) until it shows a consistent grey colour. Never use this mortar.
	7	++++	Prior to injection check if Mixer Nozzle reaches the bottom of the drill hole. If is does not reach the bottom, plug Mixer Extension onto Mixer Nozzle in order to properly fill the drill hole. Fill cleaned drill hole with a sufficient quantity of injection mortar. Start from the bottom of the drill hole and work out to avoid trapping air pockets.
l '			

Setting of anchor rod-IG

8		Insert the anchor rod-IG rod by hand, rotating slightly up to about 1mm below the concrete surface in the drill hole. The anchor rod-IG is property set when excess mortar seeps from the hole. If the hole is not completely filled, up out inside thread anchor, let mortar cure, drill out hole and start again from No. 2.
9	, s×	Follow minimum curing time shown in Table 35: and Table 36:. During curing time inside thread anchor must not be moved or loaded.
10		Remove excess mortar.
11		The fixture can be mounted after curing time. Apply installation torque T_{inst} according to Table 34: by using torque wrench

ATRION Injection System AVM-BGZ /-R /-HCR	
Installation instructions - Anchor installation -	Annex 2

27



Temperature [°C]	Maximum processing	Minimum curing time							
in the drill hole	time	dry concrete	wet concrete						
+ 40 °C	1,4 min	15 min	30 min						
+ 35 °C to +39 °C	1,4 min	20 min	40 min						
+ 30 °C to +34 °C	2 min	25 min	50 min						
+ 20 °C to +29 °C	4 min	45 min	1:30 h						
+ 10 °C to + 19 °C	6 min	1:20 h	2:40 h						
+ 5 °C to + 9°C	12 min	2:00 h	4:00 h						
0 °C to + 4°C	20 min	3:00 h	6:00 h						
- 4 °C to -1 °C	45 min	6:00 h	12:00 h ⁻¹⁾						
- 5 °C	1:30 h	6:00 h	12:00 h ¹⁾						

Table 36: Maximum processing time and minimum curing time AVM-BGZ Express

Temperature [°C]	Maximum processing	Minimum c	uring time
in the drill hole	time	dry concrete	wet concrete
+ 30 °C	1 min	10 min	20 min
+ 20 °C to + 29 °C	1 min	20 min	40 min
+ 10 °C to + 19 °C	3 min	40 min	80 min
+ 5 °C to + 9 °C	6 min	1:00 h	2:00 h
0 °C to + 4 °C	10 min	2:00 h	4:00 h
- 4 °C to -1 °C	20 min	4:00 h	8:00 h ¹⁾
-5 °C	40 min	4:00 h	8:00 h ¹⁾

¹⁾ It must be ensured that icing does not occur in the drill hole. The hole must be drilled and cleaned directly prior to the installation the anchor.

Table 37: Minimum thickness of concrete, minimum spacing and edge distance

Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Minimum thickness of concrete	h _{min}	[mm]	80	80	100	110	110	110	130	150	170 160 ²⁾	160	230 220 ²⁾	230 220 ²⁾
Cracked concrete														
Minimum spacing	S min	[mm]	40	40	40	40	55	40	50	50	60	80	80	80
Minimum edge distance	C _{min}	[mm]	40	40	40	40	55	50	50	50	60	80	80	80
Non-cracked concrete														
Minimum spacing	S min	[mm]	40	40	50	50	55	55	50	60	60	80	80	80
Minimum edge distance	Cmin	[mm]	40	40	50	50	55	55	50	60	60	80	80	80

²⁾ The remote face of the concrete member shall be inspected to ensure there has been no break-through by drilling. In case of break-through the ground of the drill hole shall be closed with high strength mortar. The full bonded length h_{ef} shall be achieved and any potential loss of injection mortar shall be compensated.

ATRION Injection System AVM-BGZ /-R /-HCR

Processing time, curing time,

Minimum thickness of concrete, Minimum spacing and edge distance, Anchor rod-IG



	istic values , Annex C,					unde	er sta	atic c	or qu	asi-s	statio	c acti	on,	
Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Steel failure														
Characteristic Steel, zinc	plated	[kN]	15	16	19	29	35	35	67	67	67	52	125	108
tension resistance Stainless	steel A4, HCR	[kN]	11	11	19	21	33	33	47	47	47	65	88	94
N _{Rk,s} Partial safety factor		[-]						1.				•••		•••
Pullout	γMs	[-]						,	5					
	50°C ²⁾ /80°C ³⁾	[LAN]						1)					
Characteristic resistance N _{Rk,p}	72°C ²⁾ /120°C ³		5	7,5	12	12	16	20	20	30	50	30	60	75
in cracked concrete C20/25 Characteristic resistance N _{Rk.p}	<u>72 C 7720 C</u> 50°C ²⁾ /80°C ³⁾		9	7,5	12	12	16	20	20	30	50	30	60	75
in cracked concrete C20/25	<u>50 C /80 C /</u> 72°C ²⁾ /120°C ³		9 6	9	16	16	16	25	25	35	50	40	75	95
			_	-									75	90
Splitting for standard thic			-	- <u> </u>									0.40	0.40
Standard thickness of concrete	h _{std} ≥ 2h _{ef}	[mm]	100	100	120	150	140	160	180	200	250	230	340	340
Case 1		1			1						1			
Characteristic resistance in concrete C20/25	N ⁰ _{Rk,sp} ⁴⁾	[kN]	7,5	9	16	20	20	1)	40	50	50		1)	
Respective spacing	<u>c</u>	[mm]						<u> </u>	h _{ef}					
Respective edge distance	S _{cr,sp} C _{cr,sp}	[mm]							h _{ef}					
Case 2	Ocr,sp	[[]						1,0	rier					
Spacing	S _{cr,sp}	[mm]	6h _{ef}	6h _{ef}	5h _{ef}	7h _{ef}	5h _{ef}	3h _{ef}	4h _{ef}	4h _{ef}	4h _{ef}	3h _{ef}	3 _{ef}	3h _{ef}
Edge distance	C _{cr,sp}	[mm]	3h _{ef}			3,5h _{ef}				2h _{ef}		1,5h _{ef}		1,5h _{ef}
Splitting for minimum thic													1,00	r,ene
Minimum thickness of concrete			80	80	100	110	110	110	130	2 may 150	160	160	220	220
Case 1	h _{min} ≥	[[11111]	00	00	100		110	110	130	150	100	100	220	220
Characteristic resistance	N ⁰ _{Rk,sp} ⁴⁾	[kN]	7,5	_	16	16	20	25	35	50	40	_	75	1)
in concrete C20/25	•	· ·	7,5	_			20			50	40	-	15	
Respective spacing Respective edge distance	S _{cr,sp}	[mm]							h _{ef} h _{ef}					
Case 2	C _{cr,sp}	[[mm]						1,5	Hef					
Spacing	e	Imml	6 h (Zh.	6h.	7 h _{ef}	7 h /	6 h .	5h	5h.	6 h /	5 h _{ef}	5 2h /	5 2h (
Edge distance	S _{cr,sp} C _{cr,sp}											2,5h _{ef}		
	C25/30		J net	JJ,JHe	Jilet	J, Jrief	J,Jnef			z,Jnet	J net	z, Shet	z,oner	z,onet
Increasing factors for	C30/37	[-]							10 22					
$N_{Rk,p}$ and $N_{Rk,sp}^0$ ψ_c	C40/50								41					
NRk,panu N Rk,sp Ψc	C45/55	[-]							48					
	C43/33	[-]							55					
Conoroto poro foiluro	000/00	[-]						I,	55					
Concrete cone failure	k	[40			75	70		00	105	105	445	170	170
Effective anchorage depth	h _{ef}	[mm]	40	50	60	75	70	80	90	105	125	115	170	170
Spacing Edge distance	S _{cr,N}	[mm]							h _{ef}					
Edge distance	C _{cr,N}	[mm]							h _{ef}					
Partial safety factor	γ _{Mp} = γ _{Msp} =γ _{Mc}	[-]						1,	5					
 ¹⁾ Pullout failure is not decisive ²⁾ Maximum long term temperati ³⁾ Maximum short term temperati ⁴⁾ For the proof against splitting consideration of the member to th	ture failure according			01 Anr	iex C,	N ⁰ Rk,c	in equa	ation (5.3) ha	is to be	e repla	iced by	/ N ⁰ _{Rk,s}	p with
ATRION Injection Sys	stem AVM-E	BGZ /	′-R /-	HCR	2						T			
Characteristic values action, ETAG 001, An									atic			Anno	ex 29)



Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Tension load in cracked concrete	Ν	[kN]	4,3	6,1	8,0	11,1	10,0	12,3	14,6	18,4	24,0	21,1	38,0	38,0
Displacement	δ _{NO}	[mm]	0,5	0,5	0,5	0,6	0,6	0,6	0,7	0,7	0,7	0,7	0,8	0,8
Displacement	$\delta_{N\infty}$	[mm]					1,3					1,1	1,	3
Tension load in non-cracked concrete	Ν	[kN]	4,3	8,5	11,1	15,6	14,1	17,2	20,5	25,9	33,0	29,6	53,3	53,3
Displacement	δ _{N0}	[mm]	0,2	0,4	0,4	0,4	0,4	0,4	0,6	0,6	0,6	0,5	0,6	0,6
Displacement	δ _{N∞}	[mm]					1,3					1,1	1,	3

Table 40:Characteristic values for shear load under static or quasi-static action,
ETAG 001, Annex C, design method A

Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Steel failure without leve	r arm													
Characteristic	Steel, zinc plated	[kN]	8	8	9,5	15	18	18	34	34	34	26	63	54
shear resistance $V_{Rk,s}$	Stainless steel A4, HCR	[kN]	5,5	5,5	9,5	10	16	16	24	24	24	32	44	47
Partial safety factor	γMs	[-]						1,	25					
Steel failure with lever ar	'n													
Characteristic bending	Steel, zinc plated	[kN]	12	12	30	30	60	60	105	105	105	212	266	519
moments M ⁰ _{Rk,s}	Stainless steel A4, HCR	[kN]	8,5	8,5	21	21	42	42	74	74	74	187	187	365
Partial safety factor	γMs	[-]						1,	25					
Concrete pryout failure														
Factor in equation (5.6) ETAC Annex C, 5.2.3.3	€ k	[-]						2	2					
Partial safety factor	γмср	[-]						1,	5					
Concrete edge failure														
Effective length of anchor in shear load	_f	[mm]	40	50	60	75	70	80	90	105	125	115	170	170
Diameter of anchor	d _{nom}	[mm]	10	10	12	12	14	14	18	18	18	22	24	26
Partial safety factor	γмс	[-]						1,	5					

Table 41: Displacements under shear loads

Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Shear load Steel, zinc plated	V	[kN]	4,6	4,6	5,4	8,4	10,1	10,1	19,3	19,3	19,3	14,8	35,8	30,7
Displacements	δ_{V0}	[mm]	0,4	0,4	0,5	0,4	0,5	0,5	1,2	1,2	1,2	0,8	1,9	1,2
Displacements	$\delta_{V\infty}$	[mm]	0,7	0,7	0,8	0,7	0,8	0,8	1,9	1,9	1,9	1,2	2,8	1,9
Shear load Stainless steel A4 / HCR	V	[kN]	3,2	3,2	5,4	5,9	9,3	9,3	13,5	13,5	13,5	18,5	25,2	26,9
Displacements	δ_{V0}	[mm]	0,3	0,3	0,5	0,3	0,5	0,5	0,9	0,9	0,9	1,0	1,4	1,1
Displacements	δ _{V∞}	[mm]	0,4	0,4	0,7	0,5	0,7	0,7	1,4	1,4	1,4	1,5	2,1	1,6

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for shear loads under static or quasi-static action, ETAG 001, Annex C, design method A, displacements, Anchor rod-IG



Table 42: Characteri CEN/TS 19									1				,	
Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Steel failure								·						
Characteristic Steel, zinc p	olated	[kN]	15	16	19	29	35	35	67	67	67	52	125	108
	eel A4, HCR	[kN]	11	11	19	21	33	33	47	47	47	65	88	94
Partial safety factor	<u>γ</u> Ms	[-]				21	00	1,		,		00	00	
Pullout	1005							,						
	50°C ²⁾ /80°C ³⁾	[kN]						1)					
Characteristic resistance N _{Rk,p} in cracked concrete C20/25	72°C ²⁾ /120°C ³⁾	[kN]	5	7,5	12	12	16	20	20	30	50	30	60	75
	k	[-]						7,	2					
Characteristic resistance N _{Rk,p}	50°C ²⁾ /80°C ³⁾	[kN]	9		1			1)					
in non-cracked concrete C20/25	72°C ²⁾ /120°C ³⁾	[kN]	6	9	16	16	16	25	25	35	50	40	75	95
	k ₈							10	<i>'</i>					
Splitting for standard thick		-		-	-			-	1					
Standard thickness of concrete Case 1	h _{std} ≥ 2h _{ef}	[mm]	100	100	120	150	140	160	180	200	250	230	340	340
Characteristic resistance in concrete C20/25	N ⁰ _{Rk,sp} ⁴⁾	[kN]	7,5	9	16	20	20	1)	40	50	50		1)	
Respective spacing	S _{cr,sp}	[mm]						3	h _{ef}					
Respective edge distance	C _{cr,sp}	[mm]						1,5						
Case 2														
Spacing	S _{cr,sp}		6h _{ef}	6h _{ef}	5h _{ef}	7h _{ef}	5h _{ef}	3h _{ef}		4h _{ef}	4h _{ef}	3h _{ef}	3 _{ef}	3h _{ef}
Edge distance	C _{cr,sp}	[mm]	3h _{ef}	3h _{ef}	2,5h _{ef}	3,5h _{ef}	2,5h _{ef}	1,5h _{ef}	2h _{ef}	2h _{ef}	2h _{ef}	1,5h _{ef}	1,5 _{ef}	1,5h _e
Splitting for minimum thick	mess of cond	rete	(The h	igher	resista	nce of	Case	1 and	Case 2	2 may	be app	olied.)		
Minimum thickness of concrete Case 1	h _{min} ≥	[mm]	80	80	100	110	110	110	130	150	160	160	220	220
Case 1 Characteristic resistance in concrete C20/25	N ⁰ _{Rk,sp} ⁴⁾	[kN]	7,5	-	16	16	20	25	35	50	40	-	75	1)
Respective spacing	Scr.sp	[mm]			I			3	h _{ef}					
Respective edge distance	C _{cr,sp}	[mm]						1,5						
Case 2			-			-				-	-		-	
Spacing	S _{cr,sp}				6 h _{ef}							5 h _{ef}		
Edge distance	C _{cr,sp}		3 h _{ef}	3,5h _{et}	f 3 h _{ef}	3,5h _{ef}	3,5h _{ef}			2,5h _{ef}	3 h _{ef}	2,5h _{ef}	2,6h _{ef}	2,6h _{ei}
la sas saina fa stana fa s	C25/30	[-]						/	10					
Increasing factors for N _{Rk,p} and Ν ⁰ _{Rk,sp} ψ _c	C30/37 C40/50	[-]							22					
N _{Rk,p} and N [°] _{Rk,sp} Ψ _c	C45/55	<u>[-]</u>	<u>1,41</u> 1,48											
	C50/60	[-]							55					
Concrete cone failure								- ,						
Effective anchorage depth	h _{ef}	[mm]	40	50	60	75	70	80	90	105	125	115	170	170
Factor for cracked concrete	k _{cr}	[-]						7,						
Factor for non-cracked concrete	Kucr	[-]						10,						
Spacing	S _{cr.N}	[mm]												
Edge distance	C _{cr,N}	[mm]												
	_{/Mp} = γ _{Msp} =γ _{Mc}	[-]						1,						
 ¹⁾ Pullout failure is not decisive ²⁾ Maximum long term temperatur ³⁾ Maximum short term temperatut ⁴⁾ For the proof against splitting fail consideration of the member the 	re ire ailure according			1992-4	4-5, N ⁰	_{Rk,c} in	equati	on (23)) has t	o be re	eplace	d by N	0 Rk,sp W	ʻith
ATRION Injection Syst	. ,			HCR	2						Т			
Characteristic values 1 action, CEN/TS 1992-4 Anchor rod-IG	for tension	load	ds ur			c or	qua	si-sta	atic		-	Anne	ex 31	



Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20	
Tension load in cracked con	crete N	[kN]	4,3	6,1	8,0	11,1	10,0	12,3	14,6	18,4	24,0	21,1	38,0	38,0	
Displacement	δ _{N0}	[mm]	0,5	0,5	0,5	0,6	0,6	0,6	0,7	0,7	0,7	0,7	0,8	0,8	
Displacement	$\delta_{N\infty}$	[mm]	1,3 1,1										1,		
Tension load in non-cracked		[kN]	4,3		11,1	15,6	14,1	17,2		· · ·		29,6	53,3	<u> </u>	
Displacement	<u>δ_{N0}</u> δ _{N∞}	[mm] [mm]	0,2	0,4	0,4	0,4	0,4	0,4	0,6	0,6	0,6	0,5 1.1	0,6 1,	0,6	
	eristic values 1992-4, desig		etho	d A					-				-		
Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M2	
Steel failure without leve	er arm														
Characteristic	Steel, zinc plated	[kN]	8	8	9,5	15	18	18	34	34	34	26	63	54	
shear resistance $V_{Rk,s}$	Stainless steel A4, HCR	[kN]	5,5	5,5	9,5	10	16	16	24	24	24	32	44	47	
Factor of ductility	k ₂	1,0													
Partial safety factor γ _{Ms} [1,25												
Steel failure with lever a	rm											-			
Characteristic bending	Steel, zinc plated	[kN]	12	12	30	30	60	60	105	105	105	212	266	51	
moments M ⁰ _{Rk,s}	Stainless steel A4, HCR	[kN]	8,5	8,5	21	21	42	42	74	74	74	187	187	36	
Partial safety factor															
Concrete pryout failure															
Factor in equation (27) CEN/TS 1992-4-5, 6.3.3	k ₃ [-]			2											
Partial safety factor	γ́Мср	1,5 ²⁾													
Concrete edge failure															
Effective length of anchor in shear load	ſ	[mm]	40	50	60	75	70	80	90	105	125	115	170	17	
	d _{nom}	[mm]	10	10	12	12	14	14	18 5 ²⁾	18	18	22	24	26	
Diameter of anchor	110111														

Anchor size			40 M6	50 M6	60 M8	75 M8	70 M10	80 M10	90 M12	105 M12	125 M12	115 M16	170 M16	170 M20
Shear load Steel, zinc plated	V	[kN]	4,6	4,6	5,4	8,4	10,1	10,1	19,3	19,3	19,3	14,8	35,8	30,7
Displacements	δ_{V0}	[mm]	0,4	0,4	0,5	0,4	0,5	0,5	1,2	1,2	1,2	0,8	1,9	1,2
	δ _{V∞}	[mm]	0,7	0,7	0,8	0,7	0,8	0,8	1,9	1,9	1,9	1,2	2,8	1,9
Shear load Stainless steel A4 / HCR	V	[kN]	3,2	3,2	5,4	5,9	9,3	9,3	13,5	13,5	13,5	18,5	25,2	26,9
Disale comente	δvo	[mm]	0,3	0,3	0,5	0,3	0,5	0,5	0,9	0,9	0,9	1,0	1,4	1,1
Displacements	$\delta_{V\infty}$	[mm]	0,4	0,4	0,7	0,5	0,7	0,7	1,4	1,4	1,4	1,5	2,1	1,6

ATRION Injection System AVM-BGZ /-R /-HCR

Characteristic values for shear loads under static or quasi-static action, CEN/TS 1992-4, design method A, displacements, Anchor rod-IG