Deutsches Institut für Bautechnik

Zulassungsstelle für Bauprodukte und Bauarten

Bautechnisches Prüfamt

Eine vom Bund und den Ländern gemeinsam getragene Anstalt des öffentlichen Rechts

Kolonnenstraße 30 B D-10829 Berlin Tel.: +493078730-0 Fax: +493078730-320 E-Mail: dibt@dibt.de www.dibt.de





Mitglied der EOTA Member of EOTA

European Technical Approval ETA-10/0169

English translation prepared by DIBt - Original version in German language

Handelsbezeichnung

Trade name

Upat Ankerbolzen IMC Upat Anchor bolt IMC

Zulassungsinhaber Holder of approval

Upat Vertriebs GmbH Otto-Hahn Straße 15 79211 Denzlingen DEUTSCHLAND

Zulassungsgegenstand und Verwendungszweck

Generic type and use of construction product

Geltungsdauer: Validity:

from bis to

vom

verlängert vom extended from

bis to

Herstellwerk Manufacturing plant Kraftkontrolliert spreizender Dübel in den Größen M6, M8, M10, M12, M16 und M20 zur Verankerung im ungerissenen Beton

Torque controlled expansion anchor of sizes M6, M8, M10, M12, M16 and M20 for use in non-cracked concrete

10 June 2010

25 September 2012

26 September 2012

26 September 2017

Upat

Diese Zulassung umfasst This Approval contains

16 Seiten einschließlich 9 Anhänge 16 pages including 9 annexes





Page 2 of 16 | 26 September 2012

I LEGAL BASES AND GENERAL CONDITIONS

- 1 This European technical approval is issued by Deutsches Institut für Bautechnik in accordance with:
 - Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of Member States relating to construction products¹, modified by Council Directive 93/68/EEC² and Regulation (EC) N° 1882/2003 of the European Parliament and of the Council³;
 - Gesetz über das In-Verkehr-Bringen von und den freien Warenverkehr mit Bauprodukten zur Umsetzung der Richtlinie 89/106/EWG des Rates vom 21. Dezember 1988 zur Angleichung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten über Bauprodukte und anderer Rechtsakte der Europäischen Gemeinschaften (Bauproduktengesetz - BauPG) vom 28. April 1998⁴, as amended by Article 2 of the law of 8 November 2011⁵;
 - Common Procedural Rules for Requesting, Preparing and the Granting of European technical approvals set out in the Annex to Commission Decision 94/23/EC⁶;
 - Guideline for European technical approval of "Metal anchors for use in concrete Part 2: Torque controlled expansion anchors ", ETAG 001-02.
- Deutsches Institut für Bautechnik is authorized to check whether the provisions of this European technical approval are met. Checking may take place in the manufacturing plant. Nevertheless, the responsibility for the conformity of the products to the European technical approval and for their fitness for the intended use remains with the holder of the European technical approval.
- This European technical approval is not to be transferred to manufacturers or agents of manufacturers other than those indicated on page 1, or manufacturing plants other than those indicated on page 1 of this European technical approval.
- This European technical approval may be withdrawn by Deutsches Institut für Bautechnik, in particular pursuant to information by the Commission according to Article 5(1) of Council Directive 89/106/EEC.
- Reproduction of this European technical approval including transmission by electronic means shall be in full. However, partial reproduction can be made with the written consent of Deutsches Institut für Bautechnik. In this case partial reproduction has to be designated as such. Texts and drawings of advertising brochures shall not contradict or misuse the European technical approval.
- The European technical approval is issued by the approval body in its official language. This version corresponds fully to the version circulated within EOTA. Translations into other languages have to be designated as such.

Official Journal of the European Communities L 40, 11 February 1989, p. 12

Official Journal of the European Communities L 220, 30 August 1993, p. 1

Official Journal of the European Union L 284, 31 October 2003, p. 25

⁴ Bundesgesetzblatt Teil I 1998, p. 812

⁵ Bundesgesetzblatt Teil I 2011, p. 2178

Official Journal of the European Communities L 17, 20 January 1994, p. 34



Page 3 of 16 | 26 September 2012

II SPECIFIC CONDITIONS OF THE EUROPEAN TECHNICAL APPROVAL

1 Definition of construction product and intended use

1.1 Definition of the product

The Upat Anchor bolt IMC in the range of M6, M8, M10, M12, M16 and M20 is an anchor made of galvanised or stainless steel which is placed into a drilled hole and anchored by torque-controlled expansion.

An illustration of the product and intended use is given in Annex 1.

1.2 Intended use

The anchor is intended to be used for anchorages for which requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 of Council Directive 89/106 EEC shall be fulfilled and failure of anchorages made with these products would cause risk to human life and/or lead to considerable economic consequences. The anchor is to be used only for anchorages subject to static or quasi-static loading in reinforced or unreinforced normal weight concrete of strength classes C20/25 at minimum and C50/60 at most according to EN 206:2000-12.

The anchor may be anchored in non-cracked concrete only.

Anchor made of galvanised steel:

The anchor may only be used in structures subject to dry internal conditions.

Anchor made of stainless steel:

The anchor made of stainless steel A4 may be used in structures subject to dry internal conditions and also in structures subject to external atmospheric exposure (including industrial and marine environment), or exposure in permanently damp internal conditions, if no particular aggressive conditions exist. Such particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor swimming pools or atmosphere with extreme chemical pollution (e.g. in desulphurization plants or road tunnels where de-icing materials are used).

The provisions made in this European technical approval are based on an assumed working life of the anchor of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

2 Characteristics of the product and methods of verification

2.1 Characteristics of the product

The anchor corresponds to the drawings and provisions given in Annexes 2 and 3. The characteristic material values, dimensions and tolerances of the anchor not given in Annexes 2 and 3



Page 4 of 16 | 26 September 2012

shall correspond to the respective values laid down in the technical documentation7 of this European technical approval.

The characteristic values for the design of anchorages are given in Annexes 5 to 8.

Each anchor IMC (for standard and reduced anchorage depth h_{ef,sta} und h_{ef,red}) is marked with the works symbol, the type of anchor, the thread size, the maximum thickness of fixture for standard anchorage depth and a letter code according to Annex 2.

Each anchor IMC K (for reduced anchorage depth hefred only) is marked with the works symbol, the type of anchor, the thread size, the maximum thickness and the letter "K" of fixture for reduced anchorage depth hefred and a letter code placed between two hyphens according to Annex 2. Each anchor made of stainless steel A4 is marked with the letter "A4".

The anchor shall only be packaged and supplied as a complete unit.

2.2 Methods of verification

The assessment of fitness of the anchor for the intended use in relation to the requirements for mechanical resistance and stability and safety in use in the sense of the Essential Requirements 1 and 4 has been made in accordance with the "Guideline for European technical approval of Metal Anchors for Use in Concrete", Part 1 "Anchors in general" and Part 2 "Torque-controlled expansion anchors", on the basis of Option 7.

In addition to the specific clauses relating to dangerous substances contained in this European technical approval, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the Construction Products Directive, these requirements need also to be complied with, when and where they apply.

3 Evaluation and attestation of conformity and CE marking

3.1 System of attestation of conformity

According to the Decision 96/582/EG of the European Commission⁸ system 2(i) (referred to as system 1) of the attestation of conformity applies.

This system of attestation of conformity is defined as follows:

System 1: Certification of the conformity of the product by an approved certification body on the basis of:

- Tasks for the manufacturer:
 - (1)factory production control;
 - further testing of samples taken at the factory by the manufacturer in accordance (2)with a control plan;
- (b) Tasks for the approved body:
 - initial type-testing of the product;
 - (4) initial inspection of factory and of factory production control;
 - continuous surveillance, assessment and approval of factory production control.

Note: Approved bodies are also referred to as "notified bodies".

Z84912.12 8.06.01-261/12

Electronic copy of the ETA by DIBt: ETA-10/0169

The technical documentation of this European technical approval is deposited at the Deutsches Institut für Bautechnik and, as far as relevant for the tasks of the approved bodies involved in the attestation of conformity procedure, is handed over to the approved bodies.

Official Journal of the European Communities L 254 of 08.10.1996



Page 5 of 16 | 26 September 2012

3.2 Responsibilities

3.2.1 Tasks for the manufacturer

3.2.1.1 Factory production control

The manufacturer shall exercise permanent internal control of production. All the elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures, including records of results performed. This production control system shall insure that the product is in conformity with this European technical approval.

The manufacturer may only use initial/raw/constituent materials stated in the technical documentation of this European technical approval.

The factory production control shall be in accordance with the control plan which is part of the technical documentation of this European technical approval. The control plan is laid down in the context of the factory production control system operated by the manufacturer and deposited with Deutsches Institut für Bautechnik.⁹

The results of factory production control shall be recorded and evaluated in accordance with the provisions of the control plan.

3.2.1.2 Other tasks for the manufacturer

The manufacturer shall, on the basis of a contract, involve a body which is approved for the tasks referred to in section 3.1 in the field of anchors in order to undertake the actions laid down in section 3.2.2 For this purpose, the control plan referred to in sections 3.2.1.1 and 3.2.2 shall be handed over by the manufacturer to the approved body involved.

The manufacturer shall make a declaration of conformity, stating that the construction product is in conformity with the provisions of this European technical approval.

3.2.2 Tasks for the approved bodies

The approved body shall perform the

- initial type-testing of the product,
- initial inspection of factory and of factory production control,
- continuous surveillance, assessment and approval of factory production control,

in accordance with the provisions laid down in the control plan.

The approved body shall retain the essential points of its actions referred to above and state the results obtained and conclusions drawn in a written report.

The approved certification body involved by the manufacturer shall issue an EC certificate of conformity of the product stating the conformity with the provisions of this European technical approval.

In cases where the provisions of the European technical approval and its control plan are no longer fulfilled the certification body shall withdraw the certificate of conformity and inform Deutsches Institut für Bautechnik without delay.

The "control plan" is a confidential part of the European technical approval and only handed over to the approved body involved in the procedure of attestation of conformity. See section 3.2.2.



Page 6 of 16 | 26 September 2012

3.3 CE marking

The CE marking shall be affixed on each packaging of the anchor. The letters "CE" shall be followed by the identification number of the approved certification body, where relevant, and be accompanied by the following additional information:

- the name and address of the holder of the approval (legal entity responsible for the manufacture).
- the last two digits of the year in which the CE marking was affixed,
- the number of the EC certificate of conformity for the product,
- the number of the European technical approval,
- the number of the guideline for European technical approval,
- use category (ETAG 001-1 Option 7),
- size

4 Assumptions under which the fitness of the product for the intended use was favourably assessed

4.1 Manufacturing

The European technical approval is issued for the product on the basis of agreed data/information, deposited with Deutsches Institut für Bautechnik, which identifies the product that has been assessed and judged. Changes to the product or production process, which could result in this deposited data/information being incorrect, should be notified to Deutsches Institut für Bautechnik before the changes are introduced. Deutsches Institut für Bautechnik will decide whether or not such changes affect the approval and consequently the validity of the CE marking on the basis of the approval and if so whether further assessment or alterations to the approval shall be necessary.

4.2 Design of anchorages

The fitness of the anchor for the intended use is given under the following conditions:

The anchorages are designed either in accordance with the

 "Guideline for European technical approval of Metal Anchors for use in concrete", Annex C, method A

or in accordance with the

- CEN/TS 1992-4-1 "Design of fastenings for use in concrete", Part 4-4: "Post-installed fasteners - Mechanical systems", design method A,

under the responsibility of an engineer experienced in anchorages and concrete work.

Verifiable calculation notes and drawings are taking account of the loads to be anchored.

The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports).

4.3 Installation of anchors

The fitness for use of the anchor can only be assumed if the anchor is installed as follows:

- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site,
- Use of the anchor only as supplied by the manufacturer without exchanging the components of an anchor,



Page 7 of 16 | 26 September 2012

- Anchor installation in accordance with the manufacturer's specifications and drawings and using the appropriate tools,
- Checks before placing the anchor to ensure that the strength class of the concrete in which the anchor is to be placed is in the range given and is not lower than that of the concrete to which the characteristic loads apply,
- Check of concrete being well compacted, e.g. without significant voids,
- Edge distances and spacings not less than the specified values without minus tolerances,.
- Positioning of the drill holes without damaging the reinforcement,
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted drill hole is filled with high strength mortar and if under shear or oblique tension load it is not in the direction of load application,
- Cleaning of the hole of drilling dust,
- Anchor installation according to manufacturer's instructions given in Annex 9.
- Anchor installation such that the effective anchorage depth is complied with. This compliance is ensured, if the thickness of fixture is not greater than the maximum thickness of fixture marked on the anchor according to Annex 2,
- Application of the torque moment given in Annex 3 using a calibrated torque wrench.

5 Indications to the manufacturer

The manufacturer is responsible to ensure that the information on the specific conditions according to 1 and 2 including Annexes referred to as well as sections 4.2 and 4.3 is given to those who are concerned. This information may be made by reproduction of the respective parts of the European technical approval. In addition all installation data shall be shown clearly on the package and/or on an enclosed instruction sheet, preferably using illustration(s).

The minimum data required are:


- Diameter of drill bit,
- Thread diameter,
- Maximum thickness of the fixture,
- Minimum effective anchorage depth,
- Minimum hole depth,
- Torque moment,
- Information on the installation procedure, including cleaning of the hole, preferably by means of an illustration,
- Reference to any special installation equipment needed,
- Identification of the manufacturing batch.

All data shall be presented in a clear and explicit form.

Andreas Kummerow p. p. Head of Department


beglaubigt: Baderschneider







IMC for use with standard and reduced anchorage depth (hef, sta and hef, red):




Product marking, example: U - IMC works symbol | type of anchor placed on marking area 2 or marking area 3 thread size / thickness of fixture (t_{fix}) for h_{ef, sta} identification A4 placed on marking area 2

Letter-code on marking area 1 and maximum thickness of fixture t_{fix}:

marking		Α	В	С	D	Е	F	G	Н	ı	K	L	М	N	0	Р	R	S	Τ	U	٧	W	Χ	Υ	Ζ
max. t _{fix} for h _{ef, sta}	M6-M20	5	10	15	20	25	30	35	40	45	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400
may t	M8, M10	15	20	25	30	35	40	45	50	55	60	70	80	90	100	110	130	150	170	190	210	260	310	360	410
max. t _{fix} for h _{ef, red}	M12, 16	20	25	30	35	40	45	50	55	60	65	75	85	95	105	115	135	155	175	195	215	265	315	365	415
Tor Tief, red	M20	30	35	40	45	50	55	60	65	70	75	85	95	105	115	125	145	165	185	205	225	275	325	375	425

IMC K for use with reduced anchorage depth only (hef. red):



Letter-code on marking area 1 and maximum thickness of fixture t_{fix}:

marking		-A-	-B-	-C-	-D-	-E-	-F-	-G-	-H-	- -	-K-	-L-	-M-	-N-	-0-	-P-	-R-	-S-	-T-	-U-	-V-	-W-	-X-	-Y-	-Z-
max. t _{fix} for h _{ef, red}	//8-M20	5	10	15	20	25	30	35	40	45	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400

Identification for h_{ef, red} is the letter-code between 2 dashes

Upat Anchor bolt IMC	
Product marking and identification	Annex 2






Table 1: Anchor dimensions [mm]

Part	Designation	Devia	ntion	М6	М8	M10	M12	M16	M20
		M		M6	M8	M10	M12	M16	M20
1	Cone bolt	$\varnothing d_0$	=	5,9	7,9	9,9	11,9	15,9	19,6
		$\emptyset d_k$	=	5,2	7,1	8,9	10,8	14,5	18,2
2	Expansion sleeve	m	=	10	11,5	13,5	16,5	21,5	33,5
3	Hexagon nut	SW		10	13	17	19	24	30
4	Washer	ts	≥	1,0	1,4	1,8	2,3	2,7	2,7
	VVaSilei	\varnothing d _s	≥	11,5	15	19	23	29	36
	Thickness of	min	≥	0	0	0	0	0	0
	fixture t _{fix}	max	≤	200	200	250	300	400	500
	Length of anchor	L_{min}		45	56	71	86	120	139
	Length of allchol	L _{max}		245	261	316	396	520	654

Table 2a: Materials IMC

Part	Designation	Material	Treatment
1	Cone bolt	Cold form steel or free cutting steel Nominal steel tensile strength $f_{u,k} \le 1000 \text{ N/mm}^2$, $A_5 > 8\%$	Zinc plated ≥ 5 µm according
2	Expansion sleeve	Cold strip, EN 10139	to EN ISO 4042
3	Hexagon nut	Steel, property class 8, EN ISO 898 - 2	
4	Washer	Cold strip, EN 10139	

Table 2b: Materials IMC A4

Part	Designation	Material	Treatment
1	Cone bolt	stainless steel EN 10 088 Nominal steel tensile strength f _{u.k} ≤ 1000 N/mm², A ₅ > 8%	coated
2	Expansion sleeve	stainless steel EN 10 088	-
3	Hexagon nut	stainless steel EN 10 088; ISO 3506-2; property class -70	coated on sizes M8-M20
4	Washer	stainless steel EN 10 088	-

Upat Anchor bolt IMC	
Anchor dimensions and materials	Annex 3



Table 3: Installation parameters

Type of anchor / size		М6	M8	M10	M12	M16	M20
Nominal drill hole diameter	$d_0 = [mm]$	6	8	10	12	16	20
Cutting diameter of drill bit	$d_{cut} \leq [mm]$	6,45	8,45	10,45	12,5	16,5	20,55
Effective anchorage depth	h _{ef} = [mm]	30 ²⁾	40 (30 ^{1) 2)})	50 (40 ¹⁾)	65 (50 ¹⁾)	80 (65 ¹⁾)	105 (80 ¹⁾)
Depth of drill hole in concrete	$h_1 \ge [mm]$	40	56 (46 ^{1) 2)})	68 (58 ¹⁾)	85 (70 ¹⁾)	104 (89 ¹⁾)	135 (110 ¹⁾)
Diameter of clearance hole in the fixture	$d_f \leq [mm]$	7	9	12	14	18	22
Required torque moment IMC	T _{inst} = [Nm]	4	15	30	50	100	200
Required torque moment IMC A4	T _{inst} = [Nm]	4	10	20	35	80	150




Table 4: Minimum thickness of concrete members, minimum spacing and minimum edge distances of anchors

T	уре	of a	anchor / size IMC (IMC A4)		М6	М8	M10	M12	M16	M20
	ent	E	Effective anchorage depth	h _{ef, sta} [mm]	30 ¹⁾	40	50	65	80	105
<u>a</u> rc	Ěŧ		Minimum thickness of member	h _{min} [mm]	100	100	100	120	160	200
Standard	embed	den l	Minimum spacing	s _{min} [mm]	50	40	50(70 ²⁾)	70	90 (120 ²⁾)	120
Ľ	ē	ſ	Minimum edge distance	c _{min} [mm]	100	45	55	70	105	120
F	<u>e</u> .	E	Effective anchorage depth	h _{ef, red} [mm]	-	30 ¹⁾	40	50	65	80
Reduced	dm		Minimum thickness of member	h _{min} [mm]	ı	100	100	100	120	160
l be	mbe		Vinimum spacing	s _{min} [mm]	ı	40(50 ²⁾)	50	100	100	140
٣	en t	-	Vlinimum edge distance	c _{min} [mm]	-	45	80	100	120	140

¹⁾ Use restricted to anchoring of structural components which are statically indeterminate.

²⁾ Values for IMC A4.

Upat Anchor bolt IMC	
Parameters of installation	Annex 4

8.06.01-261/12 Z24739.13



Table 5: Design method A according to ETAG 001, Annex C

- characteristic values for tension loads

Type of anchor / size			M6 ³⁾	M8	M10	M12	M16	M20		
Steel failure for standard and reduce	d embedr	nent deptl	1MC							
Characteristic resistance IMC	$N_{Rk,s}$	[kN]	6,1	14,3	24	33	61	101		
Partial safety factor	γ _{Ms} 1)	[-]	1,5	1,4	1,4	1,4	1,5	1,5		
Steel failure for standard and reduce	d embedr	nent deptl	IMC A	4						
Characteristic resistance IMC A4	$N_{Rk,s}$	[kN]	10	16,5	27,2	41,6	78	111		
Partial safety factor	γ _{Ms} 1)	[-]	1,5	1,4	1,4	1,4	1,4	1,5		
Pullout for standard embedment dep	th IMC an	d IMC A4								
Characteristic resistance	$N_{Rk,p}$	[kN]	6	12	16		- ⁴⁾			
Pullout for reduced embedment dept		d IMC A4				•				
Characteristic resistance C20/25	$N_{Rk,p}$	[kN]	-	6 ³⁾		-	4)			
		C30/37			1,22					
Increasing factors for N _{Rk,p}	Ψс	C40/50				41				
		C50/60				1,55				
Partial safety factor	γ _{Mp} 1)	[-]			1,	5 ²⁾				
Concrete cone and splitting failure	for stand	ard embed	dment de	epth IMC	and IM	IC A4				
Effective encharage depth	1 .	[Face 100]	00	40	50	65				
Effective anchorage depth	h _{ef, sta}	[mm]	30	40	50	00	80	105		
Spacing	h _{ef, sta} S _{cr,N}	[mm]	30	40	3 x h	l _{ef, sta}	80	105		
Spacing Edge distance		+			3 x h					
Spacing Edge distance Spacing (splitting failure)	S _{cr,N} C _{cr,N} S _{cr,sp}	[mm]	200	190	3 x h 1,5 x 200	h _{ef, sta} h _{ef, sta} 290	350	370		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure)	S _{cr,N} C _{cr,N} S _{cr,sp}	[mm] [mm] [mm] [mm]			3 x h 1,5 x 200 100	h _{ef, sta} 290 145				
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor	S _{cr,N} C _{cr,N} S _{cr,sp} C _{cr,sp} 1) γ _{Mc}	[mm] [mm] [mm] [mm]	200 100	190 95	3 x h 1,5 x 200 100	h _{ef, sta} h _{ef, sta} 290 145	350	370		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor Concrete cone and splitting failure	S _{cr,N} C _{cr,N} S _{cr,sp} C _{cr,sp} 1) γ _{Mc}	[mm] [mm] [mm] [mm]	200 100	190 95 pth IMC	3 x h 1,5 x 200 100 1,5	h _{ef, sta} h _{ef, sta} 290 145	350 175	370		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor	S _{cr,N} C _{cr,N} S _{cr,sp} C _{cr,sp} 1) γ _{Mc}	[mm] [mm] [mm] [mm]	200 100	190 95	3 x h 1,5 x 200 100 1,5 and IM 40	h _{ef, sta} h _{ef, sta} 290 145 5 ²⁾ C A4 50	350	370		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor Concrete cone and splitting failure Effective anchorage depth Spacing	$\begin{array}{c} s_{cr,N} \\ c_{cr,N} \\ s_{cr,sp} \\ c_{cr,sp} \\ \gamma_{Mc} \\ \hline \text{for reduc} \\ h_{ef, red} \\ s_{cr,N} \end{array}$	[mm] [mm] [mm] [mm] [-] ed embed	200 100	190 95 pth IMC	3 x h 1,5 x 200 100 1,5 and IM 40 3 x h	h _{ef, sta} h _{ef, sta} 290 145 5 ²⁾ C A4 50 h _{ef, red}	350 175	370 185		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor Concrete cone and splitting failure Effective anchorage depth Spacing Edge distance	$\begin{array}{c} s_{cr,N} \\ c_{cr,N} \\ s_{cr,sp} \\ c_{cr,sp} \\ \frac{1}{\gamma_{Mc}} \end{array}$ for reduc	[mm] [mm] [mm] [mm] [-] ed embed [mm]	200 100	190 95 pth IMC 30 ³⁾	3 x h 1,5 x 200 100 1,5 and IM 40 3 x h 1,5 x	h _{ef, sta} h _{ef, sta} 290 145 5 ²⁾ C A4 50 h _{ef, red} h _{ef, red}	350 175 65	370 185 80		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor Concrete cone and splitting failure Effective anchorage depth Spacing Edge distance Spacing (splitting failure)	$\begin{array}{c} s_{cr,N} \\ c_{cr,N} \\ s_{cr,sp} \\ c_{cr,sp} \\ \end{array}$ $\begin{array}{c} c_{cr,sp} \\ \gamma_{Mc} \\ \end{array}$ $\begin{array}{c} \gamma_{Mc} \\ for \ reduc \\ h_{ef, \ red} \\ s_{cr,N} \\ c_{cr,N} \\ s_{cr,sp} \end{array}$	[mm] [mm] [mm] [mm] [-] ed embed [mm] [mm] [mm] [mm]	200 100	190 95 pth IMC 30 ³⁾	3 x h 1,5 x 200 100 1,5 and IM 40 3 x h 1,5 x 200	h _{ef, sta} h _{ef, sta} 290 145 5 ²⁾ C A4 50 h _{ef, red} h _{ef, red} 290	350 175 65 350	370 185 80 370		
Spacing Edge distance Spacing (splitting failure) Edge distance (splitting failure) Partial safety factor Concrete cone and splitting failure Effective anchorage depth Spacing Edge distance	$\begin{array}{c} s_{cr,N} \\ c_{cr,N} \\ s_{cr,sp} \\ c_{cr,sp} \\ \hline \gamma_{Mc} \\ \hline for reduc \\ h_{ef, red} \\ s_{cr,N} \\ c_{cr,N} \\ \end{array}$	[mm] [mm] [mm] [mm] [-] ed embed [mm] [mm] [mm]	200 100 ment de	190 95 pth IMC 30 ³⁾	3 x h 1,5 x 200 100 1,5 and IM 40 3 x h 1,5 x 200 100	h _{ef, sta} h _{ef, sta} 290 145 5 ²⁾ C A4 50 h _{ef, red} h _{ef, red}	350 175 65	370 185 80		

Table 6: Displacements due to tension loads

Type of anchor / size IMC (IMC	C A4)		M6	М8	M10	M12	M16	M20
Standard embedment depth	h _{ef, sta}	[mm]	30	40	50	65	80	105
Tension load C20/25	N	[kN]	2,8	5,7	7,6	12,6	17,2	25,8
Displacements	δ_{N0}	[mm]	1,9	0,6	0,9	1,5(1,9 ¹⁾)	1,8	1,8(2,0 ¹⁾)
Displacements	$\delta_{N\infty}$	[mm]				3,1 (2,7 ¹⁾)	80 17,2	
Reduced embedment depth	h _{ef, red}	[mm]		30	40	50	65	80
Tension load C20/25	N	[kN]	-	2,8	6,1	8,5	12,6	17,2
Displacements	δ_{N0}	[mm]		0,4	0,7	0,7	0,9	1,0
Displacements	$\delta_{N\infty}$	[mm]				1,6 (1,7 ¹⁾)		

¹⁾ Values for IMC A4

Upat Anchor bolt IMC	
Design method A according to ETAG 001, Annex C Characteristic values for tension loads, Displacements	Annex 5

¹⁾ In absence of other national regulations.
2) The partial safety factor γ_2 = 1,0 is included.
3) Use restricted to anchoring of structural components which are statically indeterminate.
4) Pullout failure not relevant.



Design method A according to ETAG 001, Annex C Table 7: - characteristic values for shear loads

Type of anchor / size			M6 ³⁾	М8	M10	M12	M16	M20		
Steel failure without lever arm for standard and reduced embedment depth										
Charact. resistance IMC	$V_{Rk,s}$	[kN]	4,7	11	17	25	43	65		
Steel failure without lever arm for standard and reduced embedment depth										
Charact. resistance IMC A4	$V_{Rk,s}$	[kN]	5,3	12	19	27	50	86		
Steel failure with lever arm for standard embedment depth										
Charact. bending moment IMC	$M^0_{Rk,s}$	[Nm]	7	23	45	78	175	342		
Steel failure with lever arm for stand		dment de	epth							
Charact. bending moment IMC A4	$M^0_{Rk,s}$	[Nm]	8	24	49	85	199	454		
Steel failure with lever arm for reduced embedment depth										
Charact. bending moment IMC	$M^0_{Rk,s}$	[Nm]	-	19 ³⁾	44	78	175	342		
Steel failure with lever arm for reduce	Steel failure with lever arm for reduced embedment depth									
Charact. bending moment IMC A4	$M^0_{Rk,s}$	[Nm]	-	21 ³⁾	47	85	199	353		
Partial safety factor steel failure	1) γ _{Ms}	[-]	1,25							
Concrete pryout failure for standard	embedme	ent depth	IMC and	A OMI b	4					
Factor in equation (5.6) of the guideline Annex C,Section 5.2.3.3	k	[-]	1	1	1	2	2	2		
Partial safety factor	1) γ _{Μc}		1,5 ²⁾							
Concrete pryout failure for reduced	embedme	nt depth l	IMC and	I IMC A	1					
Factor in equation (5.6) of the guideline Annex C,Section 5.2.3.3	k	[-]	-	1 ³⁾	1	1	2	2		
Partial safety factor	1) γ _{Μc}	[-]	1,5 ²⁾							
Concrete edge failure for standard e	mbedmer	it depth IN	MC and	IMC A4						
Effective length of anchor	I _{f,sta}	[mm]	30	40	50	65	80	105		
Effective external diameter of anchor	d_{nom}	[mm]	6	8	10	12	16	20		
Partial safety factor	1) γ _{Μc}	[-]	1,5 ²⁾							
Concrete edge failure for reduced embedment depth IMC and IMC A4										
Effective length of anchor	$I_{\rm f,red}$	[mm]	-	30 ³⁾	40	50	65	80		
Effective external diameter of anchor	d_{nom}	[mm]	-	8	10	12	16	20		
Partial safety factor	γ M c 1)	[-]	1,5 ²⁾							

¹⁾ In absence of other national regulations.

Table 8: Displacements due to shear loads

Type of anchor / size IMC and IMC A4		М6	М8	M10	M12	M16	M20	
Shear load IMC	V	[kN]	2,7	6,1	8,5	14,3	24,6	37,1
Displacements IMC	δ_{V0}	[mm]	1,2	1,8	2,4	2,4	2,6	2,6
	$\delta_{V\infty}$	[mm]	1,8	2,7	3,6	3,6	3,9	3,9
Shear load IMC A4	V	[kN]	3,0	6,9	10,9	15,4	28,6	49,0
Displacements IMC A4	δ_{V0}	[mm]	1,5	1,4	2,1	2,6	2,7	4,6
	$\delta_{V^{\infty}}$	[mm]	2,3	2,2	3,2	3,9	4,1	7,0

Upat Anchor bolt IMC

Design method A according to ETAG 001, Annex C

Characteristic values for shear loads,

Displacements

Annex 6

The partial safety factor γ_2 = 1,0 is included. 3) Use restricted to anchoring of structural components which are statically indeterminate.



Table 9: Design method A according to CEN/TS 1992-4: 2009

- characteristic values for tension loads

- characteristic values for terision loads										
Type of anchor / size			M6 ³⁾	М8	M10	M12	M16	M20		
Steel failure for standard and reduced embedment depth IMC										
Characteristic resistance IMC	$N_{Rk,s}$	[kN]	6,1	14,3	24	33	61	101		
Partial safety factor	γ _{Ms} 1)	[-]	1,5	1,4	1,4	1,4	1,5	1,5		
Steel failure for standard and reduced embedment depth IMC A4										
Characteristic resistance IMC A4	$N_{Rk,s}$	[kN]	10	16,5	27,2	41,6	78	111		
Partial safety factor	γ _{Ms} 1)	[-]	1,5	1,4	1,4	1,4	1,4	1,5		
Pullout										
Pullout for standard embedment dep	oth IMC ar	nd IMC A4								
Characteristic resistance	$N_{Rk,p}$	[kN]	6	12	16		- ⁴⁾			
Pullout for reduced embedment dep	th IMC an	d IMC A4								
Characteristic resistance C20/25	$N_{Rk,p}$	[kN]	-	6 ³⁾		-	4)			
		C30/37	1,22							
Increasing factors for N _{Rk,p}	Ψc[-]	C40/50	1,41							
, , , , , , , , , , , , , , , , , , ,		C50/60	1,55							
Partial safety factor	γ _{Mp} 1)	[-]			1,	5 ²⁾				
Concrete cone and splitting failure	for stand	ard embed	dment de	epth IMC	and IM	IC A4				
Effective anchorage depth	h _{ef, sta}	[mm]	30	40	50	65	80	105		
Factor for uncracked concrete	k _{ucr}	[-]			10					
Spacing	S _{cr,N}	[mm]			3 x h	ì _{ef, sta}				
Edge distance	C _{cr,N}	[mm]			1,5 x	h _{ef, sta}				
Spacing (splitting failure)	S _{cr,sp}	[mm]	200	190	200	290	350	370		
Edge distance (splitting failure)	C _{cr,sp}	[mm]	100	95	100	145	175	185		
Partial safety factor	$\gamma_{Mc} = \frac{1}{\gamma_{Mc}}$	[-]	1,5 ²⁾							
Concrete cone and splitting failure	for reduc	ed embed	ment de	pth IMC	and IM	C A4				
Effective anchorage depth	h _{ef, red}	[mm]	-	30 ³⁾	40	50	65	80		
Factor for uncracked concrete	k _{ucr}	[-]	10,1							
Spacing	S _{cr,N}	[mm]	3 x h _{ef, red}							
Edge distance	C _{cr,N}	[mm]	1,5 x h _{ef. red}							
Spacing (splitting failure)	S _{cr,sp}	[mm]	-	190 ³⁾	200	290	350	370		
Edge distance (splitting failure)	C _{cr,sp}	[mm]	-	95 ³⁾	100	145	175	185		
Partial safety factor	$\gamma_{Mc} = \frac{1}{\gamma_{Mc}}$	[-]	1,5 ²⁾							
71										

¹⁾ In absence of other national regulations.

Upat Anchor bolt IMC	
Design method A according to CEN/TS 1992-4:2009 Characteristic values for tension loads	Annex 7

The partial safety factor γ_{inst} = 1,0 is included. 3) Use restricted to anchoring of structural components which are statically indeterminate. 4) Pullout failure not relevant.



Table 10: Design method A according to CEN/TS 1992-4: 2009 - characteristic values for shear loads


T (3)		1140	1140	1140	1400	
Type of anchor / size			M6 ³⁾	M8	M10	M12	M16	M20	
Steel failure without lever arm for standard and reduced embedment depth									
Charact. resistance IMC	$V_{Rk,s}$	[kN]	4,7	11	17	25	43	65	
Steel failure without lever arm for standard and reduced embedment depth									
Charact. resistance IMC A4	$V_{Rk,s}$	[kN]	5,3	12	19	27	50	86	
Steel failure with lever arm for standard embedment depth									
Charact. bending moment IMC	M ⁰ _{Rk,s}	[Nm]	7	23	45	78	175	342	
Steel failure with lever arm for stand		dment de	pth						
Charact. bending moment IMC A4	$M^0_{Rk,s}$	[Nm]	8	24	49	85	199	454	
Steel failure with lever arm for redu	ced embe	dment de	pth						
Charact. bending moment IMC	M ⁰ _{Rk,s}	[Nm]	-	19 ³⁾	44	78	175	342	
Steel failure with lever arm for reduced embedment depth									
Charact. bending moment IMC A4	$M^0_{Rk,s}$	[Nm]	-	21 ³⁾	47	85	199	353	
Ductility factor	k ₂		1,0						
Partial safety factor steel failure	γ _{Ms} 1)	[-]			1,	25			
Concrete pryout failure for standard	embedme	ent depth	IMC and	d IMC A	4				
Factor in equation (16) CEN/TS 1992-4-4, Section 6.2.2.3	k ₃	[-]	1	1	1	2	2	2	
Partial safety factor	γ _{Mc} 1)				1,	5 ²⁾			
Concrete pryout failure for reduced	embedme	nt depth	IMC and	I IMC A	1				
Factor in equation (16) of the CEN/TS 1992-4-4, Section 6.2.2.3	k ₃	[-]	-	1 ³⁾	1	1	2	2	
Partial safety factor	γ _{Mc} 1)	[-]			1,	5 ²⁾			
Concrete edge failure for standard embedment depth IMC and IMC A4									
Effective length of anchor	I _{f,sta}	[mm]	30	40	50	65	80	105	
Effective external diameter of anchor	d _{nom}	[mm]	6	8	10	12	16	20	
Partial safety factor	γ _{Mc} 1)	[-]	1,5 2)						
Concrete edge failure for reduced embedment depth IMC and IMC A4									
Effective length of anchor	I _{f,red}	[mm]	-	30 ³⁾	40	50	65	80	
Effective external diameter of anchor	d_{nom}	[mm]	-	8	10	12	16	20	
Partial safety factor	γ _{Mc} 1)	1)							
1)									


Upat Anchor bolt IMC Annex 8 Design method A according to CEN/TS 1992-4:2009 Characteristic values for shear loads


¹⁾ In absence of other national regulations.
2) The partial safety factor γ_{inst} = 1,0 is included.
3) Use restricted to anchoring of structural components which are statically indeterminate.





Installation instruction for the Upat anchor bolt IMC and IMC A4











Upat Anchor bolt IMC

Installation instuction

Annex 9