



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-16/0100 of 5 April 2016

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the Deutsches Institut für Bautechnik **European Technical Assessment:** ThermoScrew TS U8 Gecko Trade name of the construction product Product family Screwed-in plastic anchor for fixing of external thermal to which the construction product belongs insulation composite systems with rendering in concrete and masonry Manufacturer Kunststofferzeugnisse GmbH Wilthen Dresdener Straße 19 02681 Wilthen DEUTSCHLAND Manufacturing plant Herstellwerk 1, 2 manufacturing plant 1, 2 This European Technical Assessment 15 pages including 3 annexes which form an integral part of this assessment contains This European Technical Assessment is Guideline for European technical approval of "Plastic issued in accordance with Regulation (EU) anchors for fixing of external thermal insulation composite No 305/2011, on the basis of systems with rendering", ETAG 014, edition February 2011, used as European Assessment Document (EAD) according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011.

Deutsches Institut für Bautechnik Kolonnenstraße 30 B | 10829 Berlin | GERMANY | Phone: +49 30 78730-0 | Fax: +49 30 78730-320 | Email: dibt@dibt.de | www.dibt.de



European Technical Assessment ETA-16/0100

Page 2 of 15 | 5 April 2016

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



Page 3 of 15 | 5 April 2016

Specific Part

1 Technical description of the product

The Screwed-in anchor ThermoScrew TS U8 Gecko consists of an anchor sleeve made of polypropylene and a screw plate in different colours made of polyamide and an accompanying specific screw of galvanised steel.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verification and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 25 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

The essential characteristics regarding mechanical resistance and stability are included under the Basic Works Requirement Safety in use.

3.2 Hygiene, health and the environment (BWR 3)

Regarding dangerous substances there may be requirements (e.g. transposed European legislation and national laws, regulations and administrative provisions) applicable to the products falling within the scope of this European Technical Assessment. In order to meet the provisions of Regulation (EU) No 305/2011, these requirements need also to be complied with, when and where they apply.

3.3 Safety and accessibility in use (BWR 4)

Essential characteristic	Performance
Characteristic resistance	See Annex C 1
Anchor distances and dimensions of members	See Annex B 2
Displacements	See Annex C 2

3.4 Sustainable use of natural resources (BWR 7)

For the sustainable use of natural resources no performance was determined for this product.

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with guideline for European technical approval ETAG 014, February 2011 used as European Assessment Document (EAD) according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011 the applicable European legal act is: 97/463/EC.

The system to be applied is: 2+



European Technical Assessment ETA-16/0100

Page 4 of 15 | 5 April 2016

English translation prepared by DIBt

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD


Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Uwe Bender Head of Department *beglaubigt:* Ziegler

Page 5 of European Technical Assessment ETA-16/0100 of 5 April 2016

English translation prepared by DIBt





Legend

\mathbf{h}_{nom}	=	overall plastic anchor embedment depth in the base material with non-load-bearing layer (t_{tol})	
--------------------	---	--	--

- h_{ef} = effective anchorage depth
- h₁ = depth of drilled hole to deepest point
- h = thickness of member (wall)
- h_D = thickness of insulation material
- t_{tol} = thickness of equalizing layer and/or non-load-bearing layer
- t_{fix} = position of screw plate
- h_E = embedment depth
- h_b = total borehole depth
- $L_{d, anchor}$ = total length of anchor

ThermoScrew TS U8 Gecko

Product description Installed condition for OLD RENDER Annex A 1



Installed condition For NEW BUILDING	ThermoScrew TS U8 Ge	ecko		
Base material Exter	nal Thermal Insulation Co	mposite System	Illustration: Foam filling	Plaster layer
h			h D	
				নিক হৈছে
Marking anchor embedement depth	h ef t tol	t fix h E		
	h 1	h b		

Legend

h _{nom}	=	overall plastic anchor e	mbedment depth in the base	material with non-load-bearing layer (t _{tol})
------------------	---	--------------------------	----------------------------	--

- h_{ef} = effective anchorage depth
- h₁ = depth of drilled hole to deepest point
- h = thickness of member (wall)
- h_D = thickness of insulation material
- t_{tol} = thickness of equalizing layer and/or non-load-bearing layer
- t_{fix} = position of screw plate
- h_E = embedment depth
- h_b = total borehole depth
- L_a = total length of anchor

ThermoScrew TS U8 Gecko

Product description Installed condition for NEW BUILDING Annex A 2

Page 7 of European Technical Assessment ETA-16/0100 of 5 April 2016

English translation prepared by DIBt









Table A1: Dimensions								
		Anchor sleev	e	Special screw				
Anchor type	d _d L _a		h _{ef}	ds	С	Ls		
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		
TSBD WSG Use category (A-B-C-D-E)	8	100 - 250	30	5,5	52	L _a + 5mm		
TSBD WSG Use category (D-E)	8	100 - 250	50	5,5	52	L _a + 5mm		

	Screw plate				
Anchor type	d	L	h _{fix}		
	[mm]	[mm]	[mm]		
ThermoScrew TS U8 Gecko Use category (A-B-C-D-E)	67	80	30		

Table A2: Materials

Element	Material
Screw plate	polyamide PA 6.6, colour: red, white, green, yellow, orange, blue, black, grey
Anchor sleeve	polypropylene PP, colour: papyrus white
Special screw	galvanized steel. A2L or A2K according to EN ISO 4042:2001
Insulation plug	polystyrene

Setting and screwing tool TS SW





Specifications of intended use

Anchorages subject to:

• The anchor may only be used for transmission of wind suction loads and shall not be used for the transmission of dead loads of the thermal insulation composite system.

Base materials:

- · Normal weight concrete (use category A) according to Annex C 1
- Solid masonry (use category B), according to Annex C 1 and C 3
- · Hollow or perforated masonry (use category C), according to Annex C 1 and C 3
- · Lightweight aggregate concrete (use category D), according to Annex C 1
- Autoclaved aerated concrete (use category E), according to Annex C 1
- For other base materials of the use categories A, B, C, D or E the characteristic resistance of the anchor may be determined by job site tests according to ETAG 014 Edition February 2011, Annex D.

Temperature Range:

• 0°C to +40°C (max. short term temperature +40°C and max. long term temperature +24°C)

Design:

- The anchorages are designed in accordance with the ETAG 014 Edition February 2011 under the responsibility of an engineer experienced in anchorages and masonry work.
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the anchor is indicated on the design drawings.
- · Fasteners are only to be used for multiple fixings of thermal insulation composite systems.

Installation:

- · Hole drilling by the drill modes according to Annex C 1.
- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site.
- Installation temperature from 0°C to +40°C
- Exposure to UV due to solar radiation of the anchor not protected by rendering \leq 6 weeks

ThermoScrew TS U8 Gecko

Intended use Specifications Annex B 1

Deutsches Institut DIBt für Bautechnik

Anchor type			TSBD WSG
Use catagories			A-B-C-D-E
Drill hole diameter	d ₀ =	[mm]	8
Cutting diameter of drill bit	$d_{cut} \leq$	[mm]	8,45
Effective anchor embedment depth	h _{ef} =	[mm]	30
Thickness of equalizing layer	$t_{tol} \leq$	[mm]	40 – 190
Position of screw plate	$t_{\sf fix} \leq$	[mm]	30
Depth of drilled hole to deepest point 1)	$h_1 \geq$	[mm]	80 – 230
Required length of anchor ²⁾	L _a =	[mm]	100 – 250
Thickness of insulation material	h _D =	[mm]	100 – 400
Total borehole depth	h _b =	[mm]	$h_D + h_1$


Table B2: Installation parameters for NEW BUILDING

Anchor type			TSBD WSG		
Use catagories		A-B-C-D-E	D-E		
Drill hole diameter	d ₀ = [m	nm]	8	8	
Cutting diameter of drill bit	d _{cut} ≤ [m	nm]	8,45	8,45	
Effective anchorage depth	h _{ef} = [m	nm]	30	50	
Thickness of equalizing layer	t _{tol} ≤ [m	nm]	1] 20		
Position of screw plate	t _{fix} ≤ [rr	nm]	50	30	
Depth of drilled hole to deepest point ¹⁾	h₁≥ [m	nm]	60	80	
Required length of anchor ²⁾ $L_a = [mm]$		nm]	100		
Thickness of insulation material	h _D = [m	nm]] 100 – 400		
Total borehole depth	h _b = [m	nm]	h _D + h ₁		

 $\begin{array}{c} {}^{1)}h_{1} = h_{ef} + t_{tol} + 10 \text{ mm} \\ {}^{2)}L_{a} = h_{ef} + t_{tol} + t_{fix} \end{array}$

Table B3: Scheme of distances and spacing

			TSBD WSG
Minimum thickness of the base material	h≥	[mm]	100
Minimum allowable spacing	s _{min} =	[mm]	100
Minimum allowable edge distance	c _{min} =	[mm]	100




ThermoScrew TS U8 Gecko

Intended use
Installation parameters
Distance and dimensions of the base material

Annex B 2












Table C1: Characteristic resistance to tension loads N _{Rk} in [kN] for each single anchor								
Base material	Bulk density class	Minimum compressive strength	Remarks	Drill method	N _{Rk} [kN]			
	ρ [kg/dm³]	f b [N/mm²]						
Concrete C12/15 EN 206-1:2000					1,5			
Concrete C16/20 – C50/60 EN 206-1:2000					1,5			
Sand-lime solid bricks, KS e.g. acc. to DIN V 106:2005-10 / EN 771-2:2011	≥1.8	12	Vertically perforation up to 15 %	. Hammer . drilling	1,5			
Clay bricks, Mz e.g. acc. to DIN V 105-100:2012-01 / EN 771-1:2011	≥1.7	12	Vertically perforation up to 15 %		1,5			
Lightweight concrete solid blocks, Vbl 2 e.g. acc. to DIN V 18152-100:2005-10 / EN 771-3:2011	≥0.8	2	According to Annex C 3		0,75			
Lightweight concrete solid blocks, Vbl 4 e.g. acc. to DIN V 18152-100:2005-10 / EN 771-3:2011	≥0.8	4	According to Annex C 3		1,2			
Vertically perforated clay bricks, HLz e.g. acc. to DIN 105-100:2012-01 / EN 771-1:2011 outer web thickness ≥ 12 mm	≥1.0	12	Vertically perforation more than 15 % and less than 50 %		0,9			
Vertically perforated sand-lime bricks, KSL e.g. acc. to DIN V 106:2005-10 / EN 771-2:2011 outer web thickness ≥ 20 mm	≥1.4	12	Vertically perforation more than 15 % and less than 50 %	Rotary	1,5			
Lightweight concrete hollow blocks, 4K Hbl e.g. acc. to DIN V 18151-100:2005-10 / EN 771-3:2011	≥0.9	2	According to Annex C 3	drilling	0,75			
Lightweight concrete hollow blocks, 1K Hbl e.g. acc. to DIN V 18151-100:2005-10 / EN 771-3:2011	≥0.8	2	According to Annex C 3		0,9			
Vertically perforated clay bricks Hlz 250x380x235	≥1.0	6	According to Annex C 3		0,5			
Lightweight aggregate concrete, LAC 4	>1.0	4	h _{ef} ≥ 30 mm		0,4			
e.g. acc. to EN 1520:2011-06 / EN 771-3:2011	≥1.0	4	h _{ef} ≥ 50 mm	Hammer drilling	0,9			
Lightweight aggregate concrete,LAC 6 e.g. acc. to EN 1520:2011-06 /EN 771-3:2011	≥1.0	6	h _{ef} ≥ 30 mm h _{ef} ≥ 50mm	Grinnig	0,5 1,2			
Autoclaved aerated concrete, PP4-05 e.g. acc. to DIN V 4165-100:2005-10 / EN 771-4:2011	≥0.5	4	h _{ef} ≥ 30mm h _{ef} ≥ 50mm	Rotary drilling	0,3 0,75			

ThermoScrew TS U8 Gecko

Performances

Characteristic resistance of the anchor

Annex C 1

electronic copy of the eta by dibt: eta-16/0100

Page 14 of European Technical Assessment ETA-16/0100 of 5 April 2016

Displacements

English translation prepared by DIBt

Table C2:



Bulk density Minimum **Tension load** Displacements **Base material** compressive class strength Ν δ_m(N) ρ [kg/dm³] **f**b [kN] [mm] [N/mm²] Concrete C12/15-C50/60 0.50 1,6 EN 206-1:2000 Sand-lime solid bricks, KS 0,50 1,7 DIN V 106:2005-10 / ≥1.8 12 EN 771-2:2011 Clay bricks, Mz DIN 105-100:2012-01 / ≥1.7 12 0,50 1,7 EN 771-1:2011 Lightweight concrete blocks, Vbl 2 0.25 1.0 2 DIN V 18152-100:2005-10 / ≥0.8 EN 771-3:2011 Lightweight concrete block, Vbl 4 0,40 1,5 DIN V 18152-100:2005-10 / ≥0.8 4 EN 771-3:2011 Vertically perforated clay brick, HLz 0.30 1.0 12 DIN 105-100:2012-01 / ≥1.0 EN 771-1:2011 Vertically perforated sand-lime bricks, 0,50 1,7 KSL ≥1.4 12 DIN V 106:2005-10 / EN 771-2:2011 Lightweight concrete hollow block, 8,0 0,25 4K Hbl ≥0.9 2 DIN V 18151-100:2005-10 / EN 771-3:2011 Lightweight concrete hollow block, 0,30 1,1 2 1K Hbl ≥0.8 DIN V 18151-100:2005-10 / EN 771-3:2011 Vertically perforated clay bricks HIz ≥1.0 6 0,15 0,6 250x380x235 h_{ef} > 30 mm: 0,15 0,5 Lightweight aggregate concrete, LAC 4 ≥1.0 4 EN 1520:2011-06 / EN 771-3:2011 h_{ef} ≥ 50 mm: 0,30 1,1 h_{ef} > 30 mm: 0,15 0,5 Lightweight aggregate concrete, LAC 6 ≥1.0 6 EN 1520:2011-06 / EN 771-3:2011 h_{ef} ≥ 50 mm: 0,40 1,3 0,5 h_{ef} > 30 mm: 0,10 Autoclaved aerated concrete, PP4-05 ≥0.5 4 0,7 DIN V 4165-100:2005-10 / EN 771-4:2011 h_{ef} ≥ 50 mm: 0,25

ThermoScrew TS U8 Gecko

Performances Displacements Annex C 2



Geometry	Thickness of brick	Outer web in longitudinal direction
	d	а
	[mm]	[mm]
	175	50
	240 300 365	30

Table C4: Geometry of Vbl according to DIN V 18152-100:2005-10 / EN 771-3:2011

Geometry	Thickness of brick	Outer web in longitudinal direction
	d	а
	[mm]	[mm]
	248 300 370	≥ 43

Table C5: Geometry of vertically perforated clay brick Hlz 250x380x235

Geometry	Thickness of brick d [mm]	Outer web in longitudinal direction a [mm]
	250	≥16

ThermoScrew TS U8 Gecko

Performances

Geometry for lightweight concrete hollow blocks and solid lightweight concrete blocks, HIz 250 \times 380 \times 235

Annex C 3