



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-13/0902 of 6 November 2019

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

This version replaces

Deutsches Institut für Bautechnik

Wichmann-Box

Product for use in penetration seals - Cable box

Wichmann Brandschutzsysteme GmbH & Co. KG Siemensstraße 7 57439 Attendorn-Ennest DEUTSCHLAND

Wichmann Brandschutzsysteme GmbH & Co. KG Siemensstraße 7 57439 Attendorn-Ennest DEUTSCHLAND

19 pages including 15 annexes which form an integral part of this assessment

EAD 350454-00-1104

ETA-13/0902 issued on 28 June 2013



European Technical Assessment ETA-13/0902

Page 2 of 19 | 6 November 2019

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



European Technical Assessment ETA-13/0902 English translation prepared by DIBt

Page 3 of 19 | 6 November 2019

Specific part

1 Technical description of the product

The construction product "Wichmann-Box" consists of a moulded part made of sheet steel and fire-protective inlays made of an intumescent material, which expands under heat exposure.

The construction product is manufactured in different geometrical forms and dimensions (see Annexes 3 and 4)

A detailed technical description of the fire safety related performance criteria (e.g. dimensions) of the construction product is given in Annexes 1 to 4.

Detailed information on the construction product's components is deposited with DIBt.

NOTE:

The characteristics listed are suitable both for identifying the construction product as well as for performing the manufacturer's factory production control.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The construction product "Wichmann-Box" is used as a component in penetration seals.

Penetration seals are used to seal openings in fire-resistant walls or floors, which are penetrated by services. Their aim is to preserve the walls' or floors' resistance to fire in the area of the penetrations.

This ETA has served to verify the resistance to fire of penetration seals containing one or several "Wichmann-Box" construction products. The penetration seals were also sealed on both sides with a "Wichmann-Box" seal (plug). These plugs consisted of a foaming material laminated with aluminium foil, a silicone or an in-situ foam for sealing the remaining joints of the "Wichmann-Box" and mortar or gypsum for sealing the gap between the "Wichmann-Box" and the edge of the surrounding building element.

The construction product "Wichmann-Box" may be used for penetration seals of use category Z_1 (intended for use under internal conditions with high humidity, excluding temperatures below 0 °C) provided that the other components of the penetration seal which are not covered by this ETA meet the durability requirements. The resistance to fire of the penetration seals shall be verified on a case-by case basis.

More detailed information and data on the verified penetration seals is given in Annexes 3 to 15.

The performances given in Section 3 apply exclusively to the penetration seals assessed as part of the ETA procedure (e.g. with respect to the design and arrangement of the penetration seal's components as well as the type and position of the services).



European Technical Assessment ETA-13/0902

Page 4 of 19 | 6 November 2019

English translation prepared by DIBt

- 3 Performance of the product and references to the methods used for its assessment
- 3.1 Intended use: use in penetration seals
- 3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Resistance to fire of a penetration seal containing the product	The resistance to fire depends on the design and installation of the penetration seal and on the other components that make up the penetration seal. More details on the tested penetration seals and the related fire resistance classes are given in Annexes 1 to 15.

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with European Assessment Document (EAD) no. 350454-00-1104, the following legal base shall apply: 1999/454/EC.

The system to be applied is: system 1.

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD

The technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with DIBt.

Issued in Berlin on 6 November 2019 by Deutsches Institut für Bautechnik

Maja Tiemannbeglaubigt:Head of DepartmentBisemeier



The factory manufactured construction products of the type "Wichmann-Box" consists of a sheet steel casing, an inlay and a smoke sealing.

Properties and criteria of the performance of the construction product "Wichmann-Box"

Component	Description
"Steel sheet casing"	Sheet steel
The material specifications are deposited at the DIBt.	Dimensions according to annexes 3 and 4
"Palusol packet" The material specifications are deposited at the DIBt.	Hermetically sealed packet made of polystyrene thickness ca. 1,5 mm, inside assembled stripes of fire protection boards
"Intumescent inlay" The material specifications are deposited at the DIBt.	Graphit-Stripes
"smokesealing" The material specifications are deposited at the DIBt.	Aluminium laminated foam Reaction to fire according to EN 13501-1: C-s2, d0

The properties listed can be used both for the identification of the construction product and for the implementation of the factory production control of the manufacturer.

Implementation details for the factory production control are included in the inspection plan.

•

Description of the additional ingredients of the tested sealings

Sealing the gaps and joints on the surface of the	Silicone sealant
"Wichmann Kabelbox":	Reaction to fire according to EN 13501-1: E
Silikon vom Typ "KÖDISIL HAC"	
Sealing of residual joint between cable box and soffit:	Reaction to fire classification: Class A1 according to the commission decision 96/603/EC (in the amended version)
Gypsum or mortar	
Sealing of residual joint between cable box and soffit:	In-situ foam Reaction to fire according to EN 13501-1: E
In-situ foam "PURELOGIC EASY"	
The material specifications are deposited at the	
DIBt.	

Wichmann-Box	
Description of the construction products, properties and performances; Properties of the additional ingredients of the tested sealings containing the construction product "Wichmann-Box"	Annex 1




Performances of tested penetration seals, comprising the construction product "Wichmann-Box"

	Essential requirement	Test method	Construction oft he sample	Performance
1	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick flexible wall; design and layout of the penetration seal acc. to annex 5	s. Annex 5
2	Resistance to fire	EN 1366-3	Penetration seal used in a 150 mm thick rigid floor; design and layout of the penetration seal acc. to annex 6	s. Annex 6
3	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick rigid wall; design and layout of the penetration seal acc. to annex 7	s. Annex 7
4	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick rigid wall; design and layout of the penetration seal acc. to annex 8	s. Annex 8
5	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick flexible wall; design and layout of the penetration seal acc. to annex 9	s. Annex 9
6	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick flexible wall; design and layout of the penetration seal acc. to annex 10	s. Annex 10
7	Resistance to fire	EN 1366-3	Penetration seal used in a 150 mm thick rigid floor; design and layout of the penetration seal acc. to annex 11	s. Annex 11
8	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick flexible wall; design and layout of the penetration seal acc. to annex 12	s. Annex 12
9	Resistance to fire	EN 1366-3	Penetration seal used in a 100 mm thick flexible wall; design and layout of the penetration seal acc. to annex 13	s. Annex 13
10	Resistance to fire	EN 1366-3	Penetration seal ; design and layout of the penetration seal acc. to annex 14	s. Annex 14
11	Resistance to fire	EN 1366-3	Penetration seal used in a 150 mm thick rigid floor; design and layout of the penetration seal acc. to annex ng 15	s. Annex 15

The tested/ illustrated seals are only examples fort he use.


The illustrations on annexes 3 till 15 are without guarantee for completeness. The use of the construction products "Wichmann-Box" in penetration seals shall be in accordance with national requirements for planning, design and execution and in accordance with the installation instruction of the manufacturer.

Wichmann-Box	
Description of the construction products, properties and performances; Properties of the additional ingredients of the tested sealings containing the construction product "Wichmann-Box"	Annex 2




Type 1, 8-octagonal Cablebox

- diameter (parallel surface) 65 mm up to 260 mm
- diameter (opposite corners) mm up to 281 mm
- depth 270 mm



Type 2, threesided, for installation in floors with wall attachment and in walls with attachment to the ceiling, with intumescend strips on the front ends and a circumferential strip in the middle.

- breadth 120 mm up to 535 mm
- hight 30 mm up to 110 mm
- depth 270 mm



Type 3

Electronic copy of the ETA by DIBt: ETA-13/0902

- breadth 120 mm up to 640 mm
- hight 60 mm up to 110 mm
- depth 270 mm up to 350 mm

Wichmann-Box

Dimensions of the building product "Wichmann-Box", versions 1 to 3


Annex 3


Type 4, extentsion for threesided cableboxes - breadth 120 mm up to 535 mm - hight 30 mm up to 110 mm - depth 270 mm Type 5, threesided, for floor attachment - breadth 120 mm up to 535 mm - hight 30 mm up to 110 mm - depth 240 mm, 270 mm or 350 mm Type 6 - diameter 70 mm up to 250 mm - depth 284 mm Wichmann-Box Annex 4 Dimensions of the building product "Wichmann-Box", versions 4 to 6

Electronic copy of the ETA by DIBt: ETA-13/0902



Example of octagonal cablebox (type1) in a flexible wall





Cable configurations:

- cable according to EN1366-3:2009-07:
- 1xB-cable 1x95²
- 3xA1-cable 5x1,5²
- 3xA2-cable 5x1,5²
- 3xA3-cable 5x1,5²
- 1xC1-cable 4x95²
- 1xC2-cable 4x95²
- 1xC3-cable 4x95²
- 1xE-cable 1x185²
- polypropylene resp. polyethylene pipes:

HTGL (PP) 50x1,8 mm Polokal NG 50x2 mm (PP), OHM PE-HD 32x3,0 OHM PE-HD 50x4,6


Wichmann-Box

Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 60 minutes - Structure of the test specimen; Installation in a flexible wall -

flexible wall according to EN1366-3

Annex 5





Ø 250 mm Ø 110 mm Ø 70 mm 1xC1-Cable 4x95² 1xB-Cable 1x95² 3xA1-Cable 5x1,52 1xC2-Cable 4x95² 3xA1-Cable 5x1,52 2xA2-Cable 5x1,52 1xC3-Cable 4x95² 3xA2-Cable 5x1,52

Wichmann-Box


Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a rigid floor -


Annex 6



Example of threesided cablebox (type 2) in a ridgid floor, with an attachment to an adjacent ridgid wall

view from above





Cable configuration according to EN1366-3:2009-07:

1xB-Cable 1x95²
3xA1-Cable 5x1,5²
3xA2-Cable 5x1,5²
3xA3-Cable 5x1,5²
1xC1-Cable 4x95²
1xC2-Cable 4x95²
1xC3-Cable 4x95²
1xE-Cable 1x185²

- 1: Basotect foam-stopper
- 2: graphite-strips* (2x30x535 mm), 2 on top of each other und 2 side by side
- 3: single graphite-strip* (2x30 mm), circumferential

* the composite has been lodged at the DIBt


Wichmann-Box

Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a rigid floor -

Annex 7



Example of threesided cablebox (type 2) in a ridgid wall, with an attachment to an adjacent ridgid ceiling



- 1: Basotect foam-stoppers
- 2: graphite-strips* (2 mm x 30 mm x 535 mm), 2 on top of each other and 2 side by side

cable configuration according to EN1366-3:2009-07

8.11.04-28/18

1xB-Cable 1x95²
3xA1-Cable 5x1,5²
3xA2-Cable 5x1,5²
3xA3-Cable 5x1,5²
1xC1-Cable 4x95²
1xC2-Cable 4x95²
1xC3-Cable 4x95²


1xE-Cable 1x1852

* the composite has been lodged at the DIBt

Wichmann-Box

Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 120 minutes Structure of the test specimen; Installation in a rigid wall -





with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a flexible wall -

Example for use the construction product "Wichmann-Box" as a part of a penetration seal,

Annex 9

View



Example of threesided cablebox (type 5) with an adjacent extension module (type 4) in a flexible wall with an attachment to the floor

ridgid floor made of bricks of aerated concrete, 250mm high and 625 mm deep, ρ ≥ 450kg/m³

flexible wall acc. EN1366-3

cross cut A-A

stiffening corrugation
Basotect, d=40 mm


Fire-protection packet

ridgid floor made of bricks of aerated concrete, 250mm high und 625 mm deep, $\rho \ge 450 kg/m^3$


Туре	Type 4 and 5	
Dimensions	110 x 535 x 270 [mm] three-sides + 110 x 535 x 270 [mm] two-sided	110 x 535 x 240 [mm] three-sides + 110 x 535 x 240 [mm] two-sided
Configuration	configuration with cable acc. EN1366-3:2009-07 1xB-cable 1x95² 3xA1-cable 5x1,5² 3xA2-cable 5x1,5² 3xA3-cable 5x1,5² 1xC1-cable 4x95² 1xC2-cable 4x95² 1xC3-cable 4x95² 1xE-cable 1x185² cable-bundle, Ø 10 cm consisting of 20 F-cable, Ø 21 mm	configuration with cable acc. EN1366-3:2009-07 1xB-cable 1x95² 3xA1-cable 5x1,5² 3xA2-cable 5x1,5² 3xA3-cable 5x1,5² 1xC1-cable 4x95² 1xC2-cable 4x95² 1xC3-cable 4x95² 1xE-cable 1x185² cable-bundle, Ø 10 cm consisting of 20 F-cable, Ø 21 mm
Fire-Resistance	El 90	EI 60

Wichmann-Box	
Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 60 resp. minutes - Structure of the test specimen; Installation in a flexible wall -	Annex 10





View



Basotect, d=40 mm

joint, b=15±5 mm, completely filled with mortar (ρ=1600 kg/m³)

ridgig floor aerated concrete acc.
EN1366-3 with a fire resistance of 90 Min.

Cable configuration according to EN1366-3:2009-07

1xB-Cable 1x95²

3xA1-Cable 5x1,52

3xA2-Cable 5x1,52

3xA3-Cable 5x1,52

1xC1-Cable 4x95²

1xC2-Cable 4x95²

1xC3-Cable 4x95²

1xE-Cable 1x185²

1xD1-Cable 4x185²

1xD2-Cable 4x185²

1xD3-Cable 4x185²

Wichmann-Box


Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a rigid floor -

Annex 11

English translation prepared by DIBt



Example of rectangular cableboxes (type 3) in a flexible wall



Cable configuration according to EN1366-3:2009-07, all conduits with \varnothing 63 mm

Box1:

Polyolefin-conduit FBY-EL-F, with 1xC2-cable 4x95² PVC-conduit FPKu-EM-F, blank PE-conduit FFKus-EM-F-105, with 1xC1-cable 4x95² FFKus-EM-F-LSOH 63 conduit, blank

Box 2: (with graphite strip)

Cu-pipe 42x1,2 with Armaflex HP, 10 mm thickness
Cu-pipe 42x1,2 mm with 10 mm Armaflex HT
Cu-pipe 13x1 mm with 10 mm Armaflex HT
Flexio Split 5/8", SanfixFosta 16x2,2 mm, Flexio Split 1/4"

Box 3

PE-conduit FPKu-EM-F LSOH, completely filled with various types of A-cable PVC-conduit FFKus-EM-F, blank PE-conduit FPKu-EM-F-HO, mit 1xC1-cable 4x95², d.t.o. blank

Box 4:

PVC-conduit FPKu-EM-F, with 1xC1-cable 4x95² PE-conduit FPKu-EM-F LSOH, blank PE-conduit FFKuS-EM-F-LSOH, with 8 x A1 + 2 x A2 cable PVC-conduit FFKus-EM-F, with 4 x A1 + 5 x A2 cable

Wichmann-Box


Electronic copy of the ETA by DIBt: ETA-13/0902

Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a flexible wall -

Annex 12



Example of rectangular cablebox (type 3) in a flexible wall




Туре	Type 3	
Dimensions	1 Box 110 x 640 x 270 [mm]	1 Box 110 x 200 x 270 [mm]
Configuration	Aquatherm Fusion PP-R 50/8.4 mm Aquatherm green pipe 32x5.4 mm OHM PE-HD pipe 50x4,6 mm OHM PE-HD pipe 40x3,7 mm OHM PE-HD pipe 32x3,0 mm HTGL PP 50x1,8 mm Polokal NG 50x2 mm	Cu-pipe 15x1mm mit Armacel Artiga 24x15 mm

Wichmann-Box	
Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 120 minutes - Structure of the test specimen; Installation in a flexible wall -	Annex 13




Example of threesided cablebox (type 5) with an adjacent extension module (type 4) with an attachment to the floor

View



Cross cut (BB) through a cablebox



- 1: 3-layers Silica-needle mats, 6 mm thickness
- 2: Foam-stoppers
- 3: 3-sided cablebox 110x535x270 [mm], configuration with cable acc. EN1366-3, C.2.2.1 Nr. 2, option "middle" and 2-sided cable box cable bundle of Ø 10 cm consisting of cable with Ø 21 mm
- 4: raised floor elements, 600x600x36 [mm]
- 6: cable
- 7: raised floor support
- 8: 100 mm mortar
- 9: mortar
- 10: self-adhesive graphite strip


Dimensions	3-sided Box 110 x535 x270 [mm] (type 5) with 2-sided extension module 110 x535 x270 [mm]
Configuration with cable according to EN1366-3:2009-07	within the 3-sided cablebox: 1xB-cable 1x95² 3xA1-cable 5x1,5²; 3xA2-cable 5x1,5²; 3xA3-cable 5x1,5² 1xC1-cable 4x95²; 1xC2-cable 4x95²; 1xC3-cable 4x95² 1xE-cable 1x185² within the extension module: cable-bundle of Ø 10 cm consisting of 29 F-cable, Ø 21 mm

Wichmann-Box	
Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 120 minutes - Structure of the test specimen -	Annex 14



Example of rectangular cablebox (type 3) in a ridgid floor using PURLOGIC EASY polyurethane foam

Cross cut



Dimensions	Box 110 mm x 640 mm x 350 mm
Cable - configuration according to EN1366-3	1xB-cable 1x95 ² 3xA1-cable 5x1,5 ² , 3xA2-cable 5x1,5 ² , 3xA3-cable 5x1,5 ² 1xC1-cable 4x95 ² , 1xC2-cable 4x95 ² , 1xC3-cable 4x95 ² 1xE-cable 1x185 ²

^{*} the composite has been lodged at the DIBt

Wichmann-Box	
Example for use the construction product "Wichmann-Box" as a part of a penetration seal, with a fire resistance (integrity and thermal insulation) for more than 90 minutes - Structure of the test specimen; Installation in a rigid floor -	Annex 15