



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-16/0016 of 8 February 2022

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:	Deutsches Institut für Bautechnik
Trade name of the construction product	"CT Cable Tube" and "CT ML Cable Tube"
Product family to which the construction product belongs	Construction product for use in penetration seals
Manufacturer	FLAMRO Brandschutz-Systeme GmbH Am Sportplatz 2 56291 Leiningen DEUTSCHLAND
Manufacturing plant	Herstellwerk I
This European Technical Assessment contains	12 pages including 8 annexes which form an integral part
Containo	of this assessment
This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of	of this assessment EAD 350454-00-1104

Deutsches Institut für Bautechnik Kolonnenstraße 30 B | 10829 Berlin | GERMANY | Phone: +49 30 78730-0 | Fax: +49 30 78730-320 | Email: dibt@dibt.de | www.dibt.de



European Technical Assessment ETA-16/0016 English translation prepared by DIBt

Page 2 of 12 | 8 February 2022

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



Page 3 of 12 | 8 February 2022

European Technical Assessment ETA-16/0016 English translation prepared by DIBt

Specific part

1 Technical description of the product

The construction products consist of PVC-U half-pipes and an inlay made of an intumescent material which expands under heat exposure.

- In the case of the construction product "CT Cable Tube", design variant 1, two half-pipes are joined by means of a click fastener to form a pipe sleeve. The inlay is bonded into the halfpipes (see Annex 2).
- In the case of the construction product "CT Cable Tube", design variant 2, two half-pipes are joined by means of a fastener taking the shape of an H profile to form a pipe sleeve. The half-pipes are coated with the inlay (see Annex 2).
- The construction product "CT ML Cable Tube" consists of a half-pipe. The inlay is bonded into the half-pipe. The inlay overlaps the half-pipe by about the half-pipe's diameter. This overlap is used to form the bottom (see Annex 3).

Detailed specifications (e.g. dimensions) and fire safety related performance criteria for the construction products are given in Annexes 1 to 3. Detailed information on the construction products' components are deposited with Deutsches Institut für Bautechnik. NOTE:

The characteristics listed are suitable both for identifying the construction products as well as for performing the manufacturer's factory production control.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The construction products "CT Cable Tube" and "CT ML Cable Tube" shall be used as part of cable penetration seals.

Cable penetration seals are used to seal openings in fire-resistant walls or floors, which are penetrated by cables. Their aim is to preserve the walls' or floors' fire resistance in the area of the penetrations.

Within the framework of this ETA, the fire resistance was demonstrated for cable penetration seals consisting of two half-pipes of the type "CT Cable Tube" (for floor and wall installations) and for cable penetration seals consisting of one half-pipe of the type "CT ML Cable Tube" (for wall installations). The cable penetration seals had a closure made of a flexible foam on both sides for "CT Cable tube" pipe sleeves or one side for "CT ML Cable Tube" half-pipes which was - after it was inserted into the remaining openings - sealed from the outside with an ablative coating. In addition, the joints between the pipe sleeve or the half-pipe and the surrounding building element were sealed (see table 1).

More detailed information and data on the verified penetration seals are given in Annexes 4 to 8. The performances given in Section 3 relate exclusively to these penetration seals (e.g. with respect to the design and arrangement of the penetration seal components and the type and position of the services).



Page 4 of 12 | 8 February 2022

European Technical Assessment

ETA-16/0016

English translation prepared by DIBt

Table 1 – Components of the verified penetration seals

Product type	Trade name
Half-pipes with inlay	"CT Cable Tube",
	"CT ML Cable Tube"
Flexible foam sealing plug	"Basotect", "Basotect G"
Ablative coating	"FLAMMOTECT-A"
Mineral wool boards of a thickness of 50 mm	"Rockwool Hardrock 040"
Insulation wool made of mineral fibre	"Rockwool Lose Wolle RL"
System ground plate of a thickness of 32 mm	"GIFAfloor FHB"

3 Performance of the product and references to the methods used for its assessment

3.1 Intended use: use in penetration seals

3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Fire resistance of a penetration seal (see	maximum class El 90 or El 120 in
Annexes 4 to 8 for details) containing the	accordance with EN 13501-2 (see
product ^{1,}	Annexes 4 to 8)

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with the European Assessment Document (EAD) no. 350454-00-1104, the following legal base shall apply: 1999/454/EC.

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 8 February 2022 by Deutsches Institut für Bautechnik

Christina Pritzkow Head of Department *beglaubigt:* Meske-Dallal

1

The fire resistance depends on how the penetration seal is designed and installed and on the penetrating services. Annexes 2 to 8 include details on the penetration seals for which the fire resistance indicated was demonstrated.

English translation prepared by DIBt



The factory manufactured construction products of the type "CT Cable Tube" and of the type "CT ML Cable Tube" consist of PVC-U half-pipes and an inlay made of an intumescent material. They are used to seal cable penetrations in fire-resistant building elements.

Properties and performance criteria of the components of the construction products of the type "CT Cable Tube" and of the type "CT ML Cable Tube"

Component	Description
"Half-pipe"	Dimensions: Ø 116,4; s = 3,2 mm; l = 150 mm, 200 mm or
(with glued groove bar or click	300 mm
fastener)	Material: PVC-U according to EN 1452
"Inlay" for	"DG-CR SK":
"CT Cable Tube", design variant 1	Thickness = 1,5 mm (dry layer thickness)
and	Material: intumescent material
"CT ML Cable Tube"	Reaction to fire class: E according to EN 13501-1
"Inlay" for	"DG":
"CT Cable Tube", design variant 2	Thickness = 1,5 mm (dry layer thickness)
	Material: intumescent material
	Reaction to fire class: B-s1, d0 according to EN 13501-1

Description of the additional ingredients of the tested sealings

"Closure"	Thickness = 40 mm;
(for closing the pipe sleeve; Material: flexible foam of the type	diameter corresponding to the inner diameter of the pipe sleeves;
"Basotect" der Fa. BASF AG) or "Basotect G" der Fa. BASF AG)	Reaction to fire class: C-s1, d0 according to EN 13501-1
"Sealing"	Thickness ≥ 0,5 mm (dry layer thickness)
(Material: ablative coating "FLAMMOTECT-A" according to	Reaction to fire class: E according to EN 13501-1
ETA-14/0418)	


"CT Cable Tube" und "CT ML Cable Tube"

Description of the construction products, properties and performances

Annex 1


Page 6 of European Technical Assessment ETA-16/0016 of 8 February 2022






Page 7 of European Technical Assessment ETA-16/0016 of 8 February 2022






Page 8 of European Technical Assessment ETA-16/0016 of 8 February 2022





Page 9 of European Technical Assessment ETA-16/0016 of 8 February 2022





Page 10 of European Technical Assessment ETA-16/0016 of 8 February 2022

English translation prepared by DIBt



" CT Cable Tube", version 2 Section, wall installation Section, floor installation 100 aerated concrete floor flexible wall $(450 \le \rho \, 500 \, \text{kg/m}^3)$ acc. EN 1366-3 Cables 126 - 156 5 - 25 25 Ø 116,4 i 🕈 ٨ ï ï 50 25 300 first support empty seal 777 half-pipe mortar Ø 116,4 Inlay of intumescent Configuration floor material construction: 100% configuration flexible foam , , , , cable group 1 A1: 5 x; Ø 13 mm A2: 5 x; Ø ~ 11.5 mm sealing with ablative coating A3: 1 x; Ø ~ 11.5 mm (1 mm dft) B: 1 x; Ø ~ 19 mm 25 cable group 2 gypsum C1: 1 x; Ø ~ 45 mm 150 C3: 1 x; Ø ~ 36 mm E: 1 x; Ø ~ 24 mm cable group 3 F: 3 x; Ø ~ 15.5 mm View, wall installation View, floor installtion Cables half-pipe 107 116,4 $\underline{\circ}$ with H-profile 116,4 са. са. inlay of Ø Ø intumescent material 0 0 Configuration wall construction: F-telecommunicationcables, cable bundle \emptyset = 100 % 100% configuration of telecommunicationcables dimensions are in mm "CT Cable Tube" und "CT ML Cable Tube" Annex 6 Examples for cable penetration seals of resistance to fire class EI 90, using the pipe sleeve "CT Cable Tube", version 2

Page 11 of European Technical Assessment ETA-16/0016 of 8 February 2022



"CT ML Cable Tube"	
"CT Cable Tube" und "CT ML Cable Tube" Schematic representation of the installed pipe sleeves type "CT ML Cable Tube"	Annex 7

Page 12 of European Technical Assessment ETA-16/0016 of 8 February 2022



