



Approval body for construction products and types of construction

**Bautechnisches Prüfamt** 

An institution established by the Federal and Laender Governments



# **European Technical Assessment**

## ETA-10/0259 of 10 January 2023

English translation prepared by DIBt - Original version in German language

#### **General Part**

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

This version replaces

Deutsches Institut für Bautechnik

SIKLA Wedge Anchor AN BZ plus and AN BZ-IG

Mechanical fastener for use in concrete

Sikla Holding GmbH Ägydiplatz 3 A-4600 THALHEIM BEI WELS ÖSTERREICH

Sikla Herstellwerk 1

36 pages including 3 annexes which form an integral part of this assessment

EAD 330232-01-0601, Edition 05/2021

ETA-10/0259 issued on 9 June 2017



# European Technical Assessment ETA-10/0259

Page 2 of 36 | 10 January 2023

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

Z1929.23 8.06.01-257/22



European Technical Assessment ETA-10/0259

Page 3 of 36 | 10 January 2023

English translation prepared by DIBt

#### **Specific Part**

#### 1 Technical description of the product

The SIKLA Wedge Anchor AN BZ and AN BZ-IG is a fastener made of zinc plated steel, stainless steel or high corrosion resistant steel which is placed into a drilled hole and anchored by torque-controlled expansion. The following fastener types are covered:

- Anchor type AN BZ with external thread, washer and hexagon nut, sizes M8 to M27,
- Anchor type AN BZ-IG S with internal thread, hexagon head nut and washer S-IG, sizes M6 to M12.
- Anchor type AN BZ-IG SK with internal thread, countersunk head screw and countersunk washer SK-IG, sizes M6 to M12,
- Anchor type AN BZ-IG B with internal thread, hexagon nut and washer MU-IG, sizes M6 to M12.

The product description is given in Annex A.

# 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the fastener is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fastener of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

#### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance to tension load (static and quasi-static loading)	AN BZ see Annex B4, B5, C1 to C4 AN BZ-IG see Annex B8, C11 and C12
Characteristic resistance to shear load (static and quasi-static loading)	AN BZ see Annex C5 AN BZ-IG see Annex C13
Displacements (static and quasi-static loading)	AN BZ see Annex C9 and C10 AN BZ-IG see Annex C15
Characteristic resistance and displacements for seismic performance categories C1 and C2	AN BZ see Annex C6, C9 and C10 AN BZ-IG No performance assessed

Z1929.23 8.06.01-257/22





# European Technical Assessment ETA-10/0259

Page 4 of 36 | 10 January 2023

English translation prepared by DIBt

#### 3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Class A1
Resistance to fire	AN BZ see Annex C7 and C8 AN BZ-IG see Annex C14

#### 3.3 Aspects of durability

Essential characteristic	Performance		
Durability	See Annex B1		

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with the European Assessment Document EAD 330232-01-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 10 January 2023 by Deutsches Institut für Bautechnik

Dipl.-Ing. Beatrix Wittstock beglaubigt:
Head of Section Baderschneider


Z1929.23 8.06.01-257/22

English translation prepared by DIBt




Fastener version	Product description	Intended use	Performance
AN BZ plus	Annex A1 - Annex A4	Annex B1 – Annex B7	Annex C1 – Annex C10
AN BZ-IG	Annex A1 Annex A5 – Annex A7	Annex B1 – Annex B2 Annex B8 – Annex B10	Annex C11 – Annex C15

#### SIKLA Wedge anchor AN BZ plus



#### SIKLA Wedge anchor AN BZ-IG M6 to M12



#### SIKLA Wedge Anchor AN BZ plus and AN BZ-IG


Product description Fastener types


Annex A1

**Product description** 

Installation situation AN BZ plus








Marking of length	C (c)	D (d)	E (e)	F (f)	G (g)	H (h)	l (i)	J (j)	K (k)	L (I)	M (m)	N (n)
Length of fastener min ≥	63,5	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	203,2
Length of fastener max <	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	203,2	215,9
Marking of length	O (o)	P (p)	Q (q)	R (r)	S (s)	T (t)	U (u)	V (v)	W (w)	X (x)	Y (y)	Z (z)
		ı,		` '	' '	` ' '	·	` '		` '	(3,	_ (_,
Length of fastener min ≥	215,9	228,6	` .,	254,0	279,4	, ,	` ,	355,6	381,0	406,4	431,8	457,2

#### Filling washer and reducing adapter for filling the annular gap between fastener and fixture



Thickness of washer for diameter < M24: t = 5 mm

 $\geq$  M24: t = 6 mm

#### SIKLA Wedge Anchor AN BZ plus

Product description
Fastener sizes and marking

Annex A3



Table A1: Fastener dimensions AN BZ plus

Fastener size	)		M8	M10	M12	M16	M20	M24	M27
Conical bolt —		Thread	M8	M10	M12	M16	M20	M24	M27
		$\emptyset$ d <sub>k</sub> =	7,9	9,8	12,0	15,7	19,7	24	28
	Steel, zinc plated	L	65 + t <sub>fix</sub>	80 + t <sub>fix</sub>	96,5+t <sub>fix</sub>	118+t <sub>fix</sub>	137+t <sub>fix</sub>	161+t <sub>fix</sub>	178+t <sub>fix</sub>
Length of	A4, HCR	L	65 + t <sub>fix</sub>	80 + t <sub>fix</sub>	96,5+t <sub>fix</sub>	118+t <sub>fix</sub>	137+t <sub>fix</sub>	168+t <sub>fix</sub>	-
fastener <sup>1)</sup>	reduced anchorage depth	L <sub>hef,red</sub>	54 + t <sub>fix</sub>	60 + t <sub>fix</sub>	76,5+t <sub>fix</sub>	98+t <sub>fix</sub>	ı	ı	-
Thickness of t	illing washer	t [mm]	5	5	5	5	5	6	6
Hexagon nut		s	13	17	19	24	30	36	41

<sup>&</sup>lt;sup>1)</sup> With additional use of filling washer 3b the usable thickness of fixture is reduced by the thickness of filling washer t [mm]

Dimensions in mm

Table A2: Materials AN BZ plus


		AN E	3Z plus	AN BZ plus A4	AN BZ plus HCR	
No.	Part	Steel, z	inc plated	Stainless steel	High corrosion resistant steel HCR	
		galvanized ≥ 5µm sherardized ≥ 45µm			(CRC V)	
1	Conical bolt	M8 to M20: Cold formed or machined steel, galvanized, cone plastic coated M8 to M20: Cold formed machined s sherardized cone plastic		M8 to M20: Stainless steel (e.g. 1.4401, 1.4404, 1.4578, 1.4571) EN 10088:2014, cone plastic coated	M8 to M20: High corrosion resistant steel 1.4529 or 1.4565, EN 10088:2014, cone plastic coated	
	Threaded bolt	M24 and M27:	M24 and M27: steel, sherardized	M24: Stainless steel	M24: High corrosion resistant steel	
	Threaded cone	Threaded cone Steel, galvanized M24 and Steel, galvanized		(e.g. 1.4401, 1.4404) EN 10088:2014	1.4529 or 1.4565, EN 10088:2014	
2	Expansion sleeve	M8 to M20: Steel (e.g. 1.4301 or 1.4401) EN 10088:2014, M24 and M27: Steel, zinc plated	M8 to M20: Steel (e.g. 1.4301 or 1.4401) EN 10088:2014, M24 and M27: Steel, zinc plated	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014	
3a	Washer	Steel, zinc plated	Steel, zinc plated	Stainless steel (e.g. 1.4401, 1.4571)	High corrosion resistant steel	
3b	Filling washer	•	•	EN 10088:2014	1.4529 or 1.4565, EN 10088:2014	
4	Hexagon nut	xagon nut Steel, galvanized, coated Steel, zinc plated		Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel 1.4529 or 1.4565, EN 10088:2014, coated	

#### SIKLA Wedge Anchor AN BZ plus

**Product description**Dimensions and materials

Annex A4








Table A3: Fastener dimensions AN BZ-IG

No.	Fastener size		M6	M8	M10	M12
	Conical bolt with internal thread	$\emptyset$ $d_k$	7,9	9,8	11,8	15,7
1	Pre-setting installation	L	50	62	70	86
	Through-setting installation	L	50 + t <sub>fix</sub>	62 + t <sub>fix</sub>	70 + t <sub>fix</sub>	86 + t <sub>fix</sub>
2	Expansion sleeve			see ta	ible A4	
3	Washer			see ta	ible A4	
	Hexagon head screw Wid	lth across flats	10	13	17	19
4	Pre-setting installation	Ls	t <sub>fix</sub> + (13 to 21)	t <sub>fix</sub> + (17 to 23)	t <sub>fix</sub> + (21 to 25)	t <sub>fix</sub> + (24 to 29)
	Through-setting installation Ls		14 to 20	18 to 22	20 to 22	25 to 28
5	Countersunk Ø cour	ntersunk	17,3	21,5	25,9	30,9
	washer	t	3,9	5,0	5,7	6,7
6	Countersunk bit s		Torx T30	Torx T45 (Steel, zinc plated) T40 (Stainless steel A4, HCR)	Hexagon socket 6 mm	Hexagon socket 8 mm
	Pre-setting installation	Lsk	t <sub>fix</sub> + (11 to 19)	t <sub>fix</sub> + (15 to 21)	t <sub>fix</sub> + (19 to 23)	t <sub>fix</sub> + (21 to 27)
	Through-setting installation L <sub>SK</sub>		16 to 20	20 to 25	25	30
7	Hexagon nut width ac	ross flats	10	13	17	19
8	Commercial type V	L <sub>B</sub> ≥	t <sub>fix</sub> + 21	t <sub>fix</sub> + 28	t <sub>fix</sub> + 34	t <sub>fix</sub> + 41
ľ°	standard rod <sup>1)</sup> type D	L <sub>B</sub> ≥	21	28	34	41

<sup>1)</sup> acc. to specifications (Table A4)

Dimensions in mm

#### SIKLA Wedge Anchor AN BZ-IG

#### **Product description**

Fastener parts, marking and dimensions AN BZ-IG

Annex A6

Z2050.23

Electronic copy of the ETA by DIBt: ETA-10/0259



## Table A4: Materials AN BZ-IG

		AN BZ-IG	AN BZ-IG A4	AN BZ-IG HCR
No.	Part	Steel, galvanized ≥ 5 µm acc. to EN ISO 4042:1999	Stainless steel A4 (CRC III)	High corrosion resistant steel HCR (CRC V)
1	Conical bolt BZ-IG with internal thread	Machined steel, Cone plastic coated	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014, Cone plastic coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, Cone plastic coated
2	Expansion sleeve BZ-IG	Stainless steel (e.g. 1.4301, 1.4401) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014
3	Washer S-IG / MU-IG	Steel, galvanized  Steel, galvanized  Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014		High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014
4	Hexagon head screw S-IG	Steel, galvanized, coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated
5	Countersunk washer SK-IG	Steel, galvanized	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014, zinc plated, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, zinc plated, coated
6	Countersunk head screw SK-IG	Steel, galvanized coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated
7	Hexagon nut MU-IG	Steel, galvanized coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated
8	Commercial standard rod	Property class 8.8, EN ISO 898-1:2013 A <sub>5</sub> > 8 % ductile	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, property class 70, EN ISO 3506:2009	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, property class 70, EN ISO 3506:2009

SIKLA	Wedge A	Anchor AN	BZ-IG

Product description Materials AN BZ-IG Annex A7



#### Specifications of intended use

Wedge Anchor AN BZ plus							
Standard anchorage depth	M8	M10	M12	M16	M20	M24	M27
Steel, galvanized				✓			
Steel, sherardized		<b>√</b>					
Stainless steel A4 and high corrosion resistant steel HCR		✓ _2)					
Static or quasi-static action		✓					
Fire exposure		✓					
Seismic action (C1 and C2) 1)			✓			_2)	_2)

Reduced anchorage depth 1)	M8	M10	M12	M16
Steel, galvanized			✓	
Steel, sherardized	<b>√</b>			
Stainless steel A4 and high corrosion resistant steel HCR	✓			
Static or quasi-static action	<b>✓</b>			
Fire exposure	✓			
Seismic action (C1 and C2)		-	_2)	

<sup>1)</sup> Only cold formed anchors acc. to Annex A3

<sup>2)</sup> No performance assessed

Wedge Anchor AN BZ-IG	М6	M8	M10	M12	
Steel, galvanized	<b>√</b>				
Stainless steel A4 and high corrosion resistant steel HCR	✓				
Static or quasi-static action	✓				
Fire exposure	<b>√</b>				
Seismic action (C1 and C2)		-	1)		

<sup>1)</sup> No performance assessed

#### Base materials:

- Compacted, reinforced or unreinforced normal weight concrete (without fibers) according to EN 206:2013+A1:2016
- Strength classes C20/25 to C50/60 according to EN 206:2013+A1:2016
- Cracked or uncracked concrete

#### Use conditions (Environmental conditions):

- Structures subject to dry internal conditions: all materials
- For all other conditions: Intended use of materials according to Annex A4, Table A2 or Annex A7, Table A4 corresponding corrosion resistance classes CRC according to EN 1993-1-4:2006+A1:2015

SIKLA Wedge Anchor AN BZ plus and AN BZ-IG	
Intended use Specifications	Annex B1

English translation prepared by DIBt



#### Specifications of intended use

#### Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the fastener is indicated on the design drawings (e.g. position of the fastener relative to reinforcement or to supports, etc.).
- Dimensioning of fasteners under static or quasi-static action, seismic action or fire exposure according to EN 1992-4:2018 in conjunction with Technical Report TR 055, Edition February 2018

#### Installation:

Electronic copy of the ETA by DIBt: ETA-10/0259

- Fastener installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- Hole drilling by hammer drill bit or vacuum drill bit
- Use of the fastener only as supplied by the manufacturer without exchanging the components of the fastener
- Optionally, the annular gap between fixture and stud of the BZ plus can be filled to reduce the hole. For this purpose, the filling washer (3b) must be used in addition to the supplied washer (3a). For filling use high-strength mortar with compressive strength ≥ 40 N/mm² (e.g. Sikla Injection System VMZ and VMU plus)
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted drill hole is filled with high strength mortar and if under shear or oblique tension load it is not in the direction of load application

SIKLA Wedge Anchor AN BZ plus and AN BZ-IG

Intended use
Specifications

Annex B2


72050 23 8 06 01-257/22



Table B1: Installation parameters, AN BZ plus

Fastener siz	M8	M10	M12	M16	M20	M24	M27			
Nominal drill hole diameter d <sub>0</sub> [mm]			8	10	12	16	20	24	28	
Cutting diame	eter of drill bit	$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5	20,55	24,55	28,55
	Steel, galvanized	T <sub>inst</sub>	[Nm]	20	25	45	90	160	200	300
Installation	Steel, sherardized	T <sub>inst</sub>	[Nm]	16	22	40	90	160	260	300
torque	Stainless steel A4, HCR	T <sub>inst</sub>	[Nm]	20	35	50	110	200	290	_1)
		[mm]	9	12	14	18	22	26	30	
Standard an	chorage depth									
Depth of	Steel, zinc plated	$h_1\geq$	[mm]	60	75	90	110	125	145	160
drill hole	Stainless steel A4, HCR	<b>h</b> ₁ ≥	[mm]	60	75	90	110	125	155	-
Effective	Steel, zinc plated	h <sub>ef</sub>	[mm]	46	60	70	85	100	115	125
anchorage depth	Stainless steel A4, HCR	h <sub>ef</sub>	[mm]	46	60	70	85	100	125	_1)
Reduced anchorage depth										
Depth of drill	hole	$h_{1,red} \geq$	[mm]	49	55	70	90			
Reduced effe depth	ective anchorage	$h_{\sf ef,red}$	[mm]	35	40	50	65	_1)	_1)	_1)

1) No performance assessed



#### SIKLA Wedge Anchor AN BZ plus

Intended use Installation parameters **Annex B3** 



Table B2: Minimum spacings and edge distances, standard anchorage depth, AN BZ plus

<u> </u>						`	•	•	•
Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard thickness of concret	e membei	r							
Steel zinc plated									
Standard thickness of member	h <sub>min,1</sub>	[mm]	100	120	140	170	200	230	250
Cracked concrete									
Minimum spacing	Smin	[mm]	40	45	60	60	95	100	125
Triminati Spacing	für c ≥	[mm]	70	70	100	100	150	180	300
Minimum edge distance	Cmin	[mm]	40	45	60	60	95	100	180
	für s ≥	[mm]	80	90	140	180	200	220	540
Uncracked concrete		I I							
Minimum spacing	Smin	[mm]	40	45	60	65	90	100	125
	für c ≥	[mm]	80	70	120	120	180	180	300
Minimum edge distance	Cmin	[mm]	50	50	75	80	130	100	180
	für s ≥	[mm]	100	100	150	150	240	220	540
Stainless steel A4, HCR		I		1.00	1.10	100		0.50	1 1
Standard thickness of member	h <sub>min,1</sub>	[mm]	100	120	140	160	200	250	_1)
Cracked concrete								40=	
Minimum spacing	Smin	[mm]	40	50	60	60	95	125	1)
	für c ≥	[mm]	70	75	100	100	150	125	
Minimum edge distance	Cmin	[mm]	40	55	60	60	95	125	
Uncracked concrete	für s≥	[mm]	80	90	140	180	200	125	
Officiacked Cofficiete	<u> </u>	[mm]	40	50	60	65	90	125	
Minimum spacing	S <sub>min</sub> für c ≥	[mm]	80	75	120	120	180	125	1
			50	60	75	80	130	125	_1)
Minimum edge distance	Cmin	[mm]							-
11:	für s ≥	[mm]	100	120	150	150	240	125	
Minimum thickness of concret									
Steel zinc plated, stainless ste			00	400	400	440	_1)	_1)	_1)
Minimum thickness of member	h <sub>min,2</sub>	[mm]	80	100	120	140	-'/	_''	_''
Cracked concrete		[mm]	40	45	60	70			
Minimum spacing	S <sub>min</sub> für c≥	[mm] [mm]	70	90	100	160			
	Tur C ≥ C <sub>min</sub>		40	50	60	80	_1)	_1)	_1)
Minimum edge distance	für s ≥	[mm] [mm]	80	115	140	180			
Uncracked concrete	iui 5∠	[[[[[]]]]	- 00	110	1+0	100		l	<u> </u>
	Smin	[mm]	40	60	60	80			
Minimum spacing	für c ≥	[mm]	80	140	120	180			_1)
		[mm]	50	90	75	90	_1) _1)	_1)	
Minimum edge distance	C <sub>min</sub>		100	140	150	200			
	für s ≥	[mm]	100	140	100	200			

l	Fire exposure from one side			
l	Minimum spacing	S <sub>min,fi</sub>	[mm]	See normal ambient temperature
l	Minimum edge distance	C <sub>min,fi</sub>	[mm]	See normal ambient temperature
l	Fire exposure from more than	n one side		
l	Minimum spacing	S <sub>min,fi</sub>	[mm]	See normal ambient temperature
	Minimum edge distance	C <sub>min,fi</sub>	[mm]	≥ 300 mm

Intermediate values by linear interpolation.

#### Intended use

Minimum spacings and edge distances for standard anchorage depth

**Annex B4** 

<sup>1)</sup> No performance assessed



Table B3: Minimum spacings and edge distances, reduced anchorage depth, AN BZ plus

Fastener size			M8	M10	M12	M16		
Minimum thickness of concrete member	h <sub>min,3</sub>	[mm]	80	80	100	140		
Cracked concrete								
Minimum spacing	Smin	[mm]	50	50	50	65		
willimum spacing	für c≥	[mm]	60	100	160	170		
Minimum odgo diatanoo	C <sub>min</sub>	[mm]	40	65	65	100		
Minimum edge distance	für s ≥	[mm]	185	180	250	250		
Uncracked concrete								
Minimum spacing	S <sub>min</sub>	[mm]	50	50	50	65		
	für c ≥	[mm]	60	100	160	170		
Minimum adaa diatanaa	C <sub>min</sub>	[mm]	40	65	100	170		
Minimum edge distance	für s ≥	[mm]	185	180	185	65		
Fire exposure from one side								
Minimum spacing	S <sub>min,fi</sub>	[mm]	Se	ee normal amb	ient temperatu	ire		
Minimum edge distance	C <sub>min,fi</sub>	[mm] See normal ambient temperature						
Fire exposure from more than o	ne side							
Minimum spacing	[mm]	Se	ee normal amb	ient temperatu	ire			
Minimum edge distance	C <sub>min,fi</sub>	[mm]		≥ 300	) mm			

Intermediate values by linear interpolation.

SIKLA Wedge Anchor AN BZ plus


Intended use

Electronic copy of the ETA by DIBt: ETA-10/0259

Minimum spacings and edge distances for reduced anchorage depth

**Annex B5** 





SIKLA Wedge Anchor AN BZ plus	
Intended Use Installation instructions	Annex B6



# Installation instructions AN BZ plus with filling of annular gap Drill hole perpendicular to concrete surface. If using a vacuum drill bit, proceed with step 3a. 2 Blow out dust. Alternatively vacuum clean down to the bottom of the hole. Check position of nut. 3a Fit the filling washer to the fastener. 3b The thickness of the filling washer must be taken into account with $t_{\text{fix}}$ . Drive in fastener with filling washer, such that hef or hef,red depth is met. This compliance is ensured, if the thickness of fixture is 5mm smaller (or 6mm when ≥ M24) than the maximum thickness of fixture marked on the fastener in accordance with Annex A3. Installation torque T<sub>inst</sub> shall be applied by using calibrated torque 5 wrench. Fill the annular gap between stud and fixture with high stregth mortar with compressive strength ≥ 40 N/mm² (e.g. Sikla Injection System VMZ or VMU plus). Use enclosed reducing adapter. Observe the processing information of the mortar! The annular gap is completely filled, when excess mortar seeps out.

SIKLA Wedge Anchor AN BZ plus	
Intended Use Installation instructions with filling washer	Annex B7



#### Table B4: Installation parameters AN BZ-IG

Fastener size			M6	М8	M10	M12	
Effective anchorage depth		h <sub>ef</sub>	[mm]	45	58	65	80
Drill hole diameter		<b>d</b> o	[mm]	8	10	12	16
Cutting diameter of drill bit		$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5
Depth of drill hole		$h_1 \geq$	[mm]	60	75	90	105
Screwing depth of threaded rod		$L_{\text{sd}}^{2)} \geq$	[mm]	9	12	15	18
lestallation town		S	[Nm]	10	30	30	55
Installation torque, steel zinc plated	$T_{inst}$	SK	[Nm]	10	25	40	50
		В	[Nm]	8	25	30	45
Installation torque, stainless steel A4, HCR		S	[Nm]	15	40	50	100
	$T_{inst}$	SK	[Nm]	12	25	45	60
stailliess steel A4, HCR		В	[Nm]	8	25	40	80
Pre-setting installation							
Diameter of clearance hole in the fixton	ure	$d_f \leq$	[mm]	7	9	12	14
		S	[mm]	1	1	1	1
Minimum thickness of fixture	$t_{\text{fix}} \geq$	SK	[mm]	5	7	8	9
		В	[mm]	1	1	1	1
Through-setting installation							
Diameter of clearance hole in the fixt	ure	$d_f \leq$	[mm]	9	12	14	18
		S	[mm	5	7	8	9
Minimum thickness of fixture 1)	$t_{\text{fix}} \geq$	SK	[mm]	9	12	14	16
		В	[mm]	5	7	8	9

<sup>1)</sup> The minimum thickness of fixture can be reduced to the value of pre-setting installation, if the shear load at steel failure is designed with lever arm.

### Table B5: Minimum spacings and edge distances AN BZ-IG

Fastener size			M6	M8	M10	M12
Minimum thickness of concrete member	h <sub>min</sub>	[mm]	100	120	130	160
Cracked concrete						
Minimum angoing	Smin	[mm]	50	60	70	80
Minimum spacing	für c ≥	[mm]	60	80	100	120
Minimum adaa diatanaa	C <sub>min</sub>	[mm]	50	60	70	80
Minimum edge distance	für s ≥	[mm]	75	100	100	120
Uncracked concrete						
Minimum spacing	Smin	[mm]	50	60	65	80
	für c ≥	[mm]	80	100	120	160
Minimum adaa diatanaa	C <sub>min</sub>	[mm]	50	60	70	100
Minimum edge distance	für s ≥	[mm]	115	155	170	210
Fire exposure from one side						
Minimum spacing	S <sub>min,fi</sub>	[mm]		See normal	temperature	
Minimum edge distance	C <sub>min,fi</sub>	[mm]		See normal	temperature	!
Fire exposure from more than one side						
Minimum spacing	S <sub>min,fi</sub>	[mm]		See normal	temperature	
Minimum edge distance	C <sub>min,fi</sub>	[mm]		≥ 300	) mm	

# SIKLA Wedge Anchor AN BZ-IG

#### Intended use

Installation parameters, minimum spacings and edge distances AN BZ-IG


**Annex B8** 

<sup>2)</sup> see Annex A5



#### Installation instructions AN BZ-IG

#### Pre-setting installation



#### SIKLA Wedge Anchor AN BZ-IG


#### Intended Use

Installation instructions for pre-setting installation AN BZ-IG

**Annex B9** 



# Installation instructions AN BZ-IG Through-setting installation



#### SIKLA Wedge Anchor AN BZ-IG

#### Intended Use

Installation instructions for through-setting installation AN BZ-IG

Annex B10





**Table C1:** Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **cracked concrete**, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24	M27
Installation factor	γinst	[-]				1,0			
Steel failure									
Characteristic resistance	$N_{Rk,s}$	[kN]	16	27	40	60	86	126	196
Partial factor	γMs	[-]	1,	53	1	,5	1,6	1	,5
Pull-out									
Standard anchorage depth									
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	16	25	36	44,4	50,3
Reduced anchorage depth									
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	7,5	12,7	18,9	_1)	_1)	_1)
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]				$\left(\!\frac{f_{ck}}{20}\!\right)^{0,5}$			
Concrete cone failure									
Effective anchorage depth	h <sub>ef</sub>	[mm]	46	60	70	85	100	115	125
Reduced anchorage depth	h <sub>ef,red</sub>	[mm]	<b>35</b> <sup>2)</sup>	40	50	65	_1)	_1)	_1)
Factor for cracked concrete	$\mathbf{k}_1 = \mathbf{k}_{cr,N}$	[-]				7,7			

<sup>1)</sup> No performance asessed

#### Performance

Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **cracked concrete**, static and quasi-static action

**Annex C1** 

<sup>&</sup>lt;sup>2)</sup> Use restricted to anchoring of structural components statically indeterminate



Table C2: Characteristic values for tension loads, AN BZ plus A4 / HCR, cracked concrete, static and quasi-static action

Fastener size			М8	M10	M12	M16	M20	M24
Installation factor	γinst	[-]			1	,0		
Steel failure								
Characteristic resistance	$N_{Rk,s}$	[kN]	16	27	40	64	108	110
Partial factor	γMs	[-]		1	,5		1,68	1,5
Pull-out								
Standard anchorage depth								
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	16	25	36	40
Reduced anchorage depth								
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	7,5	12,7	18,9	_1)	_1)
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]			$\left(\frac{f_{ck}}{20}\right)$	0,5		
Concrete cone failure								
Effective anchorage depth	h <sub>ef</sub>	[mm]	46	60	70	85	100	125
Reduced anchorage depth	$h_{ef,red}$	[mm]	<b>35</b> <sup>2)</sup>	40	50	65	_1)	_1)
Factor for cracked concrete	<b>k</b> cr,N	[-]			7	,7		

<sup>1)</sup> No performance assessed.

#### Performance

Characteristic values for **tension loads**, AN BZ plus **A4 / HCR**, **cracked concrete**, static and quasi-static action

**Annex C2** 

<sup>&</sup>lt;sup>2)</sup> Use restricted to anchoring of structural components statically indeterminate.



**Table C3:** Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **uncracked concrete**, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24	M27
Installation factor	γinst	[-]				1,0			•
Steel failure									
Characteristic resistance	N <sub>Rk,s</sub>	[kN]	16	27	40	60	86	126	196
Partial factor	γMs		1,	53	1	,5	1,6	1	,5
Pull-out	•	[-]							
Standard anchorage depth									
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	12	16	25	35	51	62,9	71,3
Reduced anchorage depth									
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	7,5	9	18	26,7	_1)	_1)	_1)
Splitting									
Standard anchorage depth									
$\frac{Splitting \ for \ \textbf{standard thickness of}}{c_{\text{cr,sp}} \ may \ be \ linearly \ interpolated \ for \ the}$							se 2 may b	e applied;	
Standard thickness of concrete	h <sub>min,1</sub> ≥	[mm]	100	120	140	170	200	230	250
Case 1									
Characteristic resistance in uncracked concrete C20/25	$N^0$ Rk,sp	[kN]	9	12	20	30	40	62,3	50
Edge distance	C <sub>cr,sp</sub>	[mm]	1,5 h <sub>ef</sub>						
Case 2									
Characteristic resistance in uncracked concrete C20/25	$N^0$ Rk,sp	[kN]	12	16	25	35	50,5	62,3	70,6
Edge distance	C <sub>cr,sp</sub>	[mm]		21	<b>1</b> ef		2,2 h <sub>ef</sub>	1,5 h <sub>ef</sub>	2,5 h <sub>e</sub>
Splitting for minimum thickness o	f concrete	memb	<u>er</u>						
Minimum thickness of concrete	h <sub>min,2</sub> ≥	[mm]	80	100	120	140			
Characteristic resistance in uncracked concrete C20/25	$N^0$ Rk,sp	[kN]	12	16	25	35	_1)	_1)	_1)
Edge distance	C <sub>cr,sp</sub>	[mm]		2,5	5h <sub>ef</sub>				
Reduced anchorage depth									
Minimum thickness of concrete	h <sub>min,3</sub> ≥	[mm]	80	80	100	140			
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	7,5	9	17,9	26,5	_1)	_1)	_1)
Edge distance	C <sub>cr,sp</sub>	[mm]	100	100	125	150			
Increasing factor $\begin{aligned} N_{Rk,p} &= \psi_c \cdot N_{Rk,p} \left( C20/25 \right) \\ N^0_{Rk,sp} &= \psi_c \cdot N^0_{Rk,sp} \left( C20/25 \right) \end{aligned}$	ψс	[-]				$\left(\frac{f_{ck}}{20}\right)^{0,5}$			
Concrete cone failure									
Effective anchorage depth	h <sub>ef</sub>	[mm]	46	60	70	85	100	115	125
Reduced anchorage depth	h <sub>ef,red</sub>		35 <sup>2)</sup>	40	50	65	_1)	_1)	_1)
. to a a board a month a go dopui	i iei,ieu	[]						L	1

<sup>1)</sup> No performance asessed.

#### **Performance**

Characteristic values for **tension loads**, AN BZ plus **zinc plated**, **uncracked concrete**, static and quasi-static action

**Annex C3** 

<sup>&</sup>lt;sup>2)</sup> Use restricted to anchoring of structural components statically indeterminate.



Table C4: Characteristic values for tension loads, AN BZ plus A4 / HCR, uncracked concrete, static and quasi-static action

Fastener size			M8	M10	M12	M16	M20	M24
Installation factor	γinst	[-]			1	,0		
Steel failure								
Characteristic resistance	N <sub>Rk,s</sub>	[kN]	16	27	40	64	108	110
Partial factor	γMs	[-]			,5		1,68	1,5
Pull-out	,			,		,	· ·	
Standard anchorage depth								
Characteristic resistance in uncracked concrete C20/25	N <sub>Rk,p</sub>	[kN]	12	16	25	35	51	71,3
Reduced anchorage depth								
Characteristic resistance in uncracked concrete C20/25	N <sub>Rk,p</sub>	[kN]	7,5	9	18	26,7	_1)	_1)
Splitting								
Standard anchorage depth								
Splitting for <b>standard thickness of</b> c <sub>cr,sp</sub> may be linearly interpolated for							2 may be a	pplied;
Standard thickness of concrete	h <sub>min,1</sub> ≥	[mm]	100	120	140	160	200	250
Case 1								
Characteristic resistance in uncracked concrete C20/25	N <sup>0</sup> Rk,sp	[kN]	9	12	20	30	40	_1)
Edge distance	C <sub>cr,sp</sub>	[mm]	1,5 h <sub>ef</sub>					
Case 2								
Characteristic resistance in uncracked concrete C20/25	N <sup>0</sup> Rk,sp	[kN]	12	16	25	35	50,5	70,6
Edge distance	<b>C</b> cr,sp	[mm]	115	125	140	200	220	250
Splitting for minimum thickness of	concrete me	<u>mber</u>						
Minimum thickness of concrete	h <sub>min,2</sub> ≥	[mm]	80	100	120	140		
Characteristic resistance in uncracked concrete C20/25	$N^0$ <sub>Rk,sp</sub>	[kN]	12	16	25	35	_1)	_1)
Edge distance	C <sub>cr,sp</sub>	[mm]		2,5	5h <sub>ef</sub>			
Reduced anchorage depth								
Minimum thickness of concrete	h <sub>min,3</sub> ≥	[mm]	80	80	100	140		
Characteristic resistance in uncracked concrete C20/25	N <sup>0</sup> Rk,sp	[kN]	7,5	9	17,9	26,5	_1)	_1)
Edge distance	C <sub>cr,sp</sub>	[mm]	100	100	125	150		
Increasing factor $N_{Rk,p} = \psi_c \cdot N_{Rk,p} (C20/25)$ $N^0_{Rk,sp} = \psi_c \cdot N^0_{Rk,sp} (C20/25)$	ψс	[-]	$\left(rac{\mathrm{f_{ck}}}{20} ight)^{0.5}$					
Concrete cone failure								
Effective anchorage depth	h <sub>ef</sub>	[mm]	46	60	70	85	100	125
Reduced anchorage depth	h <sub>ef,red</sub>	[mm]	35 <sup>2)</sup>	40	50	65	_1)	_1)
Factor for uncracked concrete	$\mathbf{k}_1 = \mathbf{k}_{\text{ucr,N}}$	[-]		1	4	1,0	1	1

<sup>1)</sup> No performance asessed.

#### SIKLA Wedge Anchor AN BZ plus

#### **Performance**

Characteristic values for **tension loads**, AN BZ plus **A4 / HCR**, **uncracked concrete**, static and quasi-static action

**Annex C4** 

<sup>2)</sup> Use restricted to anchoring of structural components statically indeterminate.



**Table C5:** Characteristic values for **shear loads**, AN BZ plus, **cracked** and **uncracked concrete**, static or quasi static action

Fastener size				M8	M10	M12	M16	M20	M24	M27	
Installation factor		γinst	[-]				1,0	•	<u> </u>		
Steel failure witho	ut lever arm, Stee	l zinc p	olated								
Characteristic resistance V <sup>0</sup> <sub>Rk,s</sub>		[kN]	12,2	20,1	30	55	69	114	169,4		
Ductility factor		<b>k</b> <sub>7</sub>	[-]				1,0				
Partial factor		γMs	[-]		1,	25		1,33	1,25	1,25	
Steel failure witho	teel A4	, HCR									
Characteristic resistance V <sup>0</sup> <sub>Rk,s</sub>		[kN]	13	20	30	55	86	123,6			
Ductility factor		<b>k</b> 7	[-]						1,0	_1)	
Partial factor γ <sub>Ms</sub>		γMs	[-]		1,	25	1,4	1,25			
Steel failure with lever arm, Steel zinc plated											
Characteristic bend	Characteristic bending resistance M <sup>0</sup> <sub>Rk,s</sub>		[Nm]	23	47	82	216	363	898	1331,5	
Partial factor γ <sub>Ms</sub>		[-]	1,25				1,33	1,25	1,25		
Steel failure with I	ever arm, Stainles	ss stee	I A4, H	CR							
Characteristic bend	ling resistance	$M^0$ Rk,s	[Nm]	26	52	92	200	454	785,4	_1)	
Partial factor		γMs	[-]	1,25				1,4	1,25	,	
Concrete pry-out f	failure										
Pry-out factor		k <sub>8</sub>	[-]		2	,4			2,8		
Concrete edge fai	lure										
Effective length of	Steel zinc plated	If	[mm]	46	60	70	85	100	115	125	
fastener in shear loading with <b>h</b> ef	Stainless steel A4, HCR	lf	[mm]	46	60	70	85	100	125	_1)	
Effective length of	Steel zinc plated	$I_{f,red}$	[mm]	<b>35</b> <sup>2)</sup>	40	50	65				
astener in shear	Stainless steel A4, HCR	$I_{f,red}$	[mm]	<b>35</b> <sup>2)</sup>	40	50	65	_1)	_1)	_1)	
Outside diameter o	f fastener	$d_{nom}$	[mm]	8	10	12	16	20	24	27	

<sup>&</sup>lt;sup>1)</sup> No performance assessed.

#### **Performance**

Characteristic values for **shear loads**, AN BZ plus, **cracked** and **uncracked concrete**, static or quasi static action

**Annex C5** 

<sup>&</sup>lt;sup>2)</sup> Use restricted to anchoring of structural components statically indeterminate.



Table C6: Characteristic resistance for seismic loading, AN BZ plus, standard anchorage depth, performance category C1 and C2

Fastener s	size			M8	M10	M12	M16	M20		
Tension lo	ads									
Installation	factor	γinst	[-]		1,0					
Steel failu	re, Steel zinc plated									
Characteris	stic resistance C1 N <sub>R</sub>	k,s,eq,C1	[kN]	16	27	40	60	86		
Characteris	stic resistance <b>C2</b> N <sub>R</sub>	k,s,eq,C2	[kN]	16	27	40	60	86		
Partial facto	or	γMs	[-]	1,	53	1	,5	1,6		
Steel failu	re, Stainless steel A4, I	1CR								
Characteris	stic resistance <b>C1</b> N <sub>R</sub>	k,s,eq,C1	[kN]	16	27	40	64	108		
Characteris	stic resistance <b>C2</b> N <sub>R</sub>	k,s,eq,C2	[kN]	16	27	40	64	108		
Partial factor γ <sub>Ms</sub>			[-]		1,5					
Pull-out (s	teel zinc plated, stainles	s steel /	A4 and	I HCR)						
Characteristic resistance C1 N <sub>Rk,p,eq,C1</sub>		[kN]	5	9	16	25	36			
Characteristic resistance C2 N <sub>Rk,p,eq,C2</sub>		[kN]	2,3	3,6	10,2	13,8	24,4			
Shear load	ls									
Steel failui	re without lever arm, St	teel zin	c plate	ed						
Characteris	stic resistance <b>C1</b> V <sub>R</sub>	k,s,eq,C1	[kN]	9,3	20	27	44	69		
Characteris	stic resistance <b>C2</b> V <sub>R</sub>	k,s,eq,C2	[kN]	6,7	14	16,2	35,7	55,2		
Partial facto	or	γMs	[-]		1,25					
Steel failu	re without lever arm, St	tainles	s steel	A4, HCR						
Characteris	stic resistance C1 V <sub>R</sub>	Rk,s,eq,C1	[kN]	9,3	20	27	44	69		
Characteris	stic resistance <b>C2</b> V <sub>R</sub>	k,s,eq,C2	[kN]	6,7	14	16,2	35,7	55,2		
Partial facto	or	γMs	[-]		1,25					
Factor for	without filling of annular gap	αgap	[-]	0,5						
gap with filling of annular g		αgap	[-]	1,0						

#### Performance

Characteristic resistance for **seismic loading**, AN BZ plus, **standard anchorage depth**, performance category **C1** and **C2** 

**Annex C6** 



**Table C7:** Characteristic values **for tension and shear load** under **fire exposure**, AN BZ plus, **standard anchorage depth**, cracked and uncracked concrete C20/25 to C50/60

Fastener size				M8	M10	M12	M16	M20	M24	M27
Tension load							•			
Steel failure										
Steel, zinc plat	ed									
	R30			1,5	2,6	4,1	7,7	9,4	13,6	17,6
Characteristic	R60	- - NI	[ [LNI]	1,1	1,9	3,0	5,6	8,2	11,8	15,3
resistance	R90	- N <sub>Rk,s,fi</sub>	[kN]	0,8	1,4	2,4	4,4	6,9	10,0	13,0
	R120			0,7	1,2	2,2	4,0	6,3	9,1	11,8
Stainless steel	A4, HCR									
	R30	_		3,8	6,9	12,7	23,7	33,5	48,2	
_	R60	- N <sub>Rk,s,fi</sub>	[kN]	2,9	5,3	9,4	17,6	25,0	35,9	_1)
resistance	R90	INKK,s,fi _	[ [ניוא]	2,0	3,6	6,1	11,5	16,4	23,6	
	R120			1,6	2,8	4,5	8,4	12,1	17,4	
Shear load										
Steel failure wi	thout lever	arm								
Steel, zinc plat	ed									
	R30			1,6	2,6	4,1	7,7	11	16	20,6
Characteristic	racteristic R60	· \/	[LAN]	1,5	2,5	3,6	6,8	11	15	19,8
resistance	R90	$-V_{Rk,s,fi}$	[kN]	1,2	2,1	3,5	6,5	10	15	19,0
	R120			1,0	2,0	3,4	6,4	10	14	18,6
Stainless steel	A4, HCR									
	R30			3,8	6,9	12,7	23,7	33,5	48,2	_1)
Characteristic	R60	· \/	[LENI]	2,9	5,3	9,4	17,6	25,0	35,9	
resistance	R90	$-V_{Rk,s,fi}$	[kN]	2,0	3,6	6,1	11,5	16,4	23,6	
	R120	-		1,6	2,8	4,5	8,4	12,1	17,4	
Steel failure wi	th lever arm	1								
Steel, zinc plat	ed									
	R30	_		1,7	3,3	6,4	16,3	29	50	75
Characteristic	R60	_ NAO	[Nm]	1,6	3,2	5,6	14	28	48	72
resistance	R90	- <b>M</b> <sup>0</sup> Rk,s,fi	[ [ווואו]	1,2	2,7	5,4	14	27	47	69
	R120			1,1	2,5	5,3	13	26	46	68
Stainless steel	A4, HCR									
	R30			3,8	9,0	19,7	50,1	88,8	153,5	
Characteristic	R60	NAO   INI3	2,9	6,8	14,6	37,2	66,1	114,3	_1)	
resistance	R90	- <b>M</b> <sup>0</sup> Rk,s,fi	[Nm]	2,1	4,7	9,5	24,2	43,4	75,1	_ ''
	R120	-	Ī	1,6	3,6	7,0	17,8	32,1	55,5	

<sup>1)</sup> No performance assessed

#### **Performance**

Characteristic values for tension and shear load under fire exposure, AN BZ plus, standard anchorage depth, cracked and uncracked concrete C20/25 to C50/60

**Annex C7** 



**Table C8:** Characteristic values **for tension and shear load** under **fire exposure**, AN BZ plus, **reduced anchorage depth**, cracked and uncracked concrete C20/25 to C50/60

Fastener size				M8	M10	M12	M16
Tension load							
Steel failure							
Steel, zinc plated							
	R30			1,5	2,6	4,1	7,7
Characteristic	R60	- N <sub>Rk,s,fi</sub>	[kN]	1,1	1,9	3,0	5,6
resistance	R90	INKK,S,TI	[KIN]	0,8	1,3	1,9	3,5
	R120			0,6	1,0	1,3	2,5
Stainless steel A4	, HCR						
	R30			3,2	6,9	12,7	23,7
Characteristic	R60	. N	[LNI]	2,5	5,3	9,4	17,6
resistance	R90	$N_{Rk,s,fi}$	[kN]	1,9	3,6	6,1	11,5
	R120			1,6	2,8	4,5	8,4
Shear load							
Steel failure witho	ut lever arm						
Steel, zinc plated							
Characteristic	R30			1,5	2,6	4,1	7,7
	R60		[LAI]	1,1	1,9	3,0	5,6
resistance	R90	$V_{Rk,s,fi}$	[kN]	0,8	1,3	1,9	3,5
	R120			0,6	1,0	1,3	2,5
Stainless steel A4	, HCR						
	R30		[kN]	3,2	6,9	12,7	23,7
Characteristic	R60			2,5	5,3	9,4	17,6
resistance	R90	$V_{Rk,s,fi}$		1,9	3,6	6,1	11,5
	R120			1,6	2,8	4,5	8,4
Steel failure with	lever arm						
Steel, zinc plated							
	R30			1,5	3,3	6,4	16,3
Characteristic	R60	. NAO.	[N] mail	1,2	2,5	4,7	11,9
resistance	R90	- <b>M</b> <sup>0</sup> <sub>Rk,s,fi</sub>	[Nm]	0,8	1,7	3,0	7,5
	R120			0,6	1,2	2,1	5,3
Stainless steel A4	, HCR						
	R30			3,2	8,9	19,7	50,1
Characteristic	R60	. NAO-	FAL 7	2,6	6,8	14,6	37,2
resistance	R90	- M <sup>0</sup> <sub>Rk,s,fi</sub>	[Nm]	2,0	4,7	9,5	24,2
	R120	•		1,6	3,6	7,0	17,8

#### Performance

Characteristic values for tension and shear load under fire exposure, AN BZ plus, reduced anchorage depth, cracked and uncracked concrete C20/25 to C50/60

**Annex C8** 



Table C9: Displacements under tension load, AN BZ plus

Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage depth									
Steel zinc plated									
Tension load in cracked concrete	Ν	[kN]	2,4	4,3	7,6	11,9	17,1	21,1	24
Displacement	δηο	[mm]	0,6	1,0	0,4	1,0	0,9	0,7	0,9
Displacement	$\delta_{N\infty}$	[mm]	1,4	1,2	1,4	1,3	1,0	1,2	1,4
Tension load in uncracked concrete	N	[kN]	5,7	7,6	11,9	16,7	23,8	29,6	34
Displacement	δνο	[mm]	0,4	0,5	0,7	0,3	0,4	0,5	0,3
ырысетет	δ <sub>N∞</sub>	[mm]	0	8	1,4		0,8		1,4
Displacements under seismic tension	loads C2								
Displacements for DLS	$\delta_{\text{N,eq,(DLS)}}$	[mm]	2,3	4,1	4,9	3,6	5,1	_1)	_1)
Displacements for ULS	$\delta_{\text{N,eq(ULS)}}$	[mm]	8,2	13,8	15,7	9,5	15,2		- ′
Stainless steel A4, HCR									
Tension load in cracked concrete	N	[kN]	2,4	4,3	7,6	11,9	17,1	19,0	
Diamlassussus	δηο	[mm]	0,7	1,8	0,4	0,7	0,9	0,5	_1)
Displacement	δ <sub>N∞</sub>	[mm]	1,2	1,4	1,4	1,4	1,0	1,8	
Tension load in uncracked concrete	N	[kN]	5,8	7,6	11,9	16,7	23,8	33,5	
Disaboration	δηο	[mm]	0,6	0,5	0,7	0,2	0,4	0,5	_1)
Displacement	 δ <sub>N∞</sub>	[mm]	1,2	1,0	1,4	0,4	0,8	1,1	
Displacements under seismic tension	loads <b>C2</b>								
Displacements for DLS	$\delta_{\text{N,eq(DLS)}}$	[mm]	2,3	4,1	4,9	3,6	5,1	_1)	_1)
Displacements for ULS	$\delta$ N,eq(ULS)	[mm]	8,2	13,8	15,7	9,5	15,2	'/	' /
Reduced anchorage depth									
Steel zinc plated, stainless steel A4	, HCR								
Tension load in cracked concrete	N	[kN]	2,4	3,6	6,1	9,0			
Displacement	δηο	[mm]	0,8	0,7	0,5	1,0	_1)	_1)	_1)
Displacement	 δ <sub>N∞</sub>	[mm]	1,2	1,0	0,8	1,1			
Tension load in uncracked concrete	N	[kN]	3,7	4,3	8,5	12,6			
	δηο	[mm]	0,1	0,2	0,2	0,2	_1)	_1)	_1)
Displacement	——— δ <sub>N∞</sub>	[mm]	0,7	0,7	0,7	0,7	1		

<sup>1)</sup> No performance assessed

#### Performance

Displacements under tension load

**Annex C9** 



#### Table C10: Displacements under shear load, AN BZ plus

Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage dept	:h								
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4	36,8	64,9	96,8
Displacement	δνο	[mm]	2,0	3,2	3,6	3,5	1,8	3,5	3,6
Displacement	$\delta_{V\infty}$	[mm]	3,0	4,7	5,5	5,3	2,7	5,3	5,4
Displacements under seisn	nic shear l	oads <b>C2</b>							
Displacements for DLS	$\delta \text{V,eq(DLS)}$	[mm]	3,0	2,7	3,5	4,3	4,7	_1)	_1)
Displacements for ULS	$\delta_{\text{V,eq(ULS)}}$	[mm]	5,9	5,3	9,5	9,6	10,1	= "/	_ ′
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4	43,8	70,6	1)
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	2,9	2,8	_1)
	$\delta_{V\infty}$	[mm]	2,9	3,6	5,9	6,4	4,3	4,2	
Displacements under seism	nic shear l	oads <b>C2</b>							
Displacements for DLS	$\delta_{\text{V,eq(DLS)}}$	[mm]	3,0	2,7	3,5	4,3	4,7	_1)	_1)
Displacements for ULS	$\delta_{\text{V,eq(ULS)}}$	[mm]	5,9	5,3	9,5	9,6	10,1	_ ,	- ,
Reduced anchorage dept	h								
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4			
Dianlacament	δνο	[mm]	2,0	3,2	3,6	3,5	_1)	_1)	_1)
Displacement	δν∞	[mm]	3,0	4,7	5,5	5,3			
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4			
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	_1)	_1)	_1)
	δν∞	[mm]	2,9	3,6	5,9	6,4			

<sup>1)</sup> No performance assessed

SIKLA Wedge Anchor AN BZ plus	
Performance Displacements under shear load	Annex C10





Table C11: Characteristic values for tension loads, AN BZ-IG, cracked concrete, static and quasi-static action

Fastener size			M6	M8	M10	M12	
Installation factor	γinst	[-]	1,2				
Steel failure							
Characteristic resistance, steel zinc plated	<b>N</b> Rk,s	[kN]	16,1	22,6	26,0	56,6	
Partial factor	γMs	[-]	1,5				
Characteristic resistance, stainless steel A4, HCR	N <sub>Rk,s</sub>	[kN]	14,1	25,6	35,8	59,0	
	γMs	[-]	1,87				
Pull-out failure							
Characteristic resistance in cracked concrete C20/25	<b>N</b> Rk,p	[kN]	5	9	12	20	
Increasing factor for $N_{Rk,p} = \psi_c \cdot N_{Rk,p}$ (C20/25)	ψс	[-]	$\left(\frac{\mathrm{f_{ck}}}{20}\right)^{0.5}$				
Concrete cone failure							
Effective anchorage depth	h <sub>ef</sub>	[mm]	45	58	65	80	
Factor for cracked concrete	$\mathbf{k}_1 = \mathbf{k}_{cr,N}$	[-]		7	,7		

SIKLA Wedge Anchor AN BZ-IG

Performance

Characteristic values for **tension loads**, **AN BZ-IG**, **cracked concrete**, static and quasi-static action

**Annex C11** 



Table C12: Characteristic values for tension loads, AN BZ-IG, uncracked concrete, static and quasi-static action

Fastener size	M6	M8	M10	M12			
Installation factor	γinst	[-]	1,2				
Steel failure							
Characteristic resistance, steel zinc plated	N <sub>Rk,s</sub>	[kN]	16,1	22,6	26,0	56,6	
Partial factor	γMs	[-]		1	,5		
Characteristic resistance, stainless steel A4, HCR	$N_{Rk,s}$	[kN]	14,1	25,6	35,8	59,0	
Partial factor	γMs	[-]		1,	87		
Pull-out							
Characteristic resistance in uncracked concrete C20/25	$N_{Rk,p}$	[kN]	12	16	20	30	
Splitting (the higher resistance of Ca	ase 1 and Cas	e 2 may	be applied)				
Minimum thickness of concrete member	h <sub>min</sub>	[mm]	100	120	130	160	
Case 1							
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	9	12	16	25	
Edge distance	<b>C</b> cr,sp	[mm]	1,5 h <sub>ef</sub>				
Case 2							
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	12	16	20	30	
Edge distance	<b>C</b> cr,sp	[mm]	2,5 h <sub>ef</sub>				
Increasing factor for N <sub>Rk,p</sub> = ψ <sub>c</sub> · N <sub>Rk,p</sub> (C20/25) N <sup>0</sup> <sub>Rk,sp</sub> = ψ <sub>c</sub> · N <sup>0</sup> <sub>Rk,sp</sub> (C20/25)	ψс	[-]	$\left(\frac{f_{ck}}{20}\right)^{0,5}$				
Concrete cone failure							
Effective anchorage depth	h <sub>ef</sub>	[mm]	45	58	65	80	
Factor for uncracked concrete	$\mathbf{k}_1 = \mathbf{k}_{\text{ucr},N}$	[-]	11,0				

SIKLA	Wedge	Anchor.	AN BZ-IG
-------	-------	---------	----------

#### Performance

Characteristic values for **tension loads**, **AN BZ-IG**, **uncracked concrete**, static and quasi-static action

Annex C12



Table C13: Characteristic values for shear loads, AN BZ-IG, cracked and uncracked concrete, static and quasi-static action

Fastener size			M6	M8	M10	M12
Installation factor	γinst	γ <sub>inst</sub> [-] 1,0				
BZ-IG, steel zinc plated						
Steel failure without lever arm, pre-se	tting install	ation				
Characteristic resistance	$V^0$ Rk,s	[kN]	5,8	6,9	10,4	25,8
Steel failure without lever arm, throug	h-setting in	stallati	on			
Characteristic resistance	$V^0$ Rk,s	[kN]	5,1	7,6	10,8	24,3
Steel failure with lever arm, pre-setting	g installatio	n				
Characteristic bending resistance	$M^0$ Rk,s	[Nm]	12,2	30,0	59,8	104,6
Steel failure with lever arm, through-s	etting insta	llation				
Characteristic bending resistance	<b>M</b> <sup>0</sup> Rk,s	[Nm]	36,0	53,2	76,0	207
Partial factor for $V_{Rk,s}$ and $M^0_{Rk,s}$	γMs	[-]	1,25			
Ductility factor	<b>k</b> 7	[-]	1,0			
BZ-IG, stainless steel A4, HCR						
Steel failure without lever arm, pre-se	tting install	ation				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,7	9,2	10,6	23,6
Partial factor	γMs	[-]	1,25			
Steel failure without lever arm, throug	h-setting in	stallati	on			
Characteristic resistance	$V^0_{Rk,s}$	[kN]	7,3	7,6	9,7	29,6
Partial factor	γMs	[-]	1,25			
Steel failure with lever arm, pre-setting	g installatio	n				
Characteristic bending resistance	$M^0$ <sub>Rk,s</sub>	[Nm]	10,7	26,2	52,3	91,6
Partial factor	γMs	[-]		1,	56	
Steel failure with lever arm, through-s	etting insta	llation			_	
Characteristic bending resistance	$M^0$ <sub>Rk,s</sub>	[Nm]	28,2	44,3	69,9	191,2
Partial factor	γMs	[-]	1,25			
Ductility factor	<b>k</b> <sub>7</sub>	[-]	1,0			
Concrete pry-out failure						
Pry-out factor	<b>k</b> 8	[-]	1,5	1,5	2,0	2,0
Concrete edge failure						
Effective length of fastener in shear loading	l <sub>f</sub>	[mm]	45	58	65	80
Effective diameter of fastener	d <sub>nom</sub>	[mm]	8	10	12	16

#### SIKLA Wedge Anchor AN BZ-IG

#### Performance

Characteristic values for **shear loads**, **AN BZ-IG**, **cracked and uncracked concrete**, static and quasi-static action

Annex C13



**Table C14:** Characteristic values for **tension** and **shear load** under **fire exposure**, **AN BZ-IG**, cracked and uncracked concrete C20/25 to C50/60

Fastener size				M6	М8	M10	M12
Tension load			'				
Steel failure							
Steel zinc plated	d						
	R30			0,7	1,4	2,5	3,7
Characteristic	R60	.1	[LNI]	0,6	1,2	2,0	2,9
resistance	R90	$-N_{Rk,s,fi}$	[kN]  -	0,5	0,9	1,5	2,2
	R120			0,4	0,8	1,3	1,8
Stainless steel	A4, HCR						
	R30			2,9	5,4	8,7	12,6
Characteristic	R60	.1		1,9	3,8	6,3	9,2
resistance	R90	<b>√</b> Rk,s,fi	[kN]	1,0	2,1	3,9	5,7
	R120			0,5	1,3	2,7	4,0
Shear load			· '			•	
Steel failure wit	hout lever arm						
Steel zinc plated	d						
	R30			0,7	1,4	2,5	3,7
Characteristic	R60 ,	,	[ [LN]]	0,6	1,2	2,0	2,9
resistance	R90	/ <sub>Rk,s,fi</sub>	[kN]	0,5	0,9	1,5	2,2
	R120			0,4	0,8	1,3	1,8
Stainless steel	A4, HCR						
	R30			2,9	5,4	8,7	12,6
Characteristic	R60 ,	,	<sub>     </sub>	1,9	3,8	6,3	9,2
resistance	R90	∕ <sub>Rk,s,fi</sub>	[kN]	1,0	2,1	3,9	5,7
	R120			0,5	1,3	2,7	4,0
Steel failure wit	h lever arm						
Steel zinc plate	d						
	R30			0,5	1,4	3,3	5,7
Characteristic	R60	10	[ [NIm]	0,4	1,2	2,6	4,6
resistance	R90	$M^0$ <sub>Rk,s,fi</sub>	[Nm]	0,4	0,9	2,0	3,4
	R120			0,3	0,8	1,6	2,8
Stainless steel	A4, HCR						
	R30			2,2	5,5	11,2	19,6
Characteristic	R60	<b>n</b> O	[ [Nima]	1,5	3,9	8,1	14,3
resistance	R90	1 <sup>0</sup> Rk,s,fi	[Nm]	0,7	2,2	5,1	8,9
	R120			0,4	1,3	3,5	6,2

#### SIKLA Wedge Anchor AN BZ-IG

#### Performance

Characteristic values for **tension** and **shear loads** under **fire exposure**, **AN BZ-IG** cracked and uncracked concrete C20/25 to C50/60

Annex C14



#### Table C15: Displacements under tension load, AN BZ-IG

Fastener size			M6	M8	M10	M12
Tension load in cracked concrete	N	[kN]	2,0	3,6	4,8	8,0
Displacements	δηο	[mm]	0,6	0,6	0,8	1,0
	<u>δν∞</u>	[mm]	0,8	0,8	1,2	1,4
Tension load in uncracked concrete	N	[kN]	4,8	6,4	8,0	12,0
Displacements	δηο	[mm]	0,4	0,5	0,7	0,8
	 δ <sub>N∞</sub>	[mm]	0,8	0,8	1,2	1,4

#### Table C16: Displacements under shear load, AN BZ-IG

Fastener size			M6	M8	M10	M12
Shear load in cracked and uncracked concrete	V	[kN]	4,2	5,3	6,2	16,9
Displacements	$\delta_{V0}$	[mm]	2,8	2,9	2,5	3,6
	δγ∞	[mm]	4,2	4,4	3,8	5,3

SIKLA Wedge Anchor AN BZ-IG

Performance

Displacements under tension load and under shear load AN BZ-IG

**Annex C15**