



Approval body for construction products and types of construction

**Bautechnisches Prüfamt** 

An institution established by the Federal and Laender Governments



# **European Technical Assessment**

ETA-23/0315 of 16 May 2023

English translation prepared by DIBt - Original version in German language

#### **General Part**

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

Deutsches Institut für Bautechnik

Sympafix concrete screw SB-A4-PLUS

Mechanical fasteners for use in concrete

Sympafix B.V. Fluorietweg 25E 1812RR ALKMAAR NIEDERLANDE

Factory 492

19 pages including 3 annexes which form an integral part of this assessment

EAD 330232-01-0601, Edition 05/2021



## European Technical Assessment ETA-23/0315

Page 2 of 19 | 16 May 2023

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



## **European Technical Assessment ETA-23/0315**

English translation prepared by DIBt

Page 3 of 19 | 16 May 2023

#### **Specific Part**

#### 1 Technical description of the product

The Sympafix concrete screw SB-A4-PLUS is an anchor in size 6, 8 and 10 mm made of stainless steel. The anchor is screwed into a predrilled cylindrical drill hole. The special thread of the anchor cuts an internal thread into the member while setting. The anchorage is characterised by mechanical interlock in the special thread.

Product and product description are given in Annex A.

## 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

#### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance to tension load (static and quasi-static loading)	See Annex B4, C1 and C2
Characteristic resistance to shear load (static and quasi-static loading)	See Annex C1 and C2
Displacements (static and quasi-static loading)	See Annex C5
Characteristic resistance for seismic performance categorie C1	See Annex C3
Characteristic resistance and displacements for seismic performance categorie C2	No performance assessed

#### 3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Class A1
Resistance to fire	See Annex C4

#### 3.3 Aspects of durability linked with the Basic Works Requirements

Essential characteristic	Performance
Durability	See Annex B1



## **European Technical Assessment ETA-23/0315**

Page 4 of 19 | 16 May 2023

English translation prepared by DIBt

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with European Assessment Document EAD No. 330232-01-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at Deutsches Institut für Bautechnik.

Issued in Berlin on 16 May 2023 by Deutsches Institut für Bautechnik

Dipl.-Ing. Beatrix Wittstock

Head of Section


beglaubigt:
Tempel




## **Product in installed condition**

Sympafix SB-A4-PLUS

- stainless steel A4
- high corrosion resistant steel HCR



e.g. Sympafix concrete screw with hexagon head and fixture



 $d_0$  = nominal diameter of drill hole

t<sub>fix</sub> = thickness of fixture

d<sub>f</sub> = diameter of clearance hole


h<sub>min</sub> = minimum thickness of member


h<sub>nom</sub> = nominal embedment depth


h<sub>0</sub> = depth of drill hole

h<sub>ef</sub> = effective embedment depth

Filling washer (optional) to fill annular gap







Sympafix concrete screw SB-A4-PLUS

**Product description** 

Product in installed condition

Annex A1



	0	Version with metric connection thr	
		and hexagon drive e.g. TSM 8x105	M10 SW7; Type ST
	(1544) (0) (1)	Version with washer and hexagon he.g. TSM 8x80 SW13 VZ 40; Type S	nead
	(S.)	Version with washer, hexagon head TORX drive e.g. TSM 8x80 SW13; Ty	
	(SA)	Version with hexagon head e.g. TSM 8x80 SW13 OS; Type S	
	(15A) (0) (0)	Version with countersunk head and TSM 8x80 C VZ 40; Type SK	l TORX drive e.g.
	(SA)	Version with pan head and TORX drive e.g. TSM 8x80 P VZ 40; Type F	•
	(SM)	Version with large pan head and TO drive e.g. TSM 8x80 LP VZ 40; Type	
		Version with countersunk head and connection thread e.g. TSM 6x55 A	
		Version with hexagon drive and connection thread e.g. TSM 6x55 N	18 SW10; Type ST-6
		Version with internal thread and hexagon drive e.g. TSM 6x55 IM M	8/10; Type I
Sympafix concret	e screw SB-A4-PL	us	
Product descri Screw types	ption		Annex A2



10		le 1	 \ /I	<b>~</b> :	- ^	и.	<b>つ</b> Ⅰ
	ш	_	 W		_		a 1

10010 11110	. corrar							
Part	Product name	Material						
all tumos	SB-A4-PLUS	1.4401; 1.4404; 1.4	1.4401; 1.4404; 1.4571; 1.4578					
all types	SB-A4-PLUS HCR	1.4529						
		Nominal cha	racteristic steel	Rupture				
Part	Product name	Yield strength f <sub>yk</sub> [N/mm²]	Ultimate strength f <sub>uk</sub> [N/mm²]	elongation A₅ [%]				
all tupos	SB-A4-PLUS	560	700	≤8				
all types	SB-A4-PLUS HCR	300	700	≥ 0				

#### Table 2: Dimensions

Anchor size	6				8		10				
Nominal embedment depth		h <sub>nom</sub>	1 <sup>1)</sup>	2	3	1	2	3	1	2	3
		[mm]	35	45	55	45	55	65	55	75	85
Screw length	≤L	[mm]		500							
Core diameter	dĸ	[mm]		5,1			7,2		9,2		
Thread outer diameter	d <sub>s</sub>	[mm]	7,6				10,5		12,5		
Thickness of filling washer	t <sub>v</sub>	[mm]		5			5		5		

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

## Marking:

SB-A4-PLUS

Screw type: SB-A4-PLUS Screw size: 10

Screw length: 100 Material: A4


#### SB-A4-PLUS HCR

Screw type: SB-A4-PLUS

Screw size: 10
Screw length: 100
Material: HCR







Sympafix concrete screw SB-A4-PLUS

## **Product description**

Material, dimensions and markings

**Annex A3** 



## **Specification of Intended use**

#### Table 3: Anchorages subject to

SB-A4-PLUS			6			8		10		
Nominal embedment depth	$h_{nom}$	h <sub>nom1</sub> 1)	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>
	[mm]	35	45	55	45	55	65	55	75	85
Static and quasi-static loads				^		II l	al a 4			
Fire exposure			All Size	es and a	ll embe	ament	aeptns			
C1 category - seismic	2)	ok	ok	ok	2)	ok	ok	2)	ok	

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

#### **Base materials:**

- Compacted reinforced and unreinforced concrete without fibers according to EN 206:2013.
- Strength classes C20/25 to C50/60 according to EN 206:2013.
- Cracked and uncracked concrete.

### Use conditions (Environmental conditions):

- Concrete screws subject to dry internal conditions: all screw types.
- For all other conditions corresponding to corrosion resistance classes CRC according to EN 1993-1-4:2006 + A1:2015
  - Stainless steel according to Annex A3, screw with marking A4: CRC III
  - High corrosion resistant steel according to Annex A3, screw with marking HCR: CRC V

Sympafix concrete screw SB-A4-PLUS	
Intended use	Annex B1
Specification	

<sup>2)</sup> no performance assessed



## **Specification of Intended use - continuation**

### Design:

- Anchorages are to be designed under the responsibility of an engineer experienced in anchorages and concrete work.
- Verifiable calculation notes and drawings are to be prepared taking account of the loads to be anchored. The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.).
- Anchorages are designed according to EN 1992-4:2018 and EOTA Technical Report TR 055, Edition February 2018.

The design for shear load according to EN 1992-4:2018, Section 6.2.2 applies for all specified diameters  $d_f$  of clearance hole in the fixture in Annex B3, Table 4.

#### Installation:

- Hammer drilling or hollow drilling. Hollow drilling only for size 6-10.
- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters on site.
- In case of aborted hole: new drilling must be drilled at a minimum distance of twice the depth of aborted hole or closer, if the aborted hole is filled with high strength mortar and only if the hole is not in the direction of the oblique tensile or shear load.
- After installation further turning of the anchor must not be possible. The head of the anchor is supported in the fixture and is not damaged.
- The borehole may be filled with injection mortar CF-T 300V or ATA 2004C.
- Adjustability according to Annex B6 for sizes 6-10.
- Cleaning of borehole is not necessary, if using a hollow drill.


Sympafix concrete screw SB-A4-PLUS

Intended use
Specification continuation

Annex B2



SB-A4-PLUS	6				8		10					
h <sub>n</sub>		h <sub>nom</sub>	h <sub>nom1</sub> 1)	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	
Nominal embedment depth		[mm]	35	45	55	45	55	65	55	75	85	
Nominal drill hole diameter	d <sub>0</sub>	[mm]	6 8				8			10		
Cutting diameter of drill bit	d <sub>cut</sub> ≤	[mm]		6,40		8,45			10,45			
Depth of drill hole	h <sub>0</sub> ≥	[mm]	40	50	60	55	65	75	65	85	95	
Clearance hole diameter	d <sub>f</sub> ≤	[mm]		8		12			14			
Installation torque (version with connection thread)	T <sub>inst</sub>	[Nm]	10			20			40			
Torque impact screw driver		[-]	Ma	x. torq	ue acco	ording t	o manı	ufacture	er's inst	truction	าร	
Torque impact screw driver		נ־]		160	·		300	•	450			



Sympafix concrete screw SB-A4-PLUS

Intended use Installation parameters

**Annex B3** 



## Table 5: Minimum thickness of member, minimum edge distance and minimum spacing

SB-A4-PLUS			6				8		10		
Nominal embedment depth [mm]		h <sub>nom1</sub> 1)	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	
		[mm]	35	45	55	45	55	65	55	75	85
Minimum thickness of member	h <sub>min</sub>	[mm]	80	80	100	80	100	120	100	130	130
Minimum edge distance	C <sub>min</sub>	[mm]	35	35	35	35	35	35	40	40	40
Minimum spacing	S <sub>min</sub>	[mm]	35	35	35	35	35	35	40	40	40


only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Sympafix concrete screw SB-A4-PLUS

Intended use
Minimum thickness of member, minimum edge distance and minimum spacing

Annex B4










## Installation Instructions - Adjustment


1. Adjustment




2. Adjustment










with the fixture



#### Note:

The fastener can be adjusted maximum two times. The total allowed thickness of shims added during the adjustment process is 10mm. The final embedment depth after adjustment process must be larger or equal than  $h_{nom}$ .

#### Intended use


Installation instructions - Adjustment

Annex B6




## Installation Instructions - Filling annular gap


## Positioning of fixture and filling washer




After preparing borehole (Annex B5, figure 1+2), position first fixture (1), than filling washer (2)




Install with torque impact screw driver or torque wrench



Installed condition without injected mortar in the filling washer



## Filling the annular gap



#### Note:

For seismic loading the installation with filled and without filled annular gap is approved. Differences in performance can be found in Annex C3.

#### Sympafix concrete screw SB-A4-PLUS

#### Intended use

Installation instructions – Filling annular gap

Annex B7

Z33216.23



Table 6: Characteristic values for static and quasi-static loading												
SB-A4-PLUS	6				8		10					
n Nominal empenment denin			h <sub>nom</sub>	h <sub>nom1</sub> 1)	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>
			1		45	55	45	55	65	55	/5	85
Steel failure for t				ding			ı					
Characteristic ten	sion load	$N_{Rk,s}$	[kN]		14,0			27,0			45,0	
Partial factor	1 1	γMs,N	[-]					1,5				
Characteristic she	ar Ioad	V <sup>0</sup> Rk,s	[kN]		7,0			3,5	17,0	22,5	34	·,0
Partial factor		γMs,V	[-]					1,25				
Ductility factor	al:	k <sub>7</sub>	[-]					0,8				
Characteristic ben load	iaing	M <sup>0</sup> <sub>Rk,s</sub>	[Nm]		10,9			26,0			56,0	
Pull-out failure in uncracked concrete												
Characteristic ten load C20/25	sion	N <sub>Rk,p</sub>	[kN]	3,5 <sup>1)</sup>	4,0	8,5	9,0	12,0	17,0	11,0	19,0	25,0
Increasing	C25/30			0,35	0,50	0,38	0,.	0,50		0,50		
factor for $N_{Rk,p} = N_{Rk,p} (C20/25) \cdot \psi_c$	C30/37		,	0,35	0,50	0,38	0,50		0,30	0,50		
with	C40/50	m	[-]	0,35	0,50	0,38	0,	0,50			0,50	
$\psi_c = \left(\frac{f_{ck}}{20}\right)^m$	C50/60			0,35	0,50	0,38	0,50		0,30	0,50		
Pull-out failure in	n cracked	concre	ete									
Characteristic ten	sion	N <sub>Rk,p</sub>	[kN]	2,5 <sup>1)</sup>	1,5	3,0	3,0	5,5	8,0	6,0	13,0	17,0
Increasing	C25/30			0,41	0,35			0,50			0,3	39
factor for $N_{Rk,p} = N_{Rk,p (C20/25)} \cdot \psi_c$	C30/37		,	0,41	0,35		0,50				0,:	39
with	C40/50	m	[-] 	0,40	0,35			0,50			0,	39
$\psi_{\rm c} = \left(\frac{f_{\rm ck}}{20}\right)^{\rm m}$	C50/60			0,41	0,35			0,50			0,3	39

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Sympafix concrete screw SB-A4-PLUS	
Performances Characteristic values for static and quasi-static loading	Annex C1



Table 7: Characteristic values for static and quasi-static loading continuation													
SB-A4-PLUS					6			8		10			
Nominal embedment depth			h <sub>nom1</sub> 1)	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>		
Nominal en	преишент перш		[mm]	35	45	55	45	55	65	55	75	85	
Concrete fa	ailure: concrete	cone	failure	and spl	itting	failure							
Effective en depth	nbedment	h <sub>ef</sub>	[mm]	25	34	42	32	41	49	40	57	65	
k-factor	cracked	k <sub>cr</sub>	[-]					7,7					
K-Iactoi	uncracked	k <sub>ucr</sub>	[-]					11,0					
Concrete	spacing	S <sub>cr,N</sub>	[mm]					3 x h <sub>ef</sub>					
cone failure	edge distance	C <sub>cr,N</sub>	[mm]				1	,5 x h <sub>ef</sub>					
   Splitting	resistance	N <sup>0</sup> Rk,sp	[kN]	3,5 <sup>1)</sup>	4,0	8,5	9,0	12,0	17,0	11,0	19,0	25,0	
failure	spacing	S <sub>cr,sp</sub>	[mm]	120	160	240	200	240	290	230	280	320	
case 1	edge distance	C <sub>cr,sp</sub>	[mm]	60	80	120	100	120	145	115	140	160	
Splitting	resistance	N <sup>0</sup> Rk,sp	[kN]	2)	2,5	5,5	5,5	8,0	11,0	7,0	15,0	20,0	
failure	spacing	S <sub>cr,sp</sub>	[mm]	2)	116	168	128	164	196	160	224	260	
case 2	edge distance	C <sub>cr,sp</sub>	[mm]	2)	58	84	64	82	98	80	114	130	
Pry-out fail	lure												
Factor for p	Factor for pry-out failure		[-]	1,0	1,	,6	2,1	2	,8		2,5		
Installation factor γ <sub>ins</sub>			[-]					1,0					
Concrete e	dge failure												
Effective length in concrete		l <sub>f</sub>	[mm]	35	45	55	45	55	65	55	75	85	
Nominal ou screw	ter diameter of	$d_{nom}$	[mm]		6			8			10		

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Sympafix concrete screw SB-A4-PLUS	
Performances Characteristic values for static and quasi-static loading continuation	Annex C2

<sup>2)</sup> no performance assessed



Table 8: Seismic category C1 – Characteristic load values (only type S, type SK, type ST,
type ST-6 <sup>1)</sup> , type P and type I <sup>1)</sup> )

type ST-6 <sup>1)</sup> , type P and type I <sup>1)</sup> )											
SB-A4-PLUS	(	5	8	3	1	0					
Naminal ambadment denth	h <sub>nom</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom3</sub>				
Nominal embedment depth [mm			45	55	45	65	55	85			
Steel failure for tension and	d shear	load (v	version type S, type SK, type ST, type ST-6 <sup>1)</sup> , type P and type I <sup>1)</sup> )								
Characteristic tension load	N <sub>Rk,s,C1</sub>	[kN]	14	1,0	27	7,0	45	,0			
Partial factor	γ <sub>Ms,N</sub>	[-]			1,	,5					
Characteristic shear load Type S, Type ST, Type P	V <sub>Rk,s,C1</sub>	[kN]	3,5	4,0	8,0	10,0	14,0	16,0			
Characteristic shear load  Type SK	$V_{Rk,s,C1}$	[kN]	2,5	2)	4,5	7,0	14,0	10,0			
Partial factor	γ <sub>Ms,V</sub>	[-]	1,25								
Without filling of the annular gap <sup>3)</sup>	$lpha_{\sf gap}$	[-]	0,5								
With filling of the annular gap 4)	$lpha_{\sf gap}$	[-]	1,0								
Pull-out failure (version type	S, type S	SK, type	ST, type S1	Γ-6 <sup>1)</sup> , type P	and type I	<sup>1)</sup> )					
Characteristic tension load in cracked concrete C20/25	N <sub>Rk,p,C1</sub>	[kN]	1,5	3,0	3,0	8,5	6,0	17,0			
Concrete cone failure (versi	on <b>type</b> :	S, type S	K, type ST,	type ST-61	), type P an	d type I <sup>1)</sup> )					
Effective embedment depth	h <sub>ef</sub>	[mm]	34	42	32	49	40	65			
Edge distance	C <sub>cr,N</sub>	[mm]			1,5	x h <sub>ef</sub>					
Spacing	S <sub>cr,N</sub>	[mm]			3 x	h <sub>ef</sub>					
Installation safety factor	γinst	[-]			1	,0					
Concrete pry-out failure (ve	rsion <b>ty</b>	oe S, typ	e SK, type	ST and type	e P)						
Factor for pry-out failure	k <sub>8</sub>	[-]	1	,6	2,1	2,8	2	,5			
Concrete edge failure (versi	on <b>type</b> :	S, type S	K, type ST	and type P	)						

screw

Effective length in concrete

Nominal outer diameter of

 $I_f$ 

 $d_{\mathsf{nom}}$ 

[mm]

[mm]

<sup>4)</sup> with filling of the annular gap according to annex B7

Sympafix concrete screw SB-A4-PLUS	
Performances Seismic category C1 – Characteristic load values	Annex C3

45

55

6

45

65

8

55

85

10

<sup>1)</sup> only tension load

<sup>&</sup>lt;sup>2)</sup> no performance assessed

<sup>3)</sup> without filling of the annular gap according to annex B5



SB-A4-PLUS	6			8			10					
Nominal embedment depth					2	3	1	2	3	1	2	3
Nominai embedine	nt depth		[mm]	35	45	55	45	55	65	55	75	8:
Steel failure for te	nsion and	shear load										
	R30	N <sub>Rk,s,fi30</sub>	[kN]		0,9			2,4		4,4		
	R60	N <sub>Rk,s,fi60</sub>	[kN]		0,8			1,7		3,3		
	R90	N <sub>Rk,s,fi90</sub>	[kN]		0,6			1,1			2,3	
	R120	N <sub>Rk,s,fi120</sub>	[kN]		0,4			0,7			1,7	
	R30	$V_{Rk,s,fi30}$	[kN]		0,9			2,4			4,4	
characteristic	R60	V <sub>Rk,s,fi60</sub>	[kN]		0,8			1,7			3,3	
Resistance	R90	V <sub>Rk,s,fi90</sub>	[kN]		0,6			1,1		2,3		
	R120	V <sub>Rk,s,fi120</sub>	[kN]		0,4			0,7			1,7	
	R30	M <sup>0</sup> <sub>Rk,s,fi30</sub>	[Nm]		0,7			2,4		5,9		
	R60	M <sup>0</sup> Rk,s,fi60	[Nm]	0,6		1,8			4,5			
	R90	M <sup>0</sup> <sub>Rk,s,fi90</sub>	[Nm]	0,5		1,2			3,0			
	R120	M <sup>0</sup> Rk,s,fi120	[Nm]		0,3		0,9				2,3	
Pull-out failure												
characteristic	R30-90	N <sub>Rk,p,fi</sub>	[kN]	0,6	0,4	0,8	0,8	1,4	2,0	1,5	3,3	4.
Resistance	R120	N <sub>Rk,p,fi</sub>	[kN]	0,5	0,3	0,6	0,6	1,1	1,6	1,2	2,6	3
Concrete cone fail	lure											
characteristic	R30-90	N <sup>0</sup> Rk,c,fi	[kN]	0,5	1,2	2,0	1,0	1,9	2,9	1,7	4,2	5
Resistance	R120	N <sup>0</sup> <sub>Rk,c,fi</sub>	[kN]	0,4	0,9	1,6	0,8	1,5	2,3	1,4	3,4	4
Edge distance												
R30 - R120		C <sub>cr,fi</sub>	[mm]	2 x h <sub>ef</sub>								
In case of fire attacl	k from more	e than one s	ide, the	minir	num e	dge d	istance	e shall	be ≥3	00mn	า.	
Spacing												
R30 bis R120		S <sub>cr,fi</sub>	[mm]					4 x h <sub>et</sub>	;			
Pry-out failure		•										
R30 bis R120	k <sub>8</sub>	[-]	1,0	1,	,6	2,1	2	,8		2,5		
The anchorage dep	th has to be	increased f	or wet	concre	ete by	at leas	st 30 n	nm co	mpare	d to t	he giv	en

internal conditions

Sympafix concrete screw SB-A4-PLUS	
Performances Fire exposure – characteristic values of resistance	Annex C4



- 11 40 - 1	the second of th	
Table 10. Displacements	under static and	quasi-static tension load
Table 10. Displacements	ander static and	quasi static terision load

SB-A4-PLUS				(		8		10			
Nominal embedment depth			h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	
Nominal embedment depth		[mm]	45	55	45	55	65	55	75	85	
Cracked tension load Cracked displacement	N	[kN]	0,72	1,45	1,63	2,74	4,06	3,04	6,22	8,46	
	displacement	$\delta_{\text{NO}}$	[mm]	0,19	0,27	0,27	0,53	0,45	0,26	0,58	0,61
Concrete		$\delta_{\text{N}^{\infty}}$	[mm]	0,55	0,84	0,49	0,66	0,61	0,69	0,92	1,1
	T		I			1	I	l			
l	tension load	N	[kN]	2,11	4,07	4,24	5,97	8,03	5,42	9,17	12,28
Uncracked concrete	displacement	$\delta_{\text{NO}}$	[mm]	0,42	0,43	0,33	0,49	0,58	0,84	0,62	0,79
	displacement	$\delta_{\text{N}^{\infty}}$	[mm]	0,42	0,43	·	0,58			0,79	

## Table 11: Displacements under static and quasi-static shear load

SB-A4-PLUS				6		8			10		
Nominal embedment depth $h_{nom}$ [mm]			h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	h <sub>nom1</sub>	h <sub>nom2</sub>	h <sub>nom3</sub>	
			[mm]	45	55	45	55	65	55	75	85
Cracked and uncracked concrete	shear load	٧	[kN]	3,3		8,6			16,2		
	displacement	$\delta_{\text{V0}}$	[mm]	1,55		2,7			2,7		
		$\delta_{V^\infty}$	[mm]	3,1		4,1			4,3		

Sympafix concrete screw SB-A4-PLUS

**Performances** 

Displacements under static and quasi-static loads

Annex C5