

#### **Approval body for construction products and types of construction**

Bautechnisches Prüfamt

An institution established by the Federal and  
Laender Governments



# European Technical Assessment

# ETA-08/0033

## of 13 March 2018

English translation prepared by DIBt - Original version in German language

## **General Part**

Technical Assessment Body issuing the European Technical Assessment:

Deutsches Institut für Bautechnik

**Trade name of the construction product**

## Zahn Flat Roof Fasteners

**Product family**  
to which the construction product belongs

## Fasteners for flexible roof waterproofing systems

## Manufacturer

Harald Zahn GmbH

## Manufacturing plant

Factories of Harald Zahn GmbH

This European Technical Assessment contains

186 pages including 181 annexes which form an integral part of this assessment

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

ETAG 006,  
used as EAD according to Article 66 Paragraph 3 of  
Regulation (EU) No 305/2011.

This version replaces

ETA-08/0033 issued on 24 May 2013

**European Technical Assessment**

**ETA-08/0033**

English translation prepared by DIBt

**Page 2 of 186 | 13 March 2018**

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

## Specific Part

### 1 Technical description of the product

The construction products are mechanical fasteners.

The fasteners comprise a screw made of coated carbon or stainless steel and a steel bar or a washer made of metal or plastic materials (polyamide). The washers without integrated sleeve are made of coated steel or plastic materials.

The washers made of plastic materials partially have a formed or adaptable sleeve. In conjunction with the steel bar a sleeve, which has a collar, will each be inserted into a hole prepared in the bar's ground and sits with its collar on the bar's ground.

The sleeve is designed either as a hollow shaft receiving the screw, from whose shaft tip the screw emerges or as an anchor sleeve expandable by the screw. Such a dowel sleeve can also be adapted to the sleeve formed as a hollow shaft. Likewise, a dowel sleeve may be formed as a cavity anchor.

The washer with sleeve can be composed from individual components beyond.

The plastic washers are probably provided with additional sealing washers.

The fasteners shall correspond to the information given in Annexes 1 to 169 of this ETA.

The material properties, dimensions and tolerances not indicated in Annexes 1 to 169 shall correspond to the information laid down in the technical information<sup>1</sup> to this European technical assessment.

### 2 Specification of the intended use in accordance with the applicable European Assessment Document

The fasteners are intended to be used for the fastening of flexible roof waterproofing membranes according to ETAG 006. The possible substructures are steel decks, concrete, aerated and light weight concrete, timber, thin plates of steel or aluminium and sandwich panels.

The performances given in Section 3 are only valid if the fasteners are used in compliance with the specifications and conditions given in the Annexes to this ETA and if the installation is carried out according to the manufacturer's assembly instructions.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fasteners of at least 10 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

In order to use the fasteners for systems of mechanically fastened flexible roof waterproofing membranes according to ETAG 006 a separate ETA is necessary for the entire roof waterproofing system. The system ETA covers the wind uplift resistance of the entire system as well as the product characteristics of the components of the system.

<sup>1</sup>

The technical documentation is deposited with Deutsches Institut für Bautechnik and as far as relevant for the tasks of the approved bodies involved in the attestation of conformity procedure is handed over to the approved bodies.

**3 Performance of the product and references to the methods used for its assessment****3.1 Safety and accessibility in use (BWR 4)**

Essential characteristic	Performance
Characteristic tensile loading	See Annexes 170 to 181
Resistance to unwinding	pass
Resistance to corrosion of metallic fasteners	pass; $\leq 15\%$ surface corrosion
Impact resistance and brittleness of plastic fasteners (before and after heat ageing)	pass; drop height $> 1,0\text{ m}$
Requirements for results of Charpy tests for plastic materials (before and after heat ageing)	pass; not any significant decline compared to the results before heat ageing

The thickness and strengths of the materials listed in the tables of characteristic tensile loads (Annexes 170 to 181) are minimum requirements. The values given are also applicable for materials with higher thickness and strengths. The values of axial loading shown in Annexes 170 to 181 were determined by axial loading tests according to ETAG 006.

The fasteners are deemed to satisfy the requirements of ETAG 006 concerning unwinding. This was evaluated on the basis of the existing field experience of the manufacturer.

The durability requirements of ETAG 006 (resistance to corrosion of metallic fasteners, impact resistance and brittleness of plastic fasteners before and after heat ageing, requirements for results of Charpy tests for plastic materials before and after heat ageing) are satisfied for the coated carbon steel, stainless steel and polyamide components of the fasteners.

All coated carbon steel components resisted to 15 cycles of the test procedure described in ETAG 006 (Kesternich test) and did not show more than 15 % surface corrosion.

The test results of the tests to check the impact resistance and brittleness of the polyamide components showed a drop height of more than 1.0 m before and after heat ageing of these components. Furthermore the results of the corresponding Charpy tests after heat ageing did not show any significant decline compared to the results before heat ageing.

European Technical Assessment  
ETA-08/0033

Page 5 of 186 | 13 March 2018

English translation prepared by DIBt

**4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base**

In accordance with ETAG 006 the applicable European legal act is: 1998/143/EC.

The system to be applied is: 2+


**5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD**

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.


Issued in Berlin on 13 March 2018 by Deutsches Institut für Bautechnik

BD Dipl.-Ing. Andreas Kummerow  
Head of Department


*beglaubigt:*  
Reimuth




Zahn ZKSH oval




Zahn ZDBK 4,8 x L






Zahn ZKSH round




Zahn ZDBK 4,8 x L







Zahn ZKSH-Rplus




Zahn ZDBK 4,8 x L






Zahn ZKSH-Rplus pile tip



Zahn ZDBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 4  
ZKS-Rplus with pile tip consisting of ZDBK / ZKSH-Rplus with pile tip

Annex 4



Zahn ZKSH oval module 4,8




Zahn ZDBK 4,8 x L





Zahn Flat Roof Fasteners

Combination 5  
ZKS Modul 4,8 consisting of ZDBK / ZKSH oval module with module middle piece and spike 4,8


Annex 5



Zahn ZKSH round module 4,8



Zahn ZDBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 6  
ZKS-R-Modul 4,8 consisting of ZDBK / ZKSH round module with module middle piece and spike 4,8

Annex 6



Zahn ZTSK 4,8



Zahn ZDBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 7  
ZTSK 4,8 consisting of ZDBK / ZTSK 4,8

Annex 7



Zahn ZLVT 0001




Zahn ZDBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 8  
ZDBK / ZLVT 0001


Annex 8



Zahn ZLVT 0005




Zahn ZDBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 9  
ZDBK / ZLVT 0005


Annex 9




Zahn ZLVT 0015




Zahn ZDBK 4,8 x L






Zahn ZKSH oval




Zahn ZDBK-E 4,8 x L





Zahn ZKSH round




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 12  
ZKS/E/R consisting of ZDBK-E / ZKSH round

Annex 12



Zahn ZKSH-Rplus



Zahn ZDBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 13  
ZKS-E/Rplus consisting of ZDBK -E / ZKSH-Rplus

Annex 13



Zahn ZKSH-Rplus with pile tip



Zahn ZDBK-E 4,8 x L



electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 14  
ZKS-E/Rplus with pile tip consisting of ZDBK -E / ZKSH-Rplus with pile tip

Annex 14



Zahn ZKSH oval module 4,8



Zahn ZDBK-E 4,8 x L



electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 15  
ZKS-E-Modul 4,8 consisting of ZDBK-E / ZKSH oval module with modular middle piece and spike 4,8


Annex 15



Zahn ZKSH round module 4,8



Zahn ZDBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners


Combination 16

ZKSKE/R-Modul 4,8 consisting of ZDBK-E/ZKSH round module with module middle piece and spike 4,8


Annex 16




Zahn ZTSK 4,8




Zahn ZDBK-E 4,8 x L





Zahn ZLVT 0001




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 18  
ZDBK-E / ZLVT 0001


Annex 18



Zahn ZLVT 0005




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 19  
ZDBK-E / ZLVT 0005


Annex 19




Zahn ZLVT 0015




Zahn ZDBK-E 4,8 x L






Zahn ZKSH oval




Zahn ZDBK-VB 4,8 x L






Zahn ZKSH round




Zahn ZDBK-VB 4,8 x L





Zahn ZKSH-Rplus



Zahn ZDBK-VB 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 23  
ZKSK-VB/Rplus consisting of ZDBK -VB / ZKSH-Rplus


Annex 23



Zahn ZKSH-Rplus with pile tip





Zahn ZDBK-VB 4,8 x L






Zahn ZKSH oval module 4,8



Zahn ZDBK-VB 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 25  
ZKS-K-VB-Modul 4,8 consisting of ZDBK-VB/ZKSH oval module with module middle piece and spike 4,8

Annex 25




Zahn ZKSH round module 4,8



Zahn Flat Roof Fasteners


Zahn ZDBK-VB 4,8 x L




Z565.18

Combination 26  
ZKS-R-Modul 4,8 consisting of ZDBK-VB/ZKSH round module with module middle piece and spike 4,8

Annex 26




Zahn ZTSK 4,8




Zahn ZDBK-VB 4,8 x L





Zahn ZLVT 0001




Zahn ZDBK-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 28  
ZDBK-VB / ZLVT 0001


Annex 28



Zahn ZLVT 0005




Zahn ZDBK-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 29  
ZDBK-VB / ZLVT 0005

Annex 29




Zahn ZLVT 0015




Zahn ZDBK-VB 4,8 x L







Zahn ZKSH oval




Zahn ZDBK-VB-E 4,8 x L







Zahn ZKSH round




Zahn ZDBK-VB-E 4,8 x L







Zahn ZKSH Rplus




Zahn ZDBK-VB-E 4,8 x L





Zahn ZKSH-Rplus with pile tip




Zahn ZDBK-VB-E 4,8 x L






Zahn ZKSH oval module 4,8



Zahn ZDBK-VB-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners


Combination 35

ZKSZ-VB-E-Modul 4,8 consisting of ZDBK-VB-E/ZKSH oval module with module middle piece and spike 4,8

Annex 35



Zahn ZKSH round module 4,8



Zahn ZDBK-VB-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners


Combination 36

ZKSZ-VB-E/R-Modul 4,8 consisting of ZDBK-VB-E/ZKSH round module with module middle piece and spike 4,8


Annex 36





Zahn ZTSK 4,8



Zahn ZDBK-VB-E 4,8 x L







Zahn Flat Roof Fasteners

Combination 38  
ZDBK-VB-E / ZLVT 0001


Annex 38



Zahn ZLVT 0005




Zahn ZDBK-VB-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 39  
ZDBK-VB-E / ZLVT 0005

Annex 39



Zahn ZLVT 0015



Zahn ZDBK-VB-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 40  
ZDBK-VB-E / ZLVT 0015


Annex 40



Zahn ZLVT 0001




Zahn ZDBS 4,8 x L




Zahn Flat Roof Fasteners

Combination 41  
ZDBS / ZLVT 0001


Annex 41



Zahn ZLVT 0005




Zahn ZDBS 4,8 x L




Zahn Flat Roof Fasteners

Combination 42  
ZDBS / ZLVT 0005


Annex 42



Zahn ZLVT 0012




Zahn ZDBS 4,8 x L




Zahn Flat Roof Fasteners

Combination 43  
ZDBS / ZLVT 0012


Annex 43



Zahn ZLVT 0001




Zahn ZDBS-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 44  
ZDBS-E / ZLVT 0001


Annex 44



Zahn ZLVT 0005




Zahn ZDBS-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 45  
ZDBS-E / ZLVT 0005


Annex 45



Zahn ZLVT 0012




Zahn ZDBS-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 46  
ZDBS-E / ZLVT 0012

Annex 46




Zahn ZKSH oval




Zahn ZHBK 4,8 x L







Zahn ZKSH round




Zahn ZHBK 4,8 x L







Zahn ZKSH-Rplus




Zahn ZHBK 4,8 x L





Zahn ZKSH-Rplus with pile tip




Zahn ZHBK 4,8 x L






Zahn ZKSH oval module 4,8



Zahn Flat Roof Fasteners

Zahn ZHBK 4,8 x L




Z564.18

Combination 51  
ZHSK-Modul 4,8 consisting of ZHBK / ZKSH oval module with module middle piece and spike 4,8


Annex 51



Zahn ZKSH round module 4,8



Zahn ZHBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 52  
ZHSK-R-Modul 4,8 consisting of ZHBK / ZKSH round module with module middle piece and spike 4,8

Annex 52



Zahn ZTSK 4,8



Zahn ZHBK 4,8 x L






electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners

Combination 53  
ZTSK-Timber 4,8 consisting of ZHBK / ZTSK 4,8


Annex 53




Zahn Flat Roof Fasteners

Combination 54  
ZHBK / ZLVT 0001


Annex 54



Zahn ZLVT 0005




Zahn ZHBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 55  
ZHBK / ZLVT 0005


Annex 55



Zahn ZLVT 0015



Zahn ZHBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 56  
ZHBK / ZLVT 0015


Annex 56



Zahn ZKSH oval




Zahn ZHBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 57  
ZHSK-E consisting of ZHBK-E / ZKSH oval


Annex 57



Zahn ZKSH round



Zahn ZHBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 58  
ZHSK-E/R consisting of ZHBK-E / ZKSH round


Annex 58




Zahn ZKSH-Rplus




Zahn ZHBK-E 4,8 x L






Zahn ZKSH-Rplus with pile tip




Zahn ZHBK -E 4,8 x L







Zahn ZKSH oval module 4,8




Zahn ZHBK-E 4,8 x L






Zahn ZKSH round module 4,8



Zahn ZHBK-E 4,8 x L










Zahn Flat Roof Fasteners


Combination 62

ZHSK-E/R-Modul 4,8 consisting of ZHBK-E/ZKSH round module with module middle piece and spike 4,8


Annex 62

	
Zahn ZKSH oval module 4,8 with dowel extension	Zahn ZHBK-E 4,8 x L
 	
Zahn Flat Roof Fasteners	Annex 63
Combination 63 ZSDK-E-Modul 4,8 consisting of ZHBK-E / ZKSH oval module with middle piece, spike 4,8 and dowel extens.	


	
Zahn ZKSH round module 4,8 with dowel extension	Zahn ZHBK-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 64
Combination 64 ZSDK-E/R-Modul 4,8 consisting of ZHBK-E/ZKSH round module with middle piece, spike 4,8 and dowel extension	




Zahn ZKSH oval with dowel extension




Zahn ZHBK-E 4,8 x L






Zahn ZKSH round with dowel extension




Zahn ZHBK-E 4,8 x L







Zahn ZTSK 4,8




Zahn ZHBK-E 4,8 x L





Zahn ZLVT 0001




Zahn ZHBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 68  
ZHBK-E / ZLVT 0001

Annex 68



Zahn ZLVT 0005




Zahn ZHBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 69  
ZHBK-E / ZLVT 0005


Annex 69



Zahn ZLVT 0015



Zahn ZHBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 70  
ZHBK-E / ZLVT 0015

Annex 70




Zahn ZKSH oval




Zahn ZDBK dowel 4,8 x L






Zahn ZKSH round




Zahn ZDBK dowel 4,8 x L






Zahn ZKSH-Rplus



Zahn ZDBK<sub>dowel</sub> 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 73  
ZKS-Dowel/Rplus consisting of ZDBK<sub>dowel</sub> / ZKSH-Rplus

Annex 73








Zahn ZKSH-Rplus with pile tip




Zahn ZDBK dowel 4,8 x L




	
Zahn ZKSH oval module 4,8 with dowel extension	Zahn ZDBK dowel 4,8 x L
   	
Zahn Flat Roof Fasteners	Annex 75
Combination 75 ZSDK-Modul 4,8 consisting of ZDBK <sub>dowel</sub> /ZKSH oval module with middle piece, spike 4,8 and dowel extension	


Zahn ZKSH round module 4,8 with dowel extension	Zahn ZDBK dowel 4,8 x L
Zahn Flat Roof Fasteners	Annex 76
Combination 76 ZSDK-R-Modul 4,8 consisting of ZDBK <sub>dowel</sub> /ZKSH round module with middle piece, spike 4,8 and dowel extension	




Zahn ZKSH oval with dowel extension




Zahn ZDBK<sub>dowel</sub> 4,8 x L






Zahn ZKSH round with dowel extension




Zahn ZDBK<sub>dowel</sub> 4,8 x L







Zahn ZTSD oval




Zahn ZDBK<sub>dowel</sub> 4,8 x L






Zahn ZTSK 4,8




Zahn ZDBK<sub>dowel</sub> 4,8 x L






Zahn ZLVT 0001




Zahn ZDBK dowel 4,8 x L




Zahn Flat Roof Fasteners

Combination 81  
ZDBK-Dowel / ZLVT 0001


Annex 81




Zahn ZKSH gray / round





Zahn ZGBK-E 6,0 x L






Zahn ZKSH oval module 6,0



Zahn ZGBK-E 6,0 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners



Combination 83

ZKGK-E-Modul 6,0 consisting of ZGBK-E / ZKSH oval module with module middle piece and spike 6,0


Annex 83



Zahn ZKSH round module 6,0



Zahn ZGBK-E 6,0 x L




Zahn Flat Roof Fasteners


Combination 84

ZKGK-E/R-Modul 6,0 consisting of ZGBK-E/ZKSH round module with module middle piece and spike 6,0


Annex 84



Zahn ZHVM



Zahn ZGBK-E 6,0 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 85  
ZHVM-E-HPB consisting of ZGBK-E / ZHVM with headboard, shaft and locking sleeve


Annex 85




Zahn ZTSK 6,0



Zahn ZGBK-E 6,0 x L







Zahn Flat Roof Fasteners

Combination 87  
ZGBK-E / ZLVT 0008


Annex 87



Zahn ZLVT 0012




Zahn ZGBK-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 88  
ZGBK-E / ZLVT 0012


Annex 88




Zahn ZKSH gray / round





Zahn ZBST 6,3 x L






Zahn ZKSH oval module 6,0



Zahn ZBST 6,3 x L



electronic copy of the eta by dibt: eta-08/0033



Zahn Flat Roof Fasteners

Combination 90  
ZBSK-Modul 6,0 consisting of ZBST/ZKSH oval module with module middle piece and spike 6,0


Annex 90



Zahn ZKSH round module 6,0



Zahn ZBST 6,3 x L




Zahn Flat Roof Fasteners


Combination 91

ZBSK-R-Modul 6,0 consisting of ZBST / ZKSH round module with module middle piece and spike 6,0


Annex 91



Zahn ZHVM




Zahn ZBST 6,3 x L




Zahn Flat Roof Fasteners

Combination 92  
ZHVM-Concrete consisting of ZBST / ZHVM with headboard, shaft and locking sleeve


Annex 92



Zahn ZTSK 6,0



Zahn ZBST 6,3 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners

Combination 93  
ZTSK-Concrete 6,0 consisting of ZBST / ZTSK 6,0

Annex 93




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 94  
ZBST / ZLVT 0008


Annex 94




Zahn ZLVT 0012




Zahn ZBST 6,3 x L






Zahn ZKSH gray / round



Zahn ZBST-E 6,3 x L




electronic copy of the eta by dibt: eta-08/0033



Zahn Flat Roof Fasteners

Combination 96  
ZBSK-E/R consisting of ZBST -E / ZKSH gray / round


Annex 96



Zahn ZKSH oval module 6,0



Zahn ZBST-E 6,3 x L




Zahn Flat Roof Fasteners

Combination 97  
ZBSK-E-Modul 6,0 consisting of ZBST-E / ZKSH oval module with module middle piece and spike 6,0


Annex 97



Zahn ZKSH round module 6,0




Zahn ZBST-E 6,3 x L




Zahn Flat Roof Fasteners

Combination 98  
ZBSK-E/R-Modul 6,0 consisting of ZBST-E / ZKSH round module with module middle piece and spike 6,0


Annex 98



Zahn ZHVM



Zahn ZBST -E 6,3 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 99  
ZHVM-E-Concrete consisting of ZBST-E / ZHVM with headboard, shaft and locking sleeve


Annex 99





Zahn ZTSK 6,0




Zahn ZBST-E 6,3 x L








Zahn ZLVT 0012




Zahn ZBST-E 6,3 x L




Zahn Flat Roof Fasteners

Combination 102  
ZBST-E / ZLVT 0012


Annex 102



Zahn ZHRD oval with expanding dowel extension




Zahn metric screw -E 3,14 x L





Zahn Flat Roof Fasteners

Combination 103  
ZHRD consisting of metr. screw-E / ZKSH oval with expanding dowel extension


Annex 103



Zahn ZHRD round with expanding dowel extension




Zahn metric screw-E 3,14 x L




Zahn Flat Roof Fasteners

Combination 104  
ZHRD-R consisting of metr. screw-E / ZKSH round with expanding dowel extension


Annex 104



Zahn ZKSH oval module 4,8  
with expanding dowel extension



Zahn metric screw-E 3,14 x L




## Zahn Flat Roof Fasteners

Combination 105 ZHRD-on-Modul 4,8 consisting of metric screw-E / ZKSH oval module with middle piece, spike 4,8 and expanding dowel ext.

## Annex 105



Zahn ZKSH round module 4,8  
with expanding dowel extension



Zahn metric screw-E 3,14 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 106  
metric screw-E / ZKSH round module with middle piece, spike 4,8 and expanding dowel ext.


Annex 106



Zahn ZKSH gray / round



Zahn ZMDS 6,0 x L





Zahn Flat Roof Fasteners

Combination 107  
ZMDS-R consisting of ZMDS / ZKSH gray / round


Annex 107



Zahn ZKSH oval module 6,0



Zahn ZMDS 6,0 x L



electronic copy of the eta by dibt: eta-08/0033



Zahn Flat Roof Fasteners

Combination 108  
ZMDS-Modul 6,0 consisting of ZMDS / ZKSH oval module with module middle piece and spike 6,0


Annex 108



Zahn ZKSH round module 6,0



Zahn ZMDS 6,0 x L




electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners


Combination 109

ZMDS-R-Modul 6,0 consisting of ZMDS / ZKSH round module with module middle piece and spike 6,0


Annex 109



Zahn ZHVM



Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 110  
ZHVM-Multi consisting of ZMDS / ZHVM with headboard, shaft and locking sleeve


Annex 110



Zahn ZTSK 6,0



Zahn ZMDS 6,0 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 111  
ZTSK-Multi 6,0 consisting of ZMDS / ZTSK 6,0


Annex 111



Zahn ZLVT 0008




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 112  
ZMDS / ZLVT 0008


Annex 112



Zahn ZLVT 0012




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 113  
ZMDS / ZLVT 0012


Annex 113



Zahn ZKSH gray / round



Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 114  
ZMDS-E/R consisting of ZMDS-E / ZKSH gray / round

Annex 114




Zahn ZKSH oval module 6,0



Zahn Flat Roof Fasteners

Zahn ZMDS-E 6,0 x L




Combination 115

ZMDS-E-Modul 6,0 consisting of ZMDS-E/ZKSH oval module with module middle piece and spike 6,0


Annex 115



Zahn ZKSH round module 6,0



Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners


Combination 116

ZMDS-E/R-Modul 6,0 consisting of ZMDS-E/ZKSH round module with module middle piece and spike 6,0


Annex 116



Zahn ZHVM



Zahn ZMDS-E 6,0 x L



electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 117  
ZHVM-E-Multi consisting of ZMDS-E / ZHVM with headboard, shaft and locking sleeve


Annex 117



Zahn ZTSK 6,0



Zahn ZMDS-E 6,0 x L




electronic copy of the eta by dibt: eta-08/0033



Zahn Flat Roof Fasteners

Combination 118  
ZTSK-E 6,0 consisting of ZMDS-E / ZTSK 6,0


Annex 118



Zahn ZLVT 0008




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 119  
ZMDS-E / ZLVT 0008


Annex 119



Zahn ZLVT 0012




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 120  
ZMDS-E / ZLVT 0012


Annex 120



Zahn ZLVT 0016




Zahn ZDBK-TK 4,8 x L




Zahn Flat Roof Fasteners

Combination 121  
ZDBK-TK / ZLVT 0016


Annex 121



ZSSB 4,8




Zahn ZDBK 4,8 x L



Zahn Flat Roof Fasteners

Combination 122  
ZSSB 4,8 / clickplate / ZDBK 4,8


Annex 122



ZSSB 4,8




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 123  
ZSSB 4,8 / clickplate / ZDBK-E 4,8


Annex 123



ZSSB 4,8




Zahn ZDBK-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 124  
ZSSB 4,8 / clickplate / ZDBK-VB 4,8


Annex 124



ZSSB 4,8




Zahn ZDBK-VB-E 4,8 x L





Zahn Flat Roof Fasteners

Combination 125  
ZSSB 4,8 / clickplate / ZDBK-VB-E 4,8


Annex 125



ZSSB 6,0




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 126  
ZSSB 6,0 / clickplate / ZMDS 6,0


Annex 126



ZSSB 6,0




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 127  
ZSSB 6,0 / clickplate / ZMDS-E 6,0


Annex 127



ZSSB 4,8




Zahn ZHBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 128  
ZSSB 4,8 / clickplate / ZHBK 4,8

Annex 128



ZSSB 4,8




Zahn ZHBK-E 4,8 x L





Zahn Flat Roof Fasteners

Combination 129  
ZSSB 4,8 / clickplate / ZHBK-E 4,8

Annex 129



ZSSB 4,8




Zahn ZDBK dowel 4,8 x L



Zahn Flat Roof Fasteners

Combination 130  
ZSSB 4,8 / clickplate / ZDBK-Dowel 4,8


Annex 130




ZSSB 6,0



clickplate




Zahn ZGBK-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 131  
ZSSB 6,0 / clickplate / ZGBK-E 6,0


Annex 131




ZSSB 6,0




Zahn ZBST 6,3 x L






ZSSB 6,0




Zahn ZBST-E 6,3 x L




Zahn Flat Roof Fasteners

Combination 133  
ZSSB 6,0 / clickplate / ZBST-E 6,3


Annex 133




Zahn ZSSB-pipe 4,8 with bar




Zahn ZDBK 4,8 x L






Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 135  
ZSSB-E 4,8 consisting of ZDBK-E / ZSSB-pipe 4,8 and bar

Annex 135



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-VB 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 136  
ZSSB-VB 4,8 consisting of ZDBK-VB / ZSSB-pipe 4,8 and bar

Annex 136



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-VB-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 137  
ZSSB-VB-E 4,8 consisting of ZDBK-VB-E / ZSSB-pipe 4,8 and bar


Annex 137



Zahn ZSSB-pipe 6,0 with bar



Zahn ZMDS 6,0 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 138  
ZSSB 6,0 consisting of ZMDS / ZSSB-pipe 6,0 and bar


Annex 138



Zahn ZSSB-pipe 6,0 with bar




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 139  
ZSSB-E 6,0 consisting of ZMDS-E / ZSSB-pipe 6,0 and bar


Annex 139



Zahn ZSSB-pipe 4,8 with bar



Zahn ZHBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 140  
ZSSB-Timber 4,8 consisting of ZHBK / ZSSB-pipe 4,8 and bar

Annex 140




Zahn ZSSB-pipe 4,8 with bar




Zahn ZHBK-E 4,8 x L







Zahn ZSSB-pipe 4,8 with bar




Zahn ZDBK dowel 4,8 x L






Zahn ZSSB-pipe 6,0 with bar



Zahn ZGBK-E 6,0 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 143  
ZSSB-HPB 6,0 consisting of ZGBK-E/ ZSSB-pipe 6,0 and bar


Annex 143




Zahn ZSSB-pipe 6,0 with bar




Zahn ZBST 6,3 x L






Zahn ZSSB-pipe 6,0 with bar



Zahn ZBST-E 6,3 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 145  
ZSSB-E-Concrete 6,0 consisting of ZBST-E / ZSSB-pipe 6,0 and bar


Annex 145



Zahn ZSSB-module pipe 4,8 with module and bar




Zahn ZDBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 146  
ZSSB-Modul 4,8 consisting of ZDBK / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar

Annex 146



Zahn ZSSB-module pipe 4,8 with module and bar



Zahn ZDBK-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 147  
ZSSB-E-Modul 4,8 consisting of ZDBK-E / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar


Annex 147



Zahn ZSSB-module pipe 4,8 with module and bar



Zahn ZDBK-VB 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 148  
ZSSB-VB-Modul 4,8 consisting of ZDBK-VB / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar


Annex 148



Zahn ZSSB-module pipe 4,8 with module and bar



Zahn ZDBK-VB-E 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 149  
ZSSB-VB-E-Modul 4,8 consisting of ZDBK-VB-E / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar


Annex 149



Zahn ZSSB-module pipe 6,0 with module and bar




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 150  
ZSSB-Multi-Modul 6,0 consisting of ZMDS / ZSSB-module pipe, -middle piece, -spike 6,0 and ZSSB bar


Annex 150



Zahn ZSSB-module pipe 6,0 with module and bar




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 151  
ZSSB-E-Multi 6,0 consisting of ZMDS-E / ZSSB-module pipe, -middle piece, -spike 6,0 and ZSSB bar


Annex 151



Zahn ZSSB-module pipe 4,8 with module and bar



Zahn ZHBK 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 152  
ZSSB-Timber-Modul 4,8 consisting of ZHBK / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar


Annex 152



Zahn ZSSB-module pipe 4,8 with module and bar




Zahn ZHBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 153  
ZSSB-E-Timber-Modul 4,8 consisting of ZHBK-E / ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar

Annex 153



Zahn ZSSB-module pipe 4,8 with module and bar



Zahn ZDBK dowel 4,8 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 154  
ZSSB-Dowel-Modul 4,8 consisting of ZDBK<sub>dowel</sub>/ ZSSB-module pipe, -middle piece, -spike 4,8 and ZSSB bar


Annex 154



Zahn ZSSB-module pipe 6,0 with module and bar




Zahn ZGBK-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 155  
ZSSB-HPB-Modul 6,0 consisting of ZGBK-E / ZSSB-module pipe, -middle piece, -spike 6,0 and ZSSB bar


Annex 155



Zahn ZSSB-module pipe 6,0 with module and bar




Zahn ZBST 6,3 x L




Zahn Flat Roof Fasteners

Combination 156  
ZSSB-Concrete-Modul 6,0 consisting of ZBST / ZSSB-module pipe, -middle piece, -spike 6,0 and ZSSB bar


Annex 156



Zahn ZSSB-module pipe 6,0 with module and bar



Zahn ZBST-E 6,3 x L




electronic copy of the eta by dibt: eta-08/0033


Zahn Flat Roof Fasteners

Combination 157  
ZSSB-E-Concrete-Modul 6,0 consisting of ZBST / ZSSB-module pipe, -middle piece, -spike 6,0 and ZSSB bar


Annex 157



Zahn ZSSB-pipe 4,8 dowel extension and bar




Zahn ZDBK <sub>dowel</sub> 4,8 x L




Zahn Flat Roof Fasteners

Combination 158  
ZSSB-Dowel-Ext 4,8 consisting of ZDBK <sub>dowel</sub> / ZSSB-pipe 4,8, ZSSB bar and dowel extension


Annex 158



Zahn ZSSB-pipe 4,8 with expanding dowel extension and bar



Zahn metric screw -E 3,14 x L




Zahn Flat Roof Fasteners

Combination 159  
ZSSB-ZHRD consisting of metric screw-E / ZSSB-pipe 4,8, ZSSB bar and expanding dowel extension

Annex 159



Zahn ZSSB-module pipe 4,8 with module, dowel extension and bar



Zahn ZDBK dowel 4,8 x L





electronic copy of the eta by dibt: eta-08/0033

Zahn Flat Roof Fasteners

Combination 160 ZDBK<sub>dowel</sub> / ZSSB-modul pipe, -middle piece, -spike 4,8, dowel extension and ZSSB bar consisting of


Annex 160

	
Zahn ZSSB-module pipe 4,8 with module, dowel extension and bar	
	
Zahn Flat Roof Fasteners	
Combination 161 ZDBK-E / ZSSB-module pipe, -middle piece, -spike 4,8, dowel extension and ZSSB bar	ZSSB-E-Dowel-Modul 4,8 consisting of Annex 161


*English translation prepared by DIBt*



## Zahn ZSSB-module pipe 4,8 with module and expanding dowel extension and bar



Zahn metric screw -E 3,14 x L



## Zahn Flat Roof Fasteners

Combination 162  
metric screw -E / Z

ZSSB-ZHRD-Modul 4,8 consisting of  
-spike 4,8. ZSSB bar and expanding dowel ext.


## Annex 162



ZSSB bar



Zahn ZDBS 4,8 x L






ZSSB bar



Zahn ZDBS-E 4,8 x L



Zahn Flat Roof Fasteners

Combination 164  
ZSSB / ZDBS-E

Annex 164



ZSSB bar



Zahn ZMDS 6,0 x L

Zahn Flat Roof Fasteners

Combination 165  
ZSSB / ZMDS

Annex 165



ZSSB bar



Zahn ZMDS-E 6,0 x L

Zahn Flat Roof Fasteners

Combination 166  
ZSSB / ZMDS-E


Annex 166



ZSSB bar



Zahn ZGBK-E 6,0 x L



Zahn Flat Roof Fasteners

Combination 167  
ZSSB / ZGBK-E


Annex 167



ZSSB bar



Zahn ZBST 6,3 x L






ZSSB bar



Zahn ZBST-E 6,3 x L



Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure					
		Steelsheet		Timber			
		S280GD - EN 10346	C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636	
		$t \geq 0,75\text{mm}$	$t \geq 1,50\text{mm}$	$t \geq 22\text{mm}$ $\rho_{\min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{\min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 400\text{kg/m}^3$
1	ZKSK	0,92	-	-	-	-	-
2	ZKSK-R	0,92	-	-	-	-	-
3	ZKSK-Rplus	0,92	-	-	-	-	-
4	ZKSK-Rplus with pile tip	0,92	-	-	-	-	-
5	ZKSK-Modul 4,8	0,92	-	-	-	-	-
6	ZKSK-R-Modul 4,8	0,92	-	-	-	-	-
7	ZTSK 4,8	0,92	-	-	-	-	-
8	ZDBK / ZLVT 0001	0,92	-	-	-	-	-
9	ZDBK / ZLVT 0005	0,92	-	-	-	-	-
10	ZDBK / ZLVT 0015	0,92	-	-	-	-	-
11	ZKSK-E	0,98	-	2,05	0,98	1,00	1,61
12	ZKSK-E/R	0,98	-	1,91	0,98	1,00	1,61
13	ZKSK-E/Rplus	0,98	-	2,05	0,98	1,00	1,61
14	ZKSK-E/Rplus with pile tip	0,98	-	2,05	0,98	1,00	1,61
15	ZKSK-E-Modul 4,8	0,98	-	1,16	0,98	1,00	1,16
16	ZKSK-E/R-Modul 4,8	0,98	-	1,16	0,98	1,00	1,16
17	ZTSK-E 4,8	0,98	-	1,62	0,98	1,00	1,61
18	ZDBK-E / ZLVT 0001	0,98	-	2,05	0,98	1,00	1,61
19	ZDBK-E / ZLVT 0005	0,98	-	2,05	0,98	1,00	1,61
20	ZDBK-E / ZLVT 0015	0,98	-	1,37	0,98	1,00	1,37
21	ZKSK-VB	-	2,15	-	-	-	-
22	ZKSK-VB/R	-	1,91	-	-	-	-
23	ZKSK-VB/Rplus	-	2,15	-	-	-	-
24	ZKSK-VB/Rplus with pile tip	-	2,15	-	-	-	-
25	ZKSK-VB-Modul 4,8	-	1,16	-	-	-	-
26	ZKSK-VB/R-Modul 4,8	-	1,16	-	-	-	-
27	ZTSK-VB 4,8	-	1,62	-	-	-	-
28	ZDBK-VB / ZLVT 0001	-	2,15	-	-	-	-
29	ZDBK-VB / ZLVT 0005	-	2,13	-	-	-	-
30	ZDBK-VB / ZLVT 0015	-	1,37	-	-	-	-

For timber substructures

thickness "t" also represents the minimum of effective embedment depth

( = penetration length of threaded part)

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 170

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure					
		Steelsheet		Timber			
		S280GD - EN 10346	C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636	
		$t \geq 0,75\text{mm}$	$t \geq 1,50\text{mm}$	$t \geq 22\text{mm}$ $\rho_{\min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{\min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 400\text{kg/m}^3$
31	ZKSK-VB-E	-	1,57	-	-	-	-
32	ZKSK-VB-E/R	-	1,57	-	-	-	-
33	ZKSK-VB-E/Rplus	-	1,57	-	-	-	-
34	ZKSK-VB-E/Rplus with pile tip	-	1,57	-	-	-	-
35	ZKSK-VB-E-Modul 4,8	-	1,16	-	-	-	-
36	ZKSK-VB-E/R-Modul 4,8	-	1,16	-	-	-	-
37	ZTSK-VB-E 4,8	-	1,57	-	-	-	-
38	ZDBK-VB-E / ZLVT 0001	-	1,57	-	-	-	-
39	ZDBK-VB-E / ZLVT 0005	-	1,57	-	-	-	-
40	ZDBK-VB-E / ZLVT 0015	-	1,37	-	-	-	-
41	ZDBS / ZLVT 0001	0,97	-	1,13	1,21	1,16	2,47
42	ZDBS / ZLVT 0005	0,97	-	1,13	1,21	1,16	2,47
43	ZDBS / ZLVT 0012	0,97	-	1,13	1,21	1,16	2,47
163	ZSSB / ZDBS	0,97	-	1,13	1,21	1,16	2,47
44	ZDBS-E / ZLVT 0001	1,08	-	1,13	1,21	1,16	2,47
45	ZDBS-E / ZLVT 0005	1,08	-	1,13	1,21	1,16	2,47
46	ZDBS-E / ZLVT 0012	1,08	-	1,13	1,21	1,16	2,47
164	ZSSB / ZDBS-E	1,08	-	1,13	1,21	1,16	2,47

For timber substructures

thickness "t" also represents the minimum of effective embedmend depth  
( = penetration length of threaded part)

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure					
		Steelsheet		Timber			
		S280GD - EN 10346	C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636	
		$t \geq 0,75\text{mm}$	$t \geq 1,50\text{mm}$	$t \geq 22\text{mm}$ $\rho_{\min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{\min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 400\text{kg/m}^3$
107	ZMDS-R	1,85	-	1,85	0,94	1,24	1,85
108	ZMDS-Modul 6,0	1,16	-	1,16	0,94	1,16	1,16
109	ZMDS-R-Modul 6,0	1,16	-	1,16	0,94	1,16	1,16
110	ZHVM-Multi	1,61	-	1,61	0,94	1,24	1,61
111	ZTSK-Multi 6,0	1,41	-	1,41	0,94	1,24	1,41
112	ZMDS / ZLVT 0008	1,71	-	1,71	0,94	1,24	1,71
113	ZMDS / ZLVT 0012	1,67	-	1,67	0,94	1,24	1,67
165	ZSSB / ZMDS	1,69	-	1,85	0,94	1,24	1,85
126	ZSSB 6,0 / clickplate / ZMDS 6,0	1,69	-	1,85	0,94	1,24	1,85
138	ZSSB 6,0	1,41	-	1,41	0,94	1,24	1,41
150	ZSSB-Multi-Modul 6,0	1,16	-	1,16	0,94	1,16	1,16
114	ZMDS-E/R	1,85	-	1,85	0,94	1,24	1,85
115	ZMDS-E-Modul 6,0	1,16	-	1,16	0,94	1,16	1,16
116	ZMDS-E/R-Modul 6,0	1,16	-	1,16	0,94	1,16	1,16
117	ZHVM-E-Multi	1,61	-	1,61	0,94	1,24	1,61
118	ZTSK-E 6,0	1,41	-	1,41	0,94	1,24	1,41
119	ZMDS-E / ZLVT 0008	1,71	-	1,71	0,94	1,24	1,71
120	ZMDS-E / ZLVT 0012	1,67	-	1,67	0,94	1,24	1,67
166	ZSSB / ZMDS-E	1,85	-	1,85	0,94	1,24	1,85
127	ZSSB 6,0 / clickplate / ZMDS-E 6,0	1,85	-	1,85	0,94	1,24	1,85
139	ZSSB-E 6,0	1,41	-	1,41	0,94	1,24	1,41
151	ZSSB-E-Multi 6,0	1,16	-	1,16	0,94	1,16	1,16

For timber substructures

thickness "t" also represents the minimum of effective embedment depth  
( = penetration length of threaded part)

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure					
		Steelsheet		Timber			
		S280GD - EN 10346	C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636	
		$t \geq 0,75\text{mm}$	$t \geq 1,50\text{mm}$	$t \geq 22\text{mm}$ $\rho_{\min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{\min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{\min} = 400\text{kg/m}^3$
121	ZDBK-TK / ZLVT 0016	1,21	-	-	-	-	-
122	ZSSB 4,8 / clickplate / ZDBK 4,8	0,92	-	-	-	-	-
123	ZSSB 4,8 / clickplate / ZDBK-E 4,8	0,92	-	2,05	0,98	1,00	1,61
124	ZSSB 4,8 / clickplate / ZDBK-VB 4,8	-	2,15	-	-	-	-
125	ZSSB 4,8 / clickplate / ZDBK-VB-E 4,8	-	1,57	-	-	-	-
134	ZSSB 4,8	0,92	-	-	-	-	-
135	ZSSB-E 4,8	0,92	-	1,41	0,98	1,00	1,41
136	ZSSB-VB 4,8	-	1,41	-	-	-	-
137	ZSSB-VB-E 4,8	-	1,41	-	-	-	-
146	ZSSB-Modul 4,8	0,92	-	-	-	-	-
147	ZSSB-E-Modul 4,8	0,92	-	1,16	0,98	1,00	1,16
148	ZSSB-VB-Modul 4,8	-	1,16	-	-	-	-
149	ZSSB-VB-E-Modul 4,8	-	1,16	-	-	-	-

For timber substructures

thickness "t" also represents the minimum of effective embedment depth

(= penetration length of threaded part)

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure				
		Aluminium		Steelsheet		
		EN 485, $t \geq 0,50\text{mm}$		S280GD - EN 10346		
		$R_m$ $\geq 165\text{N/mm}^2$	$R_m$ $\geq 215\text{N/mm}^2$	$t \geq 0,50\text{mm}$	$t \geq 0,75\text{mm}$	$t \geq 1,50\text{mm}$
71	ZDBK-Dowel / ZKSH oval	0,33	0,43	0,65	1,53	-
72	ZDBK-Dowel / R / ZKSH round	0,33	0,43	0,65	1,53	-
73	ZKSK-Dowel/Rplus	0,33	0,43	0,65	1,53	-
74	ZKSK-Dowel/Rplus with pile tip	0,33	0,43	0,65	1,53	-
80	ZTSK-Dowel 4,8	0,33	0,43	0,65	1,19	-
81	ZDBK-Dowel / ZLVT 0001	0,33	0,43	0,65	1,19	-
130	ZSSB 4,8 / clickplate / ZDBK-Dowel 4,8	0,33	0,43	0,65	1,53	-
142	ZSSB-Dowel 4,8	0,33	0,43	0,65	1,41	-
154	ZSSB-Dowel-Modul 4,8	0,33	0,43	0,65	1,16	-
159	ZSSB-ZHRD	0,36	0,47	0,41	1,02	-
162	ZSSB-ZHRD-Modul 4,8	0,36	0,47	0,41	1,02	-
103	ZHRD	0,36	0,47	0,41	1,02	-
104	ZHRD-R	0,36	0,47	0,41	1,02	-
105	ZHRD-on-Modul 4,8	0,36	0,47	0,41	1,02	-
106	ZHRD-on-Modul-R 4,8	0,36	0,47	0,41	1,02	-

pre-drill  
 $\emptyset$  [mm]

159	ZSSB-ZHRD	10,0
162	ZSSB-ZHRD-Modul 4,8	10,0
103	ZHRD	10,0
104	ZHRD-R	10,0
105	ZHRD-on-Modul 4,8	10,0
106	ZHRD-on-Modul-R 4,8	10,0

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 174

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Timber			
		C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636
		$t \geq 22\text{mm}$ $\rho_{min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{min} = 400\text{kg/m}^3$
47	ZHSK	1,71	1,21	1,80	1,27
48	ZHSK-R	1,71	1,21	1,80	1,27
49	ZHSK-Rplus	1,71	1,21	1,80	1,27
50	ZHSK-Rplus with pile tip	1,71	1,21	1,80	1,27
51	ZHSK-Modul 4,8	1,16	1,16	1,16	1,16
52	ZHSK-R-Modul 4,8	1,16	1,16	1,16	1,16
53	ZTSK-Timber 4,8	1,58	1,21	1,58	1,27
54	ZHBK / ZLVT 0001	1,71	1,21	1,80	1,27
55	ZHBK / ZLVT 0005	1,71	1,21	1,80	1,27
56	ZHBK / ZLVT 0015	1,38	1,21	1,38	1,27
128	ZSSB 4,8 / clickplate / ZHBK 4,8	1,71	1,21	1,80	1,27
140	ZSSB-Timber 4,8	1,41	1,21	1,41	1,27
152	ZSSB-Timber-Modul 4,8	1,16	1,16	1,16	1,16
57	ZHSK-E	1,71	1,21	1,80	1,27
58	ZHSK-E/R	1,71	1,21	1,80	1,27
59	ZHSK-E/Rplus	1,71	1,21	1,80	1,27
60	ZHSK-E/Rplus with pile tip	1,71	1,21	1,80	1,27
61	ZHSK-E-Modul 4,8	1,16	1,16	1,16	1,16
62	ZHSK-E/R-Modul 4,8	1,16	1,16	1,16	1,16
67	ZTSK-E-Timber 4,8	1,58	1,21	1,58	1,27
68	ZHBK-E / ZLVT 0001	1,71	1,21	1,80	1,27
69	ZHBK-E / ZLVT 0005	1,71	1,21	1,80	1,27
70	ZHBK-E / ZLVT 0015	1,38	1,21	1,38	1,27
129	ZSSB 4,8 / clickplate / ZHBK-E 4,8	1,71	1,21	1,80	1,27
141	ZSSB-E-Timber	1,41	1,21	1,41	1,27
153	ZSSB-E-Timber-Modul 4,8	1,16	1,16	1,16	1,16

For timber substructures

thickness "t" also represents the minimum of effective embedment depth

( = penetration length of threaded part)

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Timber			
		C24, EN 338	OSB3, EN 300	Particleboard EN 312 / P5	Plywood EN 636
		$t \geq 22\text{mm}$ $\rho_{min} = 350\text{kg/m}^3$	$t \geq 18\text{mm}$ $\rho_{min} = 550\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{min} = 500\text{kg/m}^3$	$t \geq 19\text{mm}$ $\rho_{min} = 400\text{kg/m}^3$
82	ZKGK-E/R	1,43	1,08	1,40	1,52
83	ZKGK-E-Modul 6,0	1,16	1,08	1,16	1,16
84	ZKGK-E/R-Modul 6,0	1,16	1,08	1,16	1,16
85	ZHVM-E-HPB	1,43	1,08	1,40	1,52
86	ZTSK-E-Pumice 6,0	1,33	1,08	1,33	1,33
87	ZGBK-E / ZLVT 0008	1,34	1,08	1,34	1,34
88	ZGBK-E / ZLVT 0012	1,28	1,08	1,28	1,28
131	ZSSB 6,0 / clickplate / ZGBK-E 6,0	1,43	1,08	1,40	1,52
143	ZSSB-HPB 6,0	1,41	1,08	1,40	1,27
155	ZSSB-HPB-Modul 6,0	1,16	1,08	1,16	1,16
167	ZSSB / ZGBK-E	1,43	1,08	1,40	1,52

For timber substructures

thickness "t" also represents the minimum of effective embedment depth

( = penetration length of threaded part)

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Concrete EN 206-1		Aerated Concrete EN 12602	Pumice EN 1520
		C12/15	C25/30	AAC 3,5 $\rho_{class}= 500$	AAC 4,5 $\rho_{class}= 600$
63	ZSDK-E-Modul 4,8	1,16	1,16	0,82	1,12
64	ZSDK-E/R-Modul 4,8	1,16	1,16	0,82	1,12
65	ZSDK-E	1,48	1,48	0,82	1,12
66	ZSDK-E/R	1,48	1,48	0,82	1,12
82	ZKGK-E/R	-	-	1,03	1,60
83	ZKGK-E-Modul 6,0	-	-	1,03	1,16
84	ZKGK-E/R-Modul 6,0	-	-	1,03	1,16
85	ZHVM-E-HPB	-	-	1,03	1,60
86	ZTSK-E-Pumice 6,0	-	-	1,03	1,33
87	ZGBK-E / ZLVT 0008	-	-	1,03	1,34
88	ZGBK-E / ZLVT 0012	-	-	1,03	1,28
131	ZSSB 6,0 / clickplate / ZGBK-E 6,0	-	-	1,03	1,28
143	ZSSB-HPB 6,0	-	-	1,03	1,28
155	ZSSB-HPB-Modul 6,0	-	-	1,03	1,16
167	ZSSB / ZGBK-E	-	-	1,03	1,60
161	ZSSB-E-Dowel-Modul 4,8	1,16	1,16	-	-
					1,10

		Concrete		Aerated Concrete		Pumice	
		min. setting depth [mm]	pre-drill Ø [mm]	min. setting depth [mm]	pre-drill Ø [mm]	min. setting depth [mm]	pre-drill Ø [mm]
63	ZSDK-E-Modul 4,8	40,0	8,0	60,0	8,0	60,0	8,0
64	ZSDK-E/R-Modul 4,8	40,0	8,0	60,0	8,0	60,0	8,0
65	ZSDK-E	40,0	8,0	60,0	8,0	60,0	8,0
66	ZSDK-E/R	40,0	8,0	60,0	8,0	60,0	8,0
82	ZKGK-E/R	-	-	60,0	-	60,0	-
83	ZKGK-E-Modul 6,0	-	-	60,0	-	60,0	-
84	ZKGK-E/R-Modul 6,0	-	-	60,0	-	60,0	-
85	ZHVM-E-HPB	-	-	60,0	-	60,0	-
86	ZTSK-E-Pumice 6,0	-	-	60,0	-	60,0	-
87	ZGBK-E / ZLVT 0008	-	-	60,0	-	60,0	-
88	ZGBK-E / ZLVT 0012	-	-	60,0	-	60,0	-
131	ZSSB 6,0 / clickplate / ZGBK-E 6,0	-	-	60,0	-	60,0	-
143	ZSSB-HPB 6,0	-	-	60,0	-	60,0	-
155	ZSSB-HPB-Modul 6,0	-	-	60,0	-	60,0	-
167	ZSSB / ZGBK-E	-	-	60,0	-	60,0	-
161	ZSSB-E-Dowel-Modul 4,8	40,0	8,0	-	-	60,0	8,0

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 177

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Concrete EN 206-1		Aerated Concrete EN 12602	Pumice EN 1520
		C12/15	C25/30	AAC 3,5 $\rho_{class}= 500$	AAC 4,5 $\rho_{class}= 600$
75	ZSDK-Modul 4,8	1,16	1,16	1,16	1,16
76	ZSDK-R-Modul 4,8	1,16	1,16	1,16	1,10
77	ZSDK	1,55	1,55	1,21	1,21
78	ZSDK-R	1,55	1,55	1,21	1,21
79	ZTSD	1,42	1,42	1,21	1,21
158	ZSSB-Dowel-Ext 4,8	1,41	1,41	1,21	1,10
160	ZSSB-Dowel-Ext-Modul 4,8	1,16	1,16	1,16	1,10

	Concrete		Aerated Concrete		Pumice	
	min. setting depth [mm]	pre-drill $\emptyset$ [mm]	min. setting depth [mm]	pre-drill $\emptyset$ [mm]	min. setting depth [mm]	pre-drill $\emptyset$ [mm]
75	ZSDK-Modul 4,8	40,0	8,0	60,0	8,0	60,0
76	ZSDK-R-Modul 4,8	40,0	8,0	60,0	8,0	60,0
77	ZSDK	40,0	8,0	60,0	8,0	60,0
78	ZSDK-R	40,0	8,0	60,0	8,0	60,0
79	ZTSD	40,0	8,0	60,0	8,0	60,0
158	ZSSB-Dowel-Ext 4,8	40,0	8,0	60,0	8,0	60,0
160	ZSSB-Dowel-Ext-Modul 4,8	40,0	8,0	60,0	8,0	60,0

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 178

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Concrete EN 206-1		Aerated Concrete EN 12602	Pumice EN 1520
		C12/15	C25/30	AAC 3,5 $\rho_{class}= 500$	AAC 4,5 $\rho_{class}= 600$
89	ZBSK-R	1,60	1,85	-	-
90	ZBSK-Modul 6,0	1,16	1,16	-	-
91	ZBSK-R-Modul 6,0	1,16	1,16	-	-
92	ZHVM-Concrete	1,60	1,61	-	-
93	ZTSK-Concrete 6,0	1,41	1,41	-	-
94	ZBST / ZLVT 0008	1,60	1,71	-	-
95	ZBST / ZLVT 0012	1,60	1,67	-	-
96	ZBSK-E/R	1,60	1,71	-	-
97	ZBSK-E-Modul 6,0	1,16	1,16	-	-
98	ZBSK-E/R-Modul 6,0	1,16	1,16	-	-
99	ZHVM-E-Concrete	1,60	1,61	-	-
100	ZTSK-E-Concrete 6,0	1,41	1,41	-	-
101	ZBST-E / ZLVT 0008	1,60	1,71	-	-
102	ZBST-E / ZLVT 0012	1,60	1,67	-	-

Concrete

min. setting depth [mm]	pre-drill $\emptyset$ [mm]
----------------------------	-------------------------------

89	ZBSK-R	30,0	5,0
90	ZBSK-Modul 6,0	30,0	5,0
91	ZBSK-R-Modul 6,0	30,0	5,0
92	ZHVM-Concrete	30,0	5,0
93	ZTSK-Concrete 6,0	30,0	5,0
94	ZBST / ZLVT 0008	30,0	5,0
95	ZBST / ZLVT 0012	30,0	5,0
96	ZBSK-E/R	40,0	5,0
97	ZBSK-E-Modul 6,0	40,0	5,0
98	ZBSK-E/R-Modul 6,0	40,0	5,0
99	ZHVM-E-Concrete	40,0	5,0
100	ZTSK-E-Concrete 6,0	40,0	5,0
101	ZBST-E / ZLVT 0008	40,0	5,0
102	ZBST-E / ZLVT 0012	40,0	5,0

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 179

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Concrete EN 206-1		Aerated Concrete EN 12602	Pumice EN 1520
		C12/15	C25/30	AAC 3,5 $\rho_{class}=500$	AAC 4,5 $\rho_{class}=600$
103	ZHRD	-	-	-	1,02
104	ZHRD-R	-	-	-	1,02
105	ZHRD-on-Modul 4,8	-	-	-	1,02
106	ZHRD-on-Modul-R 4,8	-	-	-	1,02
132	ZSSB 6,0 / clickplate / ZBST 6,3	1,60	1,85	-	-
133	ZSSB 6,0 / clickplate / ZBST-E 6,3	1,60	1,71	-	-
144	ZSSB-Concrete 6,0	1,41	1,41	-	-
145	ZSSB-E-Concrete 6,0	1,41	1,41	-	-
156	ZSSB-Concrete-Modul 6,0	1,16	1,16	-	-
157	ZSSB-E-Concrete-Modul 6,0	1,16	1,16	-	-
159	ZSSB-ZHRD	-	-	-	1,02
162	ZSSB-ZHRD-Modul 4,8	-	-	-	1,02
168	ZSSB / ZBST	1,60	1,85	-	-
169	ZSSB / ZBST-E	1,60	1,71	-	-

		Concrete		Pumice	
		min. setting depth [mm]	pre-drill $\emptyset$ [mm]	min. setting depth [mm]	pre-drill $\emptyset$ [mm]
103	ZHRD	-	-	80,0	10,0
104	ZHRD-R	-	-	80,0	10,0
105	ZHRD-on-Modul 4,8	-	-	80,0	10,0
106	ZHRD-on-Modul-R 4,8	-	-	80,0	10,0
132	ZSSB 6,0 / clickplate / ZBST 6,3	30,0	5,0	-	-
133	ZSSB 6,0 / clickplate / ZBST-E 6,3	40,0	5,0	-	-
144	ZSSB-Concrete 6,0	30,0	5,0	-	-
145	ZSSB-E-Concrete 6,0	40,0	5,0	-	-
156	ZSSB-Concrete-Modul 6,0	30,0	5,0	-	-
157	ZSSB-E-Concrete-Modul 6,0	40,0	5,0	-	-
159	ZSSB-ZHRD	-	-	80,0	10,0
162	ZSSB-ZHRD-Modul 4,8	-	-	80,0	10,0
168	ZSSB / ZBST	30,0	5,0	-	-
169	ZSSB / ZBST-E	40,0	5,0	-	-

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 180

Characteristic Axial Load Resistance  $N_{R,k}$  [kN]

Annex	ZAHN Flat Roof Fasteners	Substructure			
		Concrete EN 206-1		Aerated Concrete EN 12602	Pumice EN 1520
		C12/15	C25/30	AAC 3,5 $\rho_{class}= 500$	AAC 4,5 $\rho_{class}= 600$
107	ZMDS-R	1,51	1,51	-	-
108	ZMDS-Modul 6,0	1,16	1,16	-	-
109	ZMDS-R-Modul 6,0	1,16	1,16	-	-
110	ZHVM-Multi	1,51	1,51	-	-
111	ZTSK-Multi 6,0	1,41	1,41	-	-
112	ZMDS/ ZLVT 0008	1,51	1,51	-	-
113	ZMDS/ ZLVT 0012	1,51	1,51	-	-
126	ZSSB 6,0 / clickplate / ZMDS 6,0	1,51	1,51	-	-
138	ZSSB 6,0	1,41	1,41	-	-
150	ZSSB-Multi-Modul 6,0	1,16	1,16	-	-
165	ZSSB / ZMDS	1,51	1,51	-	-
114	ZMDS-E/R	1,51	1,51	-	-
115	ZMDS-E-Modul 6,0	1,16	1,16	-	-
116	ZMDS-E/R-Modul 6,0	1,16	1,16	-	-
117	ZHVM-E-Multi	1,51	1,51	-	-
118	ZTSK-E 6,0	1,41	1,41	-	-
119	ZMDS-E / ZLVT 0008	1,51	1,51	-	-
120	ZMDS-E / ZLVT 0012	1,51	1,51	-	-
127	ZSSB 6,0 / clickplate / ZMDS-E 6,0	1,51	1,51	-	-
139	ZSSB-E 6,0	1,41	1,41	-	-
151	ZSSB-E-Multi 6,0	1,16	1,16	-	-
166	ZSSB / ZMDS-E	1,51	1,51	-	-

Concrete			
	min. setting depth [mm]	pre-drill $\emptyset$ [mm]	
107	ZMDS-R	30,0	5,0
108	ZMDS-Modul 6,0	30,0	5,0
109	ZMDS-R-Modul 6,0	30,0	5,0
110	ZHVM-Multi	30,0	5,0
111	ZTSK-Multi 6,0	30,0	5,0
112	ZMDS/ ZLVT 0008	30,0	5,0
113	ZMDS/ ZLVT 0012	30,0	5,0
126	ZSSB 6,0 / clickplate / ZMDS 6,0	30,0	5,0
138	ZSSB 6,0	30,0	5,0
150	ZSSB-Multi-Modul 6,0	30,0	5,0
165	ZSSB / ZMDS	30,0	5,0
114	ZMDS-E/R	40,0	5,0
115	ZMDS-E-Modul 6,0	40,0	5,0
116	ZMDS-E/R-Modul 6,0	40,0	5,0
117	ZHVM-E-Multi	40,0	5,0
118	ZTSK-E 6,0	40,0	5,0
119	ZMDS-E / ZLVT 0008	40,0	5,0
120	ZMDS-E / ZLVT 0012	40,0	5,0
127	ZSSB 6,0 / clickplate / ZMDS-E 6,0	40,0	5,0
139	ZSSB-E 6,0	40,0	5,0
151	ZSSB-E-Multi 6,0	40,0	5,0
166	ZSSB / ZMDS-E	40,0	5,0

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 181