

Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and
Laender Governments



European Technical Assessment

ETA-09/0346
of 29 June 2018

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:	Deutsches Institut für Bautechnik
Trade name of the construction product	KOELNER Flat Roof Fasteners
Product family to which the construction product belongs	Fasteners for flexible roof waterproofing membrane systems
Manufacturer	RAWLPLUG S.A. Kwidzynska 6 51-416 WROCLAW POLEN
Manufacturing plant	RAWLPLUG S.A. Kwidzynska 6 51-416 WROCLAW POLEN
This European Technical Assessment contains	59 pages including 54 annexes which form an integral part of this assessment
This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of	ETAG 006, used as EAD according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011.
This version replaces	ETA-09/0346 issued on 21 June 2013

**European Technical Assessment
ETA-09/0346**

English translation prepared by DIBt

Page 2 of 59 | 29 June 2018

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

Specific Part

1 Technical description of the product

The construction products are mechanical fasteners.

The fasteners comprise a screw made of galvanic coated carbon steel and a washer with or without integrated sleeve. The washers without integrated sleeve are made of galvanic coated carbon steel whereas the washers with integrated sleeve are made of plastic materials (polyamide or polypropylene).

The fasteners shall correspond to the information given in Annexes 1 to 53 of this ETA.

The material properties, dimensions and tolerances not indicated in Annexes 1 to 53 shall correspond to the information laid down in the technical information¹ to this European technical assessment.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The fasteners are intended to be used for the fastening of flexible roof waterproofing membranes according to ETAG 006. The possible substructures are steel decks, timber or concrete.

The performances given in Section 3 are only valid if the fasteners are used in compliance with the specifications and conditions given in the Annexes to this ETA and if the installation is carried out according to the manufacturer's assembly instructions.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fasteners of at least 10 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

In order to use the fasteners for systems of mechanically fastened flexible roof waterproofing membranes according to ETAG 006 a separate ETA is necessary for the entire roof waterproofing system. The system ETA covers the wind uplift resistance of the entire system as well as the product characteristics of the components of the system.

¹ The technical documentation is deposited with Deutsches Institut für Bautechnik and as far as relevant for the tasks of the approved bodies involved in the implementation of the AVCP system is handed over to the approved bodies.

3 Performance of the product and references to the methods used for its assessment**3.1 Safety and accessibility in use (BWR 4)**

Essential characteristic	Performance
Characteristic tensile loading	See Annex 54
Resistance to unwinding	pass
Resistance to corrosion of metallic fasteners	pass; $\leq 15\%$ surface corrosion
Impact resistance and brittleness of plastic fasteners (before and after heat ageing)	pass; drop height $> 1,0$ m
Requirements for results of Charpy tests for plastic materials (before and after heat ageing)	pass; not any significant decline compared to the results before heat ageing

The characteristic values of the axial load resistance of the fasteners are given in Annex 54. The values were determined by axial loading tests according to ETAG 006.

The fasteners are deemed to satisfy the requirements of ETAG 006 concerning unwinding. This was evaluated on the basis of the existing field experience of the manufacturer.

The durability requirements of ETAG 006 (resistance to corrosion of metallic fasteners, impact resistance and brittleness of plastic fasteners before and after heat ageing, requirements for results of Charpy tests for plastic materials before and after heat ageing) are satisfied for the galvanic coated carbon steel, polyamide or polypropylene components of the fasteners.

All coated carbon steel components resisted to 15 cycles of the test procedure described in ETAG 006 (Kesternich test) and did not show more than 15 % surface corrosion.

The test results of the tests to check the impact resistance and brittleness of the plastic components showed a drop height of more than 1,0 m before and after heat ageing of these components. Furthermore the results of the corresponding Charpy tests after heat ageing did not show any significant decline compared to the results before heat ageing.

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with ETAG 006 the applicable European legal act is: 1998/143/EC.

The system to be applied is: 2+


5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD


Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.


Issued in Berlin on 29 June 2018 by Deutsches Institut für Bautechnik


BD Dipl.-Ing. Andreas Kummerow
Head of Department


beglaubigt:
Reimuth















KOELNER Flat Roof Fasteners

Combination 6

Mount: POW-05-AlZn
Fastener: WX (PH2- or Torx25-Drive)

Annex 6






KOELNER Flat Roof Fasteners

Combination 7

Mount: POW-07-AlZn
Fastener: WX (PH2- or Torx25-Drive)

Annex 7





KOELNER Flat Roof Fasteners


Combination 8


Mount: POK-041-AlZn
Fastener: WX (PH2- or Torx25-Drive)


Annex 8






























KOELNER Flat Roof Fasteners

Combination 18

Mount: POW-05-AlZn
Fastener: WO (PH2- or Torx25-Drive)

Annex 18







KOELNER Flat Roof Fasteners


Combination 20


Mount: POK-041-AlZn
Fastener: WO (PH2- or Torx25-Drive)

Annex 20











English translation prepared by DIBt

electronic copy of the eta by dibt: eta-09/0346






KOELNER Flat Roof Fasteners

Combination 26

Mount: POW-05-AlZn
Fastener: WO (PH2- or Torx25-Drive) with K08

Annex 26




KOELNER Flat Roof Fasteners

Combination 27

Mount: POW-07-AlZn
Fastener: WO (PH2- or Torx25-Drive) with K08

Annex 27







KOELNER Flat Roof Fasteners

Combination 28

Mount: POK-041-AlZn
Fastener: WO (PH2- or Torx25-Drive) with K08

Annex 28




KOELNER Flat Roof Fasteners

Combination 29

Mount: GOK
Fastener: WBT

Annex 29







KOELNER Flat Roof Fasteners

Combination 30

Mount: GOK-PLUS
Fastener: WBT

Annex 30




KOELNER Flat Roof Fasteners

Combination 31

Mount: GOK75
Fastener: WBT

Annex 31




KOELNER Flat Roof Fasteners

Combination 32

Mount: GOW
Fastener: WBT

Annex 32




KOELNER **Flat Roof Fasteners**

Combination 33

Mount: GOW-PLUS
Fastener: WBT

Annex 33




KOELNER Flat Roof Fasteners

Combination 34

Mount: POW-07-AlZn
Fastener: WBT

Annex 34






KOELNER Flat Roof Fasteners

Combination 35

Mount: POW-09-AlZn
Fastener: WBT

Annex 35








KOELNER Flat Roof Fasteners

Combination 36

Mount: POK-041-AlZn
Fastener: WBT

Annex 36









KOELNER Flat Roof Fasteners

Combination 38

Mount: GOK-PLUS
Fastener: WBT-A

Annex 38




KOELNER Flat Roof Fasteners

Combination 39

Mount: GOK75
Fastener: WBT-A

Annex 39





KOELNER Flat Roof Fasteners


Combination 40

Mount: GOW
Fastener: WBT-A

Annex 40



TORX25




KOELNER Flat Roof Fasteners

Combination 41

Mount: GOW-PLUS
Fastener: WBT-A

Annex 41




KOELNER Flat Roof Fasteners

Combination 42

Mount: POW-07-AlZn
Fastener: WCS

Annex 42




KOELNER Flat Roof Fasteners

Combination 43

Mount: POW-09-AlZn
Fastener: WCS

Annex 43





KOELNER Flat Roof Fasteners


Combination 44

Mount: POK-041-AlZn
Fastener: WCS

Annex 44









KOELNER Flat Roof Fasteners


Combination 47

Mount: GOK75
Fastener: WW (PH2- or Torx25-Drive)

Annex 47








KOELNER Flat Roof Fasteners

Combination 50

Mount: POW-05-AlZn
Fastener: WW (PH2- or Torx25-Drive)

Annex 50




electronic copy of the eta by dibt: eta-09/0346

KOELNER Flat Roof Fasteners

Combination 51

Mount: POW-07-AlZn
Fastener: WW (PH2- or Torx25-Drive)

Annex 51






KOELNER Flat Roof Fasteners

Combination 52

Mount: POW-09-AlZn
Fastener: WW (PH2- or Torx25-Drive)

Annex 52



KOELNER Flat Roof Fasteners

Combination 53

Mount: POK-041-AlZn
Fastener: WW (PH2- or Torx25-Drive)

Annex 53

English translation prepared by DIBt

No.	Screw	Mount	Metal sheetings ¹⁾								Structural Timber ²⁾	Plywood ³⁾	OSB ⁴⁾	Concrete ⁵⁾ Light-concrete ⁶⁾
			0,50	0,63	0,75	0,88	1,00	1,25	1,50					
1	WX (T25 / PH2)	GOK	—	0,76	1,01	1,28	1,53	1,66	1,66	—	—	—	—	
2		GOK-PLUS						1,73	1,73					
3		GOK75						1,71	1,71					
4		GOW						2,05	2,57					
5		GOW-PLUS												
6		POW-05-AlZn												
7		POW-07-AlZn												
8		POK-041-AlZn												
9	WB	POW-05-AlZn	—	0,68	0,96	1,25	1,53	2,10	2,68	—	—	—	—	
10		POW-07-AlZn												
11		POW-09-AlZn												
12		POK-041-AlZn												
13	WO (T25 / PH2)	GOK	0,40	0,68	0,93	1,20	1,45	1,66	1,66	1,45	1,57	1,08	—	
14		GOK-PLUS						1,73	1,73					
15		GOK75						1,71	1,71					
16		GOW						1,97	2,50					
17		GOW-PLUS												
18		POW-05-AlZn												
19		POW-07-AlZn												
20		POK-041-AlZn												
21	WO (T25 / PH2) with Dowel K08	GOK	—	—	—	—	—	—	—	—	—	—	1,66	
22		GOK-PLUS												
23		GOK75												
24		GOW												
25		GOW-PLUS												
26		POW-05-AlZn												
27		POW-07-AlZn												
28		POK-041-AlZn												
29	WBT	GOK	—	—	—	—	—	—	—	1,59	1,47	0,98	1,66	
30		GOK-PLUS												
31		GOK75												
32		GOW												
33		GOW-PLUS												
34		POW-07-AlZn												
35		POW-09-AlZn												
36		POK-041-AlZn												
37	WBT-A	GOK	—	—	—	—	—	—	—	—	—	—	1,66	
38		GOK-PLUS												
39		GOK75												
40		GOW												
41		GOW-PLUS												
42	WCS	POW-07-AlZn	—	—	—	—	—	—	—	—	—	—	4,71	
43		POW-09-AlZn												
44		POK-041-AlZn												
45	WW	GOK	—	—	—	—	—	—	—	1,66	1,32	—	1,73	
46		GOK-PLUS												
47		GOK75												
48		GOW												
49		GOW-PLUS												
50		POW-05-AlZn												
51		POW-07-AlZn												
52		POW-09-AlZn												
53		POK-041-AlZn												

¹⁾ Steel S280GD - EN 10346,
²⁾ Structural Timber / C24 - EN 338,
³⁾ Plywood - EN 12369-2,
⁴⁾ OSB/3 - EN 12369-1,
⁵⁾ Concrete C25/30 - EN 206-1,
⁶⁾ Lightconcrete C12/15 - EN 206-1,

nominal thickness t_w in mm
 $\rho_{min} = 350\text{kg/m}^3$, effective embedment depth (penetration length of threaded part) $l_{ef} \geq 24\text{mm}$
 $\rho_{min} = 400\text{kg/m}^3$, effective embedment depth (penetration length of threaded part) $l_{ef} \geq 20\text{mm}$
 $\rho_{min} = 550\text{kg/m}^3$, effective embedment depth (penetration length of threaded part) $l_{ef} \geq 18\text{mm}$
 for WO with K08, $d_{pd} = 08,0\text{mm}$ and $l_{ef} \geq 40\text{mm}$, for WO with K08, $d_{pd} = 08,0\text{mm}$ and $l_{ef} \geq 40\text{mm}$, for WBT / WBT-A / WCS, $d_{pd} = 05,0\text{mm}$ and $l_{ef} \geq 30\text{mm}$
 for WBT / WBT-A / WCS, $d_{pd} = 05,0\text{mm}$ and $l_{ef} \geq 30\text{mm}$

KOELNER Flat Roof Fasteners

Characteristic Values of Axial Load Resistance in kN