

Approval body for construction products  
and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and  
Laender Governments

★ ★ ★  
★ Designated  
according to  
Article 29 of Regula-  
tion (EU) No 305/2011  
and member of EOTA  
(European Organi-  
sation for Technical  
Assessment)  
★ ★ ★  
★ ★

## European Technical Assessment

ETA-08/0033  
of 15 August 2022

English translation prepared by DIBt - Original version in German language

### General Part

Technical Assessment Body issuing the  
European Technical Assessment:

Trade name of the construction product

Product family  
to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment  
contains

This European Technical Assessment is  
issued in accordance with Regulation (EU)  
No 305/2011, on the basis of

This version replaces

Deutsches Institut für Bautechnik

Zahn Flat Roof Fasteners

Fasteners for flexible roof waterproofing systems

Harald Zahn GmbH  
Ludwig-Wagner-Str. 10  
69168 Wiesloch  
DEUTSCHLAND

Factories of Harald Zahn GmbH

221 pages including 216 pages with annexes which form  
an integral part of this assessment

EAD 030351-00-0402

ETA-08/0033 issued on 13 March 2018

**European Technical Assessment**  
**ETA-08/0033**  
English translation prepared by DIBt

Page 2 of 221 | 15 August 2022

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

**European Technical Assessment**

**ETA-08/0033**

English translation prepared by DIBt

Page 3 of 221 | 15 August 2022

**Specific Part**

**1 Technical description of the product**

The construction products are mechanical fasteners.

The fasteners comprise a screw made of coated carbon or stainless steel and a steel bar or a washer made of metal or plastic materials (polyamide). The washers without integrated sleeve are made of coated steel or plastic materials.

The washers made of plastic materials partially have a formed or adaptable sleeve. In conjunction with the steel bar a sleeve, which has a collar, will each be inserted into a hole prepared in the bar's ground and sits with its collar on the bar's ground.

The sleeve is designed either as a hollow shaft receiving the screw, from whose shaft tip the screw emerges or as an anchor sleeve expandable by the screw. Such a dowel sleeve can also be adapted to the sleeve formed as a hollow shaft. Likewise, a dowel sleeve may be formed as a cavity anchor.

The washer with sleeve can be composed from individual components beyond.

The plastic washers are probably provided with additional sealing washers.

The fasteners shall correspond to the information given in Annexes 1 to 169 of this ETA.

The material properties, dimensions and tolerances not indicated in Annexes 1 to 169 shall correspond to the information laid down in the technical information<sup>1</sup> to this European technical assessment.

**2 Specification of the intended use in accordance with the applicable European Assessment Document**

The fasteners are intended to be used for the fastening of flexible roof waterproofing membranes according to EAD 030351-00-0402. The possible substructures are steel decks, concrete, aerated and light weight concrete, timber, thin plates of steel or aluminium and sandwich panels.

The performances given in Section 3 are only valid if the fasteners are used in compliance with the specifications and conditions given in the Annexes to this ETA and if the installation is carried out according to the manufacturer's assembly instructions.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fasteners of at least 10 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

In order to use the fasteners for systems of mechanically fastened flexible roof waterproofing membranes according to EAD 030351-00-0402 a separate ETA is necessary for the entire roof waterproofing system. The system ETA covers the wind uplift resistance of the entire system as well as the product characteristics of the components of the system.

<sup>1</sup> The technical documentation is deposited with Deutsches Institut für Bautechnik and as far as relevant for the tasks of the approved bodies involved in the attestation of conformity procedure is handed over to the approved bodies.

**European Technical Assessment****ETA-08/0033**

English translation prepared by DIBt

Page 4 of 221 | 15 August 2022

**3 Performance of the product and references to the methods used for its assessment****3.1 Safety and accessibility in use (BWR 4)**

Essential characteristic	Performance
Characteristic tensile loading	See Annexes 170 to 180
Resistance to unwinding	pass
Resistance to corrosion of metallic fasteners	pass; ≤ 15 % surface corrosion
Impact resistance and brittleness of plastic fasteners (before and after heat ageing)	pass; drop height > 1.0 m
Requirements for results of Charpy tests for plastic materials (before and after heat ageing)	pass; not any significant decline compared to the results before heat ageing

The thickness and strengths of the materials listed in the tables of characteristic tensile loads (Annexes 170 to 180) are minimum requirements. The values given are also applicable for materials with higher thickness and strengths. The values of axial loading shown in Annexes 170 to 180 were determined by axial loading tests according to EAD 030351-00-0402.

The fasteners are deemed to satisfy the requirements of EAD 030351-00-0402 concerning unwinding. This was evaluated on the basis of the existing field experience of the manufacturer.

The durability requirements of EAD 030351-00-0402 (resistance to corrosion of metallic fasteners, impact resistance and brittleness of plastic fasteners before and after heat ageing, requirements for results of Charpy tests for plastic materials before and after heat ageing) are satisfied for the coated carbon steel, stainless steel and polyamide components of the fasteners.

All coated carbon steel components resisted to 15 cycles of the test procedure described in EAD 030351-00-0402 (Kesternich test) and did not show more than 15 % surface corrosion.

The test results of the tests to check the impact resistance and brittleness of the polyamide components showed a drop height of more than 1.0 m before and after heat ageing of these components. Furthermore, the results of the corresponding Charpy tests after heat ageing did not show any significant decline compared to the results before heat ageing.

**European Technical Assessment**

**ETA-08/0033**

English translation prepared by DIBt

Page 5 of 221 | 15 August 2022

**4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base**

In accordance with EAD 030351-00-0402 the applicable European legal act is: 1998/143/EC.

The system to be applied is: 2+




**5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD**


Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 15 August 2022 by Deutsches Institut für Bautechnik


Andreas Schult  
Head of Section

*beglaubigt:*  
Reimuth


	
<p>Zahn ZKSH oval</p> 	<p>Zahn ZDBK 4,8 x L</p>  <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 1</p> <p>ZKSK consisting of ZDBK / ZKSH oval</p>	<p>Annex 1</p>



Zahn ZKSH round



Zahn ZDBK 4,8 x L




or  
PH2      Tx25


Zahn Flat Roof Fasteners

Combination 2  
ZKS-R consisting of ZDBK / ZKSH round


Annex 2



Zahn ZKSH-Rplus



Zahn ZDBK 4,8 x L




or  
PH2 Tx25


Zahn Flat Roof Fasteners

Combination 3  
ZKSK-Rplus consisting of ZDBK / ZKSH-Rplus


Annex 3



Zahn ZKSH-Rplus pile tip



Zahn ZDBK 4,8 x L






( or )  
PH2 Tx25





Zahn Flat Roof Fasteners


Combination 4  
ZKS-Rplus with pile tip consisting of ZDBK / ZKSH-Rplus with pile tip

Annex 4


	
<p>Zahn ZKSH oval module 4,8</p> <p>78 x 40<sub>oval</sub></p>   	<p>Zahn ZDBK 4,8 x L</p> <p>ø8,3</p> <p>4,8</p>  <p>or</p> <p>PH2      Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	<p>Annex 5</p>
<p>Combination 5</p> <p>ZKSK Modul 4,8 consisting of ZDBK/ZKSH oval module with module middle piece and spike 4,8</p>	

<p>Zahn ZKSH round module 4,8</p>	<p>Zahn ZDBK 4,8 x L</p>
<p>Zahn Flat Roof Fasteners</p>	<p>Annex 6</p>
<p>Combination 6 ZKS-R-Modul 4,8 consisting of ZDBK / ZKSH round modul with module middle piece and spike 4,8</p>	<p>8.04.02-3/20</p>


	
Zahn ZTSK 4,8	Zahn ZDBK 4,8 x L
	 
Zahn Flat Roof Fasteners	Annex 7
Combination 7 ZTSK 4,8 consisting of ZDBK / ZTSK 4,8	



Zahn ZLVT 0001



Zahn ZDBK 4,8 x L






PH2 or Tx25




Zahn Flat Roof Fasteners


Combination 8  
ZDBK / ZLVT 0001

Annex 8


	
Zahn ZLVT 0005	Zahn ZDBK 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 9
Combination 9 ZDBK / ZLVT 0005	

<p>Zahn ZLVT 0015</p>	<p>Zahn ZDBK 4,8 x L</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 10 ZDBK / ZLVT 0015</p>	<p>Annex 10</p>


	
Zahn ZCTS-pipe 4,8 with ZCTS-plate	Zahn ZDBK 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 10a
Combination 10a ZCTS 4,8 consisting of ZDBK / ZCTS-pipe 4,8 and ZCTS-plate	



Zahn ZCTSplus pipe with pile tip 4,8 with ZCTS-plate






Zahn ZDBK 4,8 x L




Zahn Flat Roof Fasteners


Combination 10b  
ZCTSplus pipe with pile tip 4,8 consisting of ZDBK / ZCTSplus pipe  
with pile tip 4,8 und ZCTS-plate

Annex 10b


	
<p>Zahn ZKSH oval</p> 	<p>Zahn ZDBK-E 4,8 x L</p>  <p>or</p> <p>PH2      Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 11 ZKSK-E consisting of ZDBK-E / ZKSH oval</p>	<p>Annex 11</p>



Zahn ZKSH round



Zahn ZDBK-E 4,8 x L




or  
PH2 Tx25


Zahn Flat Roof Fasteners

Combination 12  
ZKSK-E/R consisting of ZDBK-E / ZKSH round


Annex 12



Zahn ZKSH-Rplus



Zahn ZDBK-E 4,8 x L




or  
PH2 Tx25


Zahn Flat Roof Fasteners

Combination 13  
ZKSK-E/Rplus consisting of ZDBK-E / ZKSH-Rplus


Annex 13



Zahn ZKSH-Rplus with pile tip



Zahn ZDBK-E 4,8 x L










( or )




Zahn Flat Roof Fasteners


Combination 14  
ZKSK-E/Rplus with pile tip consisting of ZDBK-E / ZKSH-Rplus with pile tip

Annex 14


	
<p>Zahn ZKSH oval module 4,8</p> <p>78 x 40<sub>oval</sub></p>   	<p>Zahn ZDBK-E 4,8 x L</p> <p>Ø8,3</p> <p>4,8</p>  <p>or</p> <p>PH2      Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	<p>Annex 15</p>
<p>Combination 15</p> <p>ZKSK-E-Modul 4,8 consisting of ZDBK-E / ZKSH oval module with module middle piece and spike 4,8</p>	

	
<p>Zahn ZKSH round module 4,8</p>  <p>Ø50</p>	<p>Zahn ZDBK-E 4,8 x L</p>  <p>Ø8,3</p> <p>L</p> <p>4,8</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	
<p>Combination 16</p> <p>ZKSK-E/R-Modul 4,8 consisting of ZDBK-E/ZKSH round module with module middle piece and spike 4,8</p>	<p>Annex 16</p>


	
Zahn ZTSK 4,8	Zahn ZDBK-E 4,8 x L
	 Ø8,3 4,8 L PH2 or Tx25
Zahn Flat Roof Fasteners	Annex 17
Combination 17 ZTSK-E 4,8 consisting of ZDBK-E / ZTSK 4,8	



Zahn ZLVT 0001




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 18  
ZDBK-E / ZLVT 0001


Annex 18







Zahn ZLVT 0005




Zahn ZDBK-E 4,8 x L




Zahn ZLVT 0015	Zahn ZDBK-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 20
Combination 20 ZDBK-E / ZLVT 0015	


	
Zahn ZCTS-pipe 4,8 with ZCTS-plate	Zahn ZDBK-E 4,8 x L
	 or 
Zahn Flat Roof Fasteners	Annex 20a
Combination 20a ZCTS-E 4,8 consisting of ZDBK-E / ZCTS-pipe 4,8 and ZCTS-plate	



Zahn ZCTSplus pipe with pile tip 4,8 mit ZCTS-plate




Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 20b  
ZCTSplus-E pipe with pile tip 4,8 consisting of ZDBK-E / ZCTSplus pipe with pile tip 4,8 and ZCTS-plate


Annex 20b



Zahn ZKSH oval






Zahn ZDBK-VB 4,8 x L




Zahn Flat Roof Fasteners


Combination 21  
ZKSK-VB consisting of ZDBK-VB / ZKSH oval

Annex 21


	
Zahn ZKSH round	Zahn ZDBK-VB 4,8 x L
	 or   PH2 Tx25
Zahn Flat Roof Fasteners	Annex 22
Combination 22 ZKSK-VB/R consisting of ZDBK-VB / ZKSH round	



Zahn ZKSH-Rplus



Zahn ZDBK-VB 4,8 x L




or  
PH2 Tx25


Zahn Flat Roof Fasteners

Combination 23  
ZKSK-VB/Rplus consisting of ZDBK-VB / ZKSH-Rplus


Annex 23



Zahn ZKSH-Rplus with pile tip



Zahn ZDBK-VB 4,8 x L









( or )  
PH2 Tx25





Zahn Flat Roof Fasteners


Combination 24  
ZKSK-VB/Rplus with pile tip consisting of ZDBK-VB / ZKSH-Rplus with pile tip

Annex 24


	
<p>Zahn ZKSH oval module 4,8</p> <p>78 x 40<sub>oval</sub></p> 	<p>Zahn ZDBK-VB 4,8 x L</p> <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p> 
<p>Zahn Flat Roof Fasteners</p> <p>Combination 25</p> <p>ZKSK-VB-Modul 4,8 consisting of ZDBK-VB / ZKSH oval module with module middle piece and spike 4,8</p>	Annex 25

	
<p>Zahn ZKSH round module 4,8</p> 	<p>Zahn ZDBK-VB 4,8 x L</p> 
<p>Zahn Flat Roof Fasteners</p> <p>Combination 26 ZKS-K-VB/R-Modul 4,8 consisting of ZDBK-VB/ZKSH round module with module middle piece and spike 4,8</p>	<p>Annex 26</p>


	
Zahn ZTSK 4,8	Zahn ZDBK-VB 4,8 x L
	 
Zahn Flat Roof Fasteners	Annex 27
Combination 27 ZTSK-VB 4,8 consisting of ZDBK-VB / ZTSK 4,8	



Zahn ZLVT 0001






Zahn ZDBK-VB 4,8 x L










Zahn Flat Roof Fasteners


Combination 28  
ZDBK-VB / ZLVT 0001

Annex 28


	
Zahn ZLVT 0005	Zahn ZDBK-VB 4,8 x L
	
Zahn Flat Roof Fasteners Combination 29 ZDBK-VB / ZLVT 0005	Annex 29

	
Zahn ZLVT 0015	Zahn ZDBK-VB 4,8 x L
	 <p>Ø8,3</p> <p>4,8</p> <p>L</p>
Zahn Flat Roof Fasteners	Annex 30
Combination 30 ZDBK-VB / ZLVT 0015	


	
Zahn ZCTS-pipe 4,8 with ZCTS-plate	Zahn ZDBK-VB 4,8 x L
	 or 
Zahn Flat Roof Fasteners	Annex 30a
Combination 30a ZCTS-VB 4,8 consisting of ZDBK-VB / ZCTS- pipe 4,8 and ZCTS-plate	



Zahn ZCTSplus-VB pipe with pile tip 4,8 with ZCTS-plate






Zahn ZDBK-VB 4,8 x L




Zahn Flat Roof Fasteners


Combination 30b  
ZCTSplus-VB pipe with pile tip 4,8 consisting of ZDBK-VB / ZCTSplus pipe  
with pile tip 4,8 and ZCTS-plate

Annex 30b


	
Zahn ZKSH oval	Zahn ZDBK-VB-E 4,8 x L
	 or  PH2  Tx25
Zahn Flat Roof Fasteners	Annex 31
Combination 31 ZKSK-VB-E consisting of ZDBK-VB-E / ZKSH oval	



Zahn ZKSH round



Zahn ZDBK-VB-E 4,8 x L




or  
PH2      Tx25


Zahn Flat Roof Fasteners

Combination 32  
ZKSK-VB-E/R consisting of ZDBK-VB-E / ZKSH round


Annex 32



Zahn ZKSH-Rplus



Zahn ZDBK-VB-E 4,8 x L






or  
PH2 Tx25

Zahn Flat Roof Fasteners




Combination 33  
ZKSK-VB-E/Rplus consisting of ZDBK-VB-E / ZKSH-Rplus


Annex 33

Zahn ZKSH-Rplus with pile tip	Zahn ZDBK-VB-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 34
Combination 34 ZKSK-VB-E/Rplus with pile tip consisting of ZDBK-VB-E / ZKSH-Rplus with pile tip	


	
<p>Zahn ZKSH oval module 4,8</p>  <p>78 x 40<sub>oval</sub></p>	<p>Zahn ZDBK-VB-E 4,8 x L</p>  <p>Ø8,3</p> <p>L</p> <p>4,8</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	
<p>Combination 35</p> <p>ZKSK-VB-E-Modul 4,8 consisting of ZDBK-VB-E/ZKSH oval module with module middle piece and spike 4,8</p>	<p>Annex 35</p>

<p>Zahn ZKSH round module 4,8</p>	<p>Zahn ZDBK-VB-E 4,8 x L</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 36 ZKS-K-VB-E/R-Modul 4,8 consisting of ZDBK-VB-E/ZKSH round module with module middle piece and spike 4,8</p>	<p>Annex 36</p>


	
Zahn ZTSK 4,8	Zahn ZDBK-VB-E 4,8 x L
	 Ø8,3 4,8 L
Zahn Flat Roof Fasteners	Annex 37
Combination 37 ZTSK-VB-E 4,8 consisting of ZDBK-VB-E / ZTSK 4,8	



Zahn ZLVT 0001






Zahn ZDBK-VB-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 38  
ZDBK-VB-E / ZLVT 0001


Annex 38

	
Zahn ZLVT 0005	Zahn ZDBK-VB-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 39
Combination 39 ZDBK-VB-E / ZLVT 0005	


Zahn ZLVT 0015	Zahn ZDBK-VB-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 40
Combination 40 ZDBK-VB-E / ZLVT 0015	



Zahn ZCTS-pipe 4,8 with ZCTS-plate




Zahn ZDBK-VB-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 40a  
ZCTS-VB-E 4,8 consisting of ZDBK-VB-E / ZCTS-pipe 4,8 and ZCTS-plate


Annex 40a



Zahn ZCTSplus pipe with pile tip 4,8 with ZCTS-plate




Zahn ZDBK-VB-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 40b  
ZCTSplus-VB-E pipe with pile tip 4,8 consisting of ZDBK-VB-E / ZCTSplus pipe  
with pile tip 4,8 and ZCTS-plate


Annex 40b



Zahn ZLVT 0001




Zahn ZDBS 4,8 x L




Zahn Flat Roof Fasteners

Combination 41  
ZDBS / ZLVT 0001


Annex 41



Zahn ZLVT 0001






Zahn ZDBS-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 41a  
ZDBS-VB / ZLVT 0001


Annex 41a

	
Zahn ZLVT 0005	Zahn ZDBS 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 42
Combination 42 ZDBS / ZLVT 0005	


Zahn ZLVT 0005	Zahn ZDBS-VB 4,8 x L
Zahn Flat Roof Fasteners	Annex 42a
Combination 42a ZDBS-VB / ZLVT 0005	




Zahn ZLVT 0012




Zahn ZDBS 4,8 x L






Zahn ZLVT 0012




Zahn ZDBS-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 43a  
ZDBS-VB / ZLVT 0012


Annex 43a



Zahn ZLVT 0001






Zahn ZDBS-E 4,8 x L





Zahn Flat Roof Fasteners

Combination 44  
ZDBS-E / ZLVT 0001


Annex 44

	
Zahn ZLVT 0005	Zahn ZDBS-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 45
Combination 45 ZDBS-E / ZLVT 0005	









Zahn ZKSH oval




Zahn ZHBK 4,8 x L




	
Zahn ZKSH round	Zahn ZHBK 4,8 x L
	 Ø8,3 4,8 L
 or  PH2      Tx25	
Zahn Flat Roof Fasteners	Annex 48
Combination 48 ZHSK-R consisting of ZHBK / ZKSH round	

Zahn ZKSH-Rplus	Zahn ZHBK 4,8 x L
Zahn Flat Roof Fasteners	Annex 49
Combination 49 ZHSK-Rplus consisting of ZHBK / ZKSH-Rplus	



Zahn ZKSH-Rplus with pile tip



Zahn ZHBK 4,8 x L







( or )  
PH2 Tx25


Zahn Flat Roof Fasteners

Combination 50  
ZHSK-Rplus with pile tip consisting of ZHBK / ZKSH-Rplus with pile tip


Annex 50

<p>Zahn ZKSH oval module 4,8</p> <p>78 x 40<sub>oval</sub></p>	<p>Zahn ZHBK 4,8 x L</p> <p>ø8,3</p> <p>4,8</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 51 ZHSK Modul 4,8 consisting of ZHBK / ZKSH oval module with module middle piece and spike 4,8</p>	<p>PH2 or Tx25</p> <p>Annex 51</p>


	
<p>Zahn ZKSH round module 4,8</p>   <p>Ø50</p>	<p>Zahn ZHBK 4,8 x L</p>  <p>Ø8,3</p> <p>L</p> <p>4,8</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	<p>Annex 52</p>
<p>Combination 52 ZHSK-R-Modul 4,8 consisting of ZHBK / ZKSH round with module middle piece and spike 4,8</p>	



Zahn ZTSK 4,8



Zahn ZHBK 4,8 x L




PH2 or Tx25


Zahn Flat Roof Fasteners

Combination 53  
ZTSK Wood consisting of ZHBK / ZTSK 4,8


Annex 53



Zahn ZLVT 0001




Zahn ZHBK 4,8 x L




Zahn Flat Roof Fasteners

Combination 54  
ZHBK / ZLVT 0001


Annex 54



Zahn ZLVT 0005






Zahn ZHBK 4,8 x L










Zahn Flat Roof Fasteners




Combination 55  
ZHBK / ZLVT 0005




Annex 55




	
Zahn ZLVT 0005	Zahn ZHBK <sub>TK</sub> 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 55a
Combination 55a ZHBK <sub>TK</sub> / ZLVT 0005	

	
<p>Zahn ZLVT 0015</p>  	<p>Zahn ZHBK 4,8 x L</p>  <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 56 ZHBK / ZLVT 0015</p>	<p>Annex 56</p>

	
Zahn ZCTS-pipe 4,8 with ZCTS-plate	Zahn ZHBK 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 56a
Combination 56a ZCTS-H 4,8 consisting of ZHBK / ZCTS-pipe 4,8 and ZCTS-plate	

	
Zahn ZLVT 0015	Zahn ZHBK <sub>TK</sub> 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 56b
Combination 56b ZHBK <sub>TK</sub> / ZLVT 0015	


	
Zahn ZCTSplus pipe with pile tip 4,8 with ZCTS-plate	Zahn ZHBK 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 56c
Combination 56c ZCTS-Hplus pipe with pile tip 4,8 consisting of ZHBK / ZCTSplus pipe with pile tip 4,8 and ZCTS-Teller	

	
<p>Zahn ZKSH oval</p>  <p>78 x 40<sub>oval</sub> Ø9,5</p>	<p>Zahn ZHBK-E 4,8 x L</p>  <p>Ø8,3 L 4,8</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 57 ZHSK-E consisting of ZHBK-E / ZKSH oval</p>	<p>PH2 or Tx25</p> <p>Annex 57</p>


Zahn ZKSH round	Zahn ZHBK-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 58
Combination 58 ZHSK-E/R consisting of ZHBK-E / ZKSH round	

Zahn ZKSH-Rplus 	Zahn ZHBK-E 4,8 x L 
Zahn Flat Roof Fasteners	Annex 59
Combination 59 ZHSK-E/Rplus consisting of ZHBK-E / ZKSH-Rplus	

Zahn ZKSH-Rplus pile tip	Zahn ZHBK-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 60
Combination 60 ZHSK-E/Rplus with pile tip consisting of ZHBK-E / ZKSH-Rplus with pile tip	










Zahn ZTSD oval






Zahn ZHBK-E 4,8 x L







	
<p>Zahn ZKSH oval module 4,8</p> <p>78 x 40<sub>oval</sub></p>   	<p>Zahn ZHBK-E 4,8 x L</p> <p>ø8,3</p> <p>4,8</p>  <p>(<p>Z54752.22</p></p>






	
Zahn ZKSH oval module 4,8 with dowel extension 	Zahn ZHBK-E 4,8 x L 
Zahn Flat Roof Fasteners	Annex 63
Combination 63 ZSDK-E-Modul 4,8 consisting of ZHBK-E / ZKSH oval module with module middle piece, spike 4,8 and dowel extension	


Zahn ZKSH round module 4,8 with dowel extension 	Zahn ZHBK-E 4,8 x L 
Zahn Flat Roof Fasteners	Annex 64
Combination 64 ZSDK-E/R-Modul 4,8 consisting of ZHBK-E / ZKSH round module with module middle piece, spike 4,8 and dowel extension	

Zahn ZKSH oval with dowel extension	Zahn ZHBK-E 4,8 x L
Zahn Flat Roof Fasteners	Annex 65
Combination 65 ZSDK-E consisting of ZHBK-E / ZKSH oval with dowel extension	


	
Zahn ZKSH round with dowel extension	Zahn ZHBK-E 4,8 x L
 	 
Zahn Flat Roof Fasteners	Annex 66
Combination 66 ZSDK-E/R consisting of ZHBK-E / ZKSH round with dowel extension	

	
Zahn ZCTS-pipe 4,8 with ZCTS-plate and dowel extension	Zahn ZHBK-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 66a
Combination 66a ZCTS-H-E dowel extension 4,8 consisting of ZHBK-E / ZCTS-pipe 4,8, ZCTS-plate and dowel extension	

Zahn ZLVT 0005	Zahn ZHBK-E <sub>TK</sub> 4,8 x L
Zahn Flat Roof Fasteners	Annex 66b
Combination 66b ZHBK-E <sub>TK</sub> / ZLVT 0005	



Zahn ZTSK 4,8



Zahn ZHBK-E 4,8 x L




( or )

PH2 Tx25


Zahn Flat Roof Fasteners

Combination 67  
ZTSK-E-Timber 4,8 consisting of ZHBK-E / ZTSK 4,8


Annex 67



Zahn ZLVT 0001






Zahn ZHBK-E 4,8 x L









Zahn Flat Roof Fasteners


Combination 68  
ZHBK-E / ZLVT 0001

Annex 68


	
Zahn ZLVT 0005	Zahn ZHBK-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 69
Combination 69 ZHBK-E / ZLVT 0005	

	
Zahn ZLVT 0015	Zahn ZHBK-E <sub>TK</sub> 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 69a
Combination 69a ZHBK-E <sub>TK</sub> / ZLVT 0015	


	
Zahn ZLVT 0015	
	
Zahn Flat Roof Fasteners	Annex 70
Combination 70 ZHBK-E / ZLVT 0015	




Zahn ZCTS-pipe 4,8 with ZCTS-plate




Zahn ZHBK-E 4,8 x L







Zahn ZCTSplus pipe with pile tip 4,8 with ZCTS-plate




Zahn ZHBK-E 4,8 x L







Zahn ZKSH oval




Zahn ZDBK<sub>dowel</sub> 4,8 x L






Zahn ZKSH round



Zahn ZDBK<sub>dowel</sub> 4,8 x L




Zahn Flat Roof Fasteners


Combination 72  
ZDBK-Dowel / R / ZKSH round

Annex 72


Zahn ZKSH-Rplus	<p><math>\varnothing 8,3</math></p> <p><math>4,8</math></p> <p><math>L</math></p> <p>or</p> <p>PH2      Tx25</p>
Zahn Flat Roof Fasteners	Annex 73
Combination 73 ZKS-Dowel / Rplus consisting of ZDBK <sub>dowel</sub> / ZKSH-Rplus	



Zahn ZKSH-Rplus pile tip



Zahn ZDBK<sub>dowel</sub> 4,8 x L










( or )




Zahn Flat Roof Fasteners




Combination 74  
ZKS-Dowel / Rplus with pile tip consisting of ZDBK<sub>dowel</sub> / ZKSH-Rplus with pile tip




Annex 74




	
Zahn ZKSH oval module 4,8 with dowel extension 	Zahn ZDBK <sub>dowel</sub> 4,8 x L 
Zahn Flat Roof Fasteners	Annex 75
Combination 75 ZSDK-Modul 4,8 consisting of ZDBK <sub>dowel</sub> / ZKSH oval module with module middle piece, spike 4,8 and dowel extension	


	
Zahn ZKSH round module 4,8 with dowel extension 	Zahn ZDBK <sub>dowel</sub> 4,8 x L  or 
Zahn Flat Roof Fasteners	Annex 76
Combination 76 ZSDK-R-Modul 4,8 consisting of ZDBK <sub>dowel</sub> / ZKSH round module with module middle piece, spike 4,8 and dowel extension	

	
<p>Zahn ZKSH round module 4,8</p> 	<p>Zahn ZDBK<sub>dowel</sub> 4,8 x L</p>  <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>or</p> <p>PH2      Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 76a</p> <p>ZHSK-R-Modul 4,8<sub>dowel</sub> consisting of ZDBK<sub>dowel</sub> / ZKSH round module with module middle piece, spike 4,8</p>	<p>Annex 76a</p>


	
<p>Zahn ZKSH oval</p>  <p>78 x 40<sub>oval</sub></p> <p>Ø9,5</p>	<p>Zahn ZDBK<sub>dowel</sub> 4,8 x L</p>  <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	
<p>Combination 77 ZSDK consisting of ZDBK<sub>dowel</sub> / ZKSH oval with dowel extension</p>	<p>Annex 77</p>

	
<p>Zahn ZKSH round</p> 	<p>Zahn ZDBK<sub>dowel</sub> 4,8 x L</p>  <p>Ø8,3</p> <p>L</p> <p>4,8</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p>	
<p>Combination 78 ZSDK-R consisting of ZDBK<sub>dowel</sub> / ZKSH round with dowel extension</p>	<p>Annex 78</p>


	
Zahn ZCTS-pipe 4,8 with ZCTS-plate and dowel extension	Zahn ZDBK <sub>dowel</sub> 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 78a
Combination 78a ZCTS 4,8 dowel extension consisting of ZDBK <sub>dowel</sub> / ZCTS-pipe 4,8, ZCTS-plate and dowel extension	






Zahn ZTSD oval







Zahn ZDBK<sub>dowel</sub> 4,8 x L




Zahn ZTSK 4,8	Zahn ZDBK <sub>dowel</sub> 4,8 x L
Zahn Flat Roof Fasteners	Annex 80
Combination 80 ZTSK-Dowel 4,8 consisting of ZDBK <sub>dowel</sub> / ZTSK 4,8	

	
Zahn ZLVT 0001	Zahn ZDBK <sub>dowel</sub> 4,8 x L
	
Zahn Flat Roof Fasteners Combination 81 ZDBK <sub>dowel</sub> / ZLVT 0001	Annex 81


	
Zahn ZCTS-pipe 4,8 with ZCTS-plate	Zahn ZDBK <sub>dowel</sub> 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 81a
Combination 81a ZCTS 4,8 <sub>dowel</sub> consisting of ZDBK <sub>dowel</sub> / ZCTS-pipe 4,8 and ZCTS-plate	



Zahn ZLVT 0005




Zahn ZDBK<sub>dowel</sub> 4,8 x L





Zahn Flat Roof Fasteners

Combination 81b  
ZDBK<sub>dowel</sub> / ZLVT 0005


Annex 81b



Zahn ZLVT 0015




Zahn ZDBK<sub>dowel</sub> 4,8 x L




Zahn Flat Roof Fasteners

Combination 81c  
ZDBK<sub>dowel</sub> / ZLVT 0015


Annex 81c



Zahn ZCTSplus pipe with pile tip 4,8 with ZCTS-plate






Zahn ZDBK<sub>dowel</sub> 4,8 x L





Zahn Flat Roof Fasteners

Combination 81d  
ZCTS-H<sub>plus</sub>dowel pipe with pile tip 4,8 consisting of ZDBK<sub>dowel</sub> / ZCTSplus pipe  
with pile tip 4,8 and ZCTS-plate

Annex 81d

	
Zahn ZKSH gray / round	Zahn ZGBK-E 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 82
Combination 82 ZKGK-E/R consisting of ZGBK-E / ZKSH gray / round	












Zahn Flat Roof Fasteners

Combination 84  
ZKGK-E/R-Modul 6,0 consisting ZGBK-E / ZKSH round module  
with module middle piece and spike 6,0


Annex 84

	
Zahn ZHVM	Zahn ZGBK-E 6,0 x L
	 PZD3
Zahn Flat Roof Fasteners	Annex 85
Combination 85 ZHVM-E-HPB consisting of ZGBK-E / ZHVM with headboard, shaft and locking sleeve	


	
Zahn ZTSK 6,0	Zahn ZGBK-E 6,0 x L
	 <p>Ø9</p> <p>6</p> <p>L</p> <p>PZD3</p>
Zahn Flat Roof Fasteners	Annex 86
Combination 86 ZTSK-E-Pumice 6,0 consisting of ZGBK-E / ZTSK 6,0	



Zahn ZLVT 0008



Zahn ZGBK-E 6,0 x L




PZD3


Zahn Flat Roof Fasteners

Combination 87  
ZGBK-E / ZLVT 0008


Annex 87



Zahn ZLVT 0012



Zahn ZGBK-E 6,0 x L







PZD3


Zahn Flat Roof Fasteners




Combination 88  
ZGBK-E / ZLVT 0012




Annex 88




	
Zahn ZKSH gray / round	Zahn ZBST 6,3 x L
	
Zahn Flat Roof Fasteners	Annex 89
Combination 89 ZBSK-R consisting of ZBST / ZKSH gray / round	








	
Zahn ZHVM	Zahn ZBST 6,3 x L
	 Tx25
Zahn Flat Roof Fasteners	Annex 92
Combination 92 ZHVM-Concrete consisting of ZBST / ZHVM with headboard, shaft and locking sleeve	

	
Zahn ZTSK 6,0 	Zahn ZBST 6,3 x L 
Zahn Flat Roof Fasteners	Annex 93
Combination 93 ZTSK-Concrete 6,0 consisting of ZBST / ZTSK 6,0	

	
Zahn ZLVT 0008	Zahn ZBST 6,3 x L
	
Zahn Flat Roof Fasteners	Annex 94
Combination 94 ZBST / ZLVT 0008	








Zahn Flat Roof Fasteners

Combination 97  
ZBSK-E-Modul 6,0 consisting of ZBST-E / ZKSH oval module  
with module middle piece and spike 6,0


Annex 97



Zahn Flat Roof Fasteners

Combination 98  
ZBSK-E/R-Modul 6,0 consisting of ZBSE-E/ZKSH round module  
with module middle piece and spike 6,0



Annex 98






Zahn Flat Roof Fasteners


Combination 99  
ZHVM-E-Concrete consisting of ZBST-E / ZHVM with headboard, shaft and locking sleeve

Annex 99


	
Zahn ZTSK 6,0 	Zahn ZBST-E 6,3 x L 
Zahn Flat Roof Fasteners	Annex 100
Combination 100 ZTSK-E-Concrete 6,0 consisting of ZBST-E / ZTSK 6,0	

	
Zahn ZLVT 0008	Zahn ZBST-E 6,3 x L
	
Zahn Flat Roof Fasteners	Annex 101
Combination 101 ZBST-E / ZLVT 0008	







Zahn ZHRD oval with expanding dowel extension




Zahn metric screw E 3,14 x L






Zahn ZHRD round with expanding dowel extension




Zahn metric screw E 3,14 x L




Zahn Flat Roof Fasteners

Combination 104  
ZHRD-R consisting of metric screw-E / ZKSH round with expanding dowel extension


Annex 104



Zahn ZCTS-pipe with ZCTS-plate with expanding dowel extension






Zahn metric screw - E 3,14 x L




Zahn Flat Roof Fasteners


Combination 104a  
ZCTS with expanding dowel extension consisting of metric screw-E / ZCTS-pipe,  
ZCTS-plate and expanding dowel extension

Annex 104a


	
Zahn ZSK oval module 4,8 with expanding dowel extension	Zahn metric screw - E 3,14 x L
	
Zahn Flat Roof Fasteners	Annex 105
Combination 105 ZHRD on Modul oval 4,8 consisting of metric screw-E / ZKSH oval module with middle piece, spike 4,8 and expanding dowel extension	







Zahn ZKSK round module 4,8 with expanding dowel extension



Zahn metric screw-E 3,14 x L




	
Zahn ZKSH gray / round	Zahn ZMDS 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 107
Combination 107 ZMDS-R consisting of ZMDS / ZKSH gray / round	







Zahn Flat Roof Fasteners

Combination 108  
ZMDS-Modul 6,0 consisting of ZMDS / ZKSH oval module  
with module middle piece and spike 6,0


Annex 108




	
Zahn ZHVM	Zahn ZMDS 6,0 x L
 	 
Zahn Flat Roof Fasteners	Annex 110
Combination 110 ZHVM-Multi consisting of ZMDS / ZHVM with headboard, shaft and locking sleeve	




Zahn ZTSK 6,0




Zahn ZMDS 6,0 x L






Zahn ZLVT 0008




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 112  
ZMDS / ZLVT 0008


Annex 112







Zahn ZLVT 0012



Zahn ZMDS 6,0 x L






	
Zahn ZKSH gray / round	Zahn ZMDS-E 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 114
Combination 114 ZMDS-E/R consisting of ZMDS-E / ZKSH gray / round	









Zahn Flat Roof Fasteners


Combination 115  
ZMDS-E-Modul 6,0 consisting of ZMDS-E / ZKSH oval module  
with module middle piece and spike 6,0

Annex 115


	
 <p>Zahn ZKSH round module 6,0 <math>\varnothing 50</math></p>  <p>Zahn ZMDS-E 6,0 x L <math>\varnothing 8,8</math> 6,0 L Tx25</p>	
<p>Zahn Flat Roof Fasteners</p> <p>Combination 116 ZMDS-E/R-Modul 6,0 consisting of ZMDS-E / ZKSH round module with module middle piece and spike 6,0</p>	Annex 116

	
Zahn ZHVM	Zahn ZMDS-E 6,0 x L
	 $\varnothing 8,8$ 6,0 L Tx25
Zahn Flat Roof Fasteners	Annex 117
Combination 117 ZHVM-E-Multi consisting of ZMDS-E / ZHVM with headboard, shaft and locking sleeve	


	
Zahn ZTSK 6,0	
Zahn Flat Roof Fasteners	 <p>Zahn ZMDS-E 6,0 x L</p> <p><math>\varnothing 8,8</math></p> <p>6,0</p> <p>L</p> <p>Tx25</p>
Combination 118 ZTSK-E-Multi 6,0 consisting of ZMDS-E / ZTSK 6,0	Annex 118



Zahn ZLVT 0008




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 119  
ZMDS-E / ZLVT 0008


Annex 119



Zahn ZLVT 0012




Zahn ZMDS-E 6,0 x L








Zahn Flat Roof Fasteners


Combination 120  
ZMDS-E / ZLVT 0012


Annex 120





	
Zahn ZLVT 0016	Zahn ZDBK 4,8 x L
	 Ø8,3 L 4,8
PH2 or Tx25	
Zahn Flat Roof Fasteners	Annex 121a
Combination 121a ZDBK / ZLVT 0016	


	
Zahn ZLVT 0016	 <p>0,8</p> <p>4</p> <p>Ø50</p>
Zahn ZDBK-E 4,8 x L	 <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
Zahn Flat Roof Fasteners	Annex 121b
Combination 121b ZDBK-E / ZLVT 0016	


















	
Zahn ZCTS-pipe 6,0 with ZCTS-plate	Zahn ZMDS 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 126a
Combination 126a ZCTS 6,0 / ZMDS consisting of ZMDS / ZCTS-pipe 6,0 und ZCTS-plate	








Zahn Flat Roof Fasteners

Combination 127  
ZSSB 6,0 / clickplate / ZMDS-E 6,0


Annex 127

	
Zahn ZCTS-pipe 6,0 with ZCTS-plate	Zahn ZMDS-E 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 127a
Combination 127a ZCTS-E 6,0 / ZMDS-E consisting of ZMDS-E / ZCTS-pipe 6,0 and ZCTS-plate	


	
<p>ZSSB 4,8</p>  <p>clickplate</p> 	<p>Zahn ZHBK 4,8 x L</p>  <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 128</p> <p>ZSSB 4,8 / clickplate / ZHBK 4,8</p>	<p>Annex 128</p>



ZSSB 4,8



Zahn ZHBK-E 4,8 x L





or  
PH2      Tx25




Zahn Flat Roof Fasteners




Combination 129  
ZSSB 4,8 / clickplate / ZHBK-E 4,8




Annex 129


<p>ZSSB 4,8</p>	<p>Zahn ZDBK<sub>dowel</sub> 4,8 x L</p>
<p>clickplate</p> <p>Ø50</p>	<p>Ø8,3</p> <p>4,8</p> <p>PH2 or Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 130 ZSSB 4,8 / clickplate / ZDBK-Dowel 4,8</p>	<p>Annex 130</p>

	
ZSSB 6,0	Zahn ZGBK-E 6,0 x L
	 Ø9 L 6
Zahn Flat Roof Fasteners	Annex 131
Combination 131 ZSSB 6,0 / clickplate / ZGBK-E 6,0	


	
Zahn ZCTS-pipe 6,0 with ZCTS-plate	Zahn ZGBK-E 6,0 x L
	
Zahn Flat Roof Fasteners	Annex 131a
Combination 131a ZCTS 6,0 / ZGBK-E consisting of ZGBK-E / ZCTS-pipe 6,0 and ZCTS-plate	

	
ZSSB 6,0	clickplate
	 $\varnothing 50$
Zahn ZBST 6,3 x L	 Tx25
Zahn Flat Roof Fasteners	Annex 132
Combination 132 ZSSB 6,0 / clickplate / ZBST 6,3	


	
Zahn ZCTS-pipe 6,0 with ZCTS-plate	Zahn ZBST 6,3 x L
	
Zahn Flat Roof Fasteners	Annex 132a
Combination 132a ZCTS 6,0 / ZBST 6,3 consisting of ZBST 6,3 / ZCTS-pipe 6,0 and ZCTS-plate	




ZSSB 6,0



clickplate



Zahn ZBST-E 6,3 x L







Tx25

Zahn Flat Roof Fasteners



Combination 133  
ZSSB 6,0 / clickplate / ZBST-E 6,3

Annex 133


	
<p>Zahn ZCTS-pipe 6,0 with ZCTS-plate</p>  <p>Ø27,0</p> <p>5</p> <p>0,8</p> <p>Ø17,6</p> <p>Ø80</p> <p>12,6</p>	<p>Zahn ZBST-E 6,3 x L</p>  <p>Ø8,9</p> <p>L</p> <p>6,3</p> <p>Tx25</p>
<p>Zahn Flat Roof Fasteners</p> <p>Combination 133a ZCTS-E 6,0 / ZBST-E 6,3 consisting of ZBST-E 6,3 / ZCTS-pipe 6,0 and ZCTS-plate</p>	Annex 133a



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK 4,8 x L




PH2 or Tx25



Zahn Flat Roof Fasteners

Combination 134  
ZSSB 4,8 consisting of ZDBK/ ZSSB-pipe 4,8 and bar


Annex 134



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-E 4,8 x L




PH2 or Tx25



Zahn Flat Roof Fasteners

Combination 135  
ZSSB-E 4,8 consisting of ZDBK-E / ZSSB-pipe 4,8 and bar


Annex 135



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-VB 4,8 x L




or  
PH2 Tx25



Zahn Flat Roof Fasteners

Combination 136  
ZSSB-VB 4,8 consisting of ZDBK-VB / ZSSB-pipe 4,8 and bar


Annex 136



Zahn ZSSB-pipe 4,8 with bar



Zahn ZDBK-VB-E 4,8 x L




PH2 or Tx25



Zahn Flat Roof Fasteners

Combination 137  
ZSSB-VB-E 4,8 consisting of ZDBK-VB-E / ZSSB-pipe 4,8 and bar


Annex 137



Zahn ZSSB-pipe 6,0 with bar




Zahn ZMDS 6,0 x L





Zahn Flat Roof Fasteners

Combination 138  
ZSSB 6,0 consisting of ZMDS / ZSSB-pipe 6,0 and bar


Annex 138



Zahn ZSSB-pipe 6,0 with bar




Zahn ZMDS-E 6,0 x L





Zahn Flat Roof Fasteners

Combination 139  
ZSSB-E 6,0 consisting of ZMDS-E / ZSSB-pipe 6,0 and bar


Annex 139



Zahn ZSSB-pipe 4,8 with bar




Zahn ZHBK 4,8 x L





Zahn Flat Roof Fasteners

Combination 140  
ZSSB-Timber 4,8 consisting of ZHBK / ZSSB-pipe 4,8 and bar


Annex 140



Zahn ZSSB-pipe 4,8 with bar





Zahn ZHBK-E 4,8 x L






Zahn ZSSB-pipe 4,8 with bar




Zahn ZDBK<sub>dowel</sub> 4,8 x L





Zahn Flat Roof Fasteners

Combination 142  
ZSSB-Dowel 4,8 consisting of ZDBK<sub>dowel</sub> / ZSSB-pipe 4,8 and bar


Annex 142



Zahn ZSSB-pipe 6,0 with bar



Zahn ZGBK-E 6,0 x L




PZD3


Zahn Flat Roof Fasteners

Combination 143  
ZSSB-HPB 6,0 consisting of ZGBK-E / ZSSB-pipe 6,0 and bar


Annex 143




Zahn ZSSB-pipe 6,0 with bar





Zahn ZBST 6,3 x L






Zahn ZSSB-pipe 6,0 with bar



Zahn ZBST-E 6,3 x L









Tx25




Zahn Flat Roof Fasteners




Combination 145  
ZSSB-E-Concrete 6,0 consisting of ZBST-E / ZSSB-pipe 6,0 and bar




Annex 145




	
Zahn ZSSB-module-pipe with module 4,8 and bar	Zahn ZDBK 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 146
Combination 146 ZSSB-Modul 4,8 consisting of ZDBK / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	




	
Zahn ZSSB-module-pipe with module 4,8 and bar	  or  
Zahn Flat Roof Fasteners	Annex 147
Combination 147 ZSSB-E-Modul 4,8 consisting of ZDBK-E / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	



	
Zahn ZSSB-module-pipe with module 4,8 and bar	Zahn ZDBK-VB 4,8 x L
	 <p>Ø8,3</p> <p>4,8</p> <p>L</p> <p>PH2 or Tx25</p>
Zahn Flat Roof Fasteners	Annex 148
Combination 148 ZSSB-VB-Modul 4,8 consisting of ZDBK-VB / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	

	
Zahn ZSSB-module-pipe with module 4,8 and bar	Zahn ZDBK-VB-E 4,8 x L
	
Zahn Flat Roof Fasteners	Annex 149
Combination 149 ZSSB-VB-E-Modul 4,8 consisting of ZDBK-VB-E / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	




	
Zahn ZSSB-module-pipe with module 6,0 and bar	 
Zahn Flat Roof Fasteners	Annex 150
Combination 150 ZSSB-Multi-Modul 6,0 consisting of ZMDS / ZSSB-module-pipe, module middle piece, module spike 6,0 and ZSSB bar	



	
<p>Zahn ZSSB-module-pipe with module 6,0 and bar</p> 	<p>Zahn ZMDS-E 6,0 x L</p> 
<p>Zahn Flat Roof Fasteners</p> <p>Combination 151 ZSSB-E-Multi-Modul 6,0 consisting of ZMDS-E / ZSSB-module-pipe, module middle piece, module spike 6,0 and ZSSB bar</p>	<p>Annex 151</p>



	
Zahn ZSSB-module-pipe with module 4,8 and bar	  Ø8,3 4,8 L or PH2 Tx25
Zahn Flat Roof Fasteners	Annex 152
Combination 152 ZSSB-Timber-Modul 4,8 consisting of ZHBK / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	


	
Zahn ZSSB-module-pipe with module 4,8 and bar	  Ø8,3 L 4,8 or PH2 or Tx25
Zahn Flat Roof Fasteners	Annex 153
Combination 153 ZSSB-E-Timber-Modul 4,8 consisting of ZHBK-E / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	

Zahn ZSSB-module-pipe with module 4,8 and bar	Zahn ZDBK <sub>dowel</sub> 4,8 x L
	<p><math>\varnothing 8,3</math></p> <p>4,8</p> <p>PH2 or Tx25</p> <p>L</p>
Zahn Flat Roof Fasteners	Annex 154
Combination 154 ZSSB-Dowel-Modul 4,8 consisting of ZDBK <sub>dowel</sub> / ZSSB-module-pipe, module middle piece, module spike 4,8 and ZSSB bar	



	
Zahn ZSSB-module-pipe with module 6,0 and bar	Zahn ZGBK-E 6,0 x L
	 <p>Ø9</p> <p>L</p> <p>6</p> <p>PZD3</p>
Zahn Flat Roof Fasteners	Annex 155
Combination 155 ZSSB-HPB-Modul 6,0 consisting of ZGBK-E / ZSSB-modul-pipe, module middle piece, module spike 6,0 and ZSSB bar	

	
Zahn ZSSB-module-pipe with module 6,0 and bar	 <p>Zahn ZBST 6,3 x L</p> <p><math>\varnothing 8,9</math></p> <p>6,3</p> <p>Tx25</p>
Zahn Flat Roof Fasteners	Annex 156
Combination 156 ZSSB-Concrete-Modul 6,0 consisting of ZBST / ZSSB-module-pipe, module middle piece, module spike 6,0 and ZSSB bar	


	
<p>Zahn ZSSB-module-pipe with module 6,0 and bar</p>  <p>Zahn ZBSE-E 6,3 x L</p> 	
<p>Zahn Flat Roof Fasteners</p> <p>Combination 157</p> <p>ZSSB-E-Concrete-Modul 6,0 consisting of ZBSE-E / ZSSB-module-pipe, module middle piece, module spike 6,0 and ZSSB bar</p>	<p>Annex 157</p>



Zahn ZSSB-pipe 4,8 dowel extension and bar




Zahn ZDBK<sub>dowel</sub> 4,8 x L




Zahn Flat Roof Fasteners

Combination 158  
ZSSB-Dowel-Extension 4,8 consisting of ZDBK<sub>dowel</sub> / ZSSB-pipe 4,8, ZSSB bar  
and dowel extension


Annex 158



Zahn ZSSB-pipe 4,8 with expanding dowel extension and bar




Zahn metric screw – E 3,14 x L




Zahn Flat Roof Fasteners

Combination 159  
ZSSB-ZHRD consisting of metric screw-E / ZSSB-pipe 4,8, ZSSB bar  
and expanding dowel extension


Annex 159



Zahn ZSSB-module-pipe 4,8 with module, dowel extension and bar




Zahn ZDBK<sub>dowel</sub> 4,8 x L




Zahn Flat Roof Fasteners

Combination 160  
ZSSB-Dowel-Extension-Modul 4,8 consisting of ZDBK<sub>dowel</sub> / ZSSB-module-pipe,  
-middle piece, -spike 4,8, dowel extension and ZSSB bar


Annex 160



Zahn ZSSB-module-pipe 4,8 with module, dowel extension and bar






Zahn ZDBK-E 4,8 x L




Zahn Flat Roof Fasteners


Combination 161  
ZSSB-E-Dowel-Modul 4,8 consisting of ZDBK-E / ZSSB-module-pipe,  
-middle piece, -spike 4,8, dowel extension and ZSSB bar

Annex 161


	
Zahn ZSSB-module-pipe 4,8 with module and expanding dowel extension and bar	Zahn metric screw-E 3,14 x L
	
Zahn Flat Roof Fasteners	Annex 162
Combination 162 ZSSB-ZHRD-Modul 4,8 consisting of metric screw-E / ZSSB-module-pipe, -middle piece, -spike 4,8, ZSSB bar and expanding dowel extension	8.04.02-3/20



ZSSB bar




Zahn ZDBS 4,8 x L




Zahn Flat Roof Fasteners

Combination 163  
ZSSB / ZDBS


Annex 163



ZSSB bar




Zahn ZDBS-VB 4,8 x L




Zahn Flat Roof Fasteners

Combination 163a  
ZSSB / ZDBS-VB


Annex 163a



ZSSB bar




Zahn ZDBS-E 4,8 x L




Zahn Flat Roof Fasteners

Combination 164  
ZSSB / ZDBS-E


Annex 164



ZSSB bar




Zahn ZMDS 6,0 x L




Zahn Flat Roof Fasteners

Combination 165  
ZSSB / ZMDS


Annex 165



ZSSB bar




Zahn ZMDS-E 6,0 x L




Zahn Flat Roof Fasteners

Combination 166  
ZSSB / ZMDS-E


Annex 166



ZSSB bar







Zahn ZGBK-E 6,0 x L




Zahn Flat Roof Fasteners


Combination 167  
ZSSB / ZGBK-E

Annex 167


	
ZSSB bar	Zahn ZBST 6,3 x L
 	
Zahn Flat Roof Fasteners	Annex 168
Combination 168 ZSSB / ZBST	



ZSSB bar



Zahn ZBST-E 6,3 x L



Zahn Flat Roof Fasteners

Combination 169  
ZSSB / ZBST-E

Annex 169

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure						
		Steelsheet			Timber <sup>*)</sup>			
		S280GD - EN 10346			C24	OSB3	P5	Ply-wood
		t [mm] ≥		t [mm] ≥				
		0,50	0,75	1,50	22	18	19	19
1	ZKSK	-	1,07	-	1,04	0,98	0,97	1,60
2	ZKSK-R	-	1,07	-	1,04	0,98	0,97	1,60
3	ZKSK-R plus	-	1,07	-	1,04	0,98	0,97	1,60
4	ZKSK-Rplus with pile tip	-	1,07	-	1,04	0,98	0,97	1,60
5	ZKSK Modul 4,8	-	1,07	-	-	-	-	-
6	ZKSK-R-Modul 4,8	-	1,07	-	1,04	0,98	0,97	1,16
7	ZTSK 4,8	-	1,07	-	1,04	0,98	0,97	1,60
8	ZDBK / ZLVT 0001	-	1,07	-	1,04	0,98	0,97	1,60
9	ZDBK / ZLVT 0005	-	1,07	-	1,04	0,98	0,97	1,60
10	ZDBK / ZLVT 0015	-	1,07	-	1,04	0,98	0,97	1,37
10a	ZCTS 4,8	-	1,07	-	1,04	0,98	0,97	1,60
10b	ZCTSplus 4,8 with pile tip	-	1,07	-	1,04	0,98	0,97	1,60
11	ZKSK-E 4,8	-	1,11	-	1,04	0,98	0,97	1,60
12	ZKSK-E/R	-	1,11	-	1,04	0,98	0,97	1,60
13	ZKSK-E/Rplus	-	1,11	-	1,04	0,98	0,97	1,60
14	ZKSK-E/Rplus with pile tip	-	1,11	-	1,04	0,98	0,97	1,60
15	ZKSK-E-Modul 4,8	-	1,11	-	1,04	0,98	0,97	1,16
16	ZKSK-E/R-Modul 4,8	-	1,11	-	1,04	0,98	0,97	1,16
17	ZTSK-E 4,8	-	1,11	-	1,04	0,98	0,97	1,60
18	ZDBK-E / ZLVT 0001	-	1,11	-	1,04	0,98	0,97	1,60
19	ZDBK-E / ZLVT 0005	-	1,11	-	1,04	0,98	0,97	1,60
20	ZDBK-E / ZLVT 0015	-	1,11	-	1,04	0,98	0,97	1,37
20a	ZCTS-E 4,8	-	1,11	-	1,04	0,98	0,97	1,60
20b	ZCTSplus-E 4,8 with pile tip	-	1,11	-	1,04	0,98	0,97	1,60

\*): C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$   
For timber substructures thickness "t" also represents the minimum of effective embedmend depth (= penetration length of threaded part)

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure			
		Steelsheet			
		S280GD - EN 10346			
		$t$ [mm] $\geq$			
		0,50	0,75	1,50	
21	ZKSK-VB	-	-	1,57	
22	ZKSK-VB/R	-	-	1,57	
23	ZKSK-VB/Rplus	-	-	1,57	
24	ZKSK-VB/Rplus with pile tip	-	-	1,57	
25	ZKSK-VB Modul 4,8	-	-	1,16	
26	ZKSK-VB/R Modul 4,8	-	-	1,16	
27	ZTSK-VB 4,8	-	-	1,57	
28	ZDBK-VB / ZLVT 0001	-	-	1,57	
29	ZDBK-VB / ZLVT 0005	-	-	1,57	
30	ZDBK-VB / ZLVT 0015	-	-	1,37	
30a	ZCTS-VB 4,8	-	-	1,57	
30b	ZCTSplus-VB 4,8 with pile tip	-	-	1,57	
31	ZKSK-VB-E	-	-	1,57	
32	ZKSK-VB-E/R	-	-	1,57	
33	ZKSK-VB-E/Rplus	-	-	1,57	
34	ZKSK-VB-E/Rplus with pile tip	-	-	1,57	
35	ZKSK-VB-E Modul 4,8	-	-	1,16	
36	ZKSK-VB-E/R Modul 4,8	-	-	1,16	
37	ZTSK-VB-E 4,8	-	-	1,57	
38	ZDBK-VB-E / ZLVT 0001	-	-	1,57	
39	ZDBK-VB-E / ZLVT 0005	-	-	1,57	
40	ZDBK-VB-E / ZLVZ 0015	-	-	1,37	
40a	ZCTS-VB-E 4,8	-	-	1,57	
40b	ZCTSplus-VB-E 4,8 with pile tip	-	-	1,57	

**Characteristic Axial Load Resistance  $N_{Rk}$  [kN]**

Annex	Zahn Flat Roof Fasteners	<b>Substructure</b>						
		Steelsheet			Timber*)			
		S280GD - EN 10346			C24	OSB3	P5	Ply-wood
		t [mm] ≥			t [mm] ≥			
		0,50	0,75	1,50	22	18	19	19
41	ZDBS / ZLVT 0001	-	1,07	-	1,04	1,21	0,97	2,34
41a	ZDBS-VB / ZLVT 0001	-	-	1,57	-	-	-	-
42	ZDBS / ZLVT 0005	-	1,07	-	1,04	1,21	0,97	2,34
42a	ZDBS-VB / ZLVT 0005	-	-	1,57	-	-	-	-
43	ZDBS / ZLVT 0012	-	1,07	-	1,04	1,21	0,97	2,34
43a	ZDBS-VB / ZLVT 0012	-	-	1,57	-	-	-	-
44	ZDBS-E / ZLVT 0001	-	1,09	-	1,04	1,21	0,97	2,34
45	ZDBS-E / ZLVT 0005	-	1,09	-	1,04	1,21	0,97	2,34
46	ZDBS-E / ZLVT 0012	-	1,09	-	1,04	1,21	0,97	2,34
47	ZHSK	-	-	-	1,60	1,18	1,51	1,25
48	ZHSK-R	-	-	-	1,60	1,18	1,51	1,25
49	ZHSK-Rplus	-	-	-	1,60	1,18	1,51	1,25
50	ZHSK-Rplus with pile tip	-	-	-	1,60	1,18	1,51	1,25
51	ZHSK-Modul 4,8	-	-	-	1,16	1,16	1,16	1,16
52	ZHSK-R-Modul 4,8	-	-	-	1,16	1,16	1,16	1,16
53	ZTSK Wood 4,8	-	-	-	1,58	1,18	1,51	1,25
54	ZHBK / ZLVT 0001	-	-	-	1,60	1,18	1,51	1,25
55	ZHBK / ZLVT 0005	-	-	-	1,60	1,18	1,51	1,25
55a	ZHBK <sub>TK</sub> / ZLVT 0005	-	-	-	1,47	1,18	1,47	1,25
56	ZHBK / ZLVT 0015	-	-	-	1,38	1,18	1,38	1,25
56a	ZCTS-H 4,8	-	-	-	1,60	1,18	1,51	1,25
56b	ZHBK <sub>TK</sub> / ZLVT 0015	-	-	-	1,47	1,18	1,47	1,25
56c	ZCTS-Hplus 4,8 with pile tip	-	-	-	1,60	1,18	1,51	1,25
66b	ZHBK-E <sub>TK</sub> / ZLVT 0005	-	-	-	1,47	1,18	1,47	1,25
69a	ZHBK-E <sub>TK</sub> / ZLVT 0015	-	-	-	1,47	1,18	1,47	1,25

\*) C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$

For timber substructures thickness "t" also represents the minimum of effective embedment depth  
(= penetration length of threaded part)

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure								
		Steelsheet			Aluminium		Timber <sup>*)</sup>			
		S280GD - EN 10346		$t \geq 0,5\text{mm}$ $R_m [\text{N/mm}^2] \geq$	C24	OSB3	P5	Ply-wood		
		$t [\text{mm}] \geq$			$t [\text{mm}] \geq$					
		0,50	0,75	1,50	165	215	22	18	19	19
57	ZHSK-E	-	-	-	-	-	1,60	1,18	1,51	1,25
58	ZHSK-E/R	-	-	-	-	-	1,60	1,18	1,51	1,25
59	ZHSK-E/Rplus	-	-	-	-	-	1,60	1,18	1,51	1,25
60	ZHSK-E/Rplus with pile tip	-	-	-	-	-	1,60	1,18	1,51	1,25
61	ZHSK-E-Modul 4,8	-	-	-	-	-	1,16	1,16	1,16	1,16
62	ZHSK-E/R-Modul 4,8	-	-	-	-	-	1,16	1,16	1,16	1,16
67	ZTSK-E-Timber 4,8	-	-	-	-	-	1,58	1,18	1,51	1,25
68	ZHBK-E / ZLVT 0001	-	-	-	-	-	1,60	1,18	1,51	1,25
69	ZHBK-E / ZLVT 0005	-	-	-	-	-	1,60	1,18	1,51	1,25
70	ZHBK-E / ZLVT 0015	-	-	-	-	-	1,38	1,18	1,38	1,25
70a	ZCTS-H-E 4,8	-	-	-	-	-	1,60	1,18	1,51	1,25
70b	ZCTS-H-Eplus 4,8 with pile tip	-	-	-	-	-	1,60	1,18	1,51	1,25
71	ZDBK-Dowel / ZKSH oval	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
72	ZDBK-Dowel / R / ZKSH round	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
73	ZKSK-Dowel / Rplus	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
74	ZKSK-Dowel / Rplus with pile tip	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
76a	ZHSK-R-Modul 4,8 <sub>dowel</sub>	0,76	1,16	-	0,34	0,44	0,95	1,16	0,98	1,16
80	ZTSK-Dowel 4,8	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
81	ZDBK <sub>dowel</sub> / ZLVT 0001	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
81a	ZCTS 4,8 <sub>dowel</sub>	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
81b	ZDBK <sub>dowel</sub> / ZLVT 0005	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21
81c	ZDBK <sub>dowel</sub> / ZLVT 0015	0,76	1,37	-	0,34	0,44	0,95	1,16	0,98	1,21
81d	ZCTS-H <sub>plusdowel</sub> with pile tip 4,8	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21

\*) C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$

For timber substructures thickness "t" also represents the minimum of effective embedment depth  
(= penetration length of threaded part)

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure									
		Steelsheet			Aluminium		Timber <sup>*)</sup>				
		S280GD - EN 10346		$t \geq 0,5\text{mm}$ $R_m [\text{N/mm}^2] \geq$	C24	OSB3	P5	Ply-wood			
		$t [\text{mm}] \geq$				$t [\text{mm}] \geq$					
		0,50	0,75	1,50	165	215	22	18	19	19	
121	ZDBK-TK / ZLVT 0016	-	1,22	-	-	-	-	-	-	-	-
121a	ZDBK / ZLVT 0016	-	1,07	-	-	-	-	-	-	-	-
121b	ZDBK-E / ZLVT 0016	-	1,11	-	-	-	-	-	-	-	-
122	ZSSB 4,8 / clickplate / ZDBK 4,8	-	1,07	-	-	-	1,04	0,98	0,97	1,60	
123	ZSSB 4,8 / clickplate / ZDBK-E 4,8	-	1,11	-	-	-	1,04	0,98	0,97	1,60	
124	ZSSB 4,8 / clickplate / ZDBK-VB 4,8	-	-	1,57	-	-	-	-	-	-	-
125	ZSSB 4,8 / clickplate / ZDBK-VB-E 4,8	-	-	1,57	-	-	-	-	-	-	-
128	ZSSB 4,8 / clickplate / ZHBK 4,8	-	-	-	-	-	1,60	1,18	1,51	1,25	
129	ZSSB 4,8 / clickplate / ZHBK-E 4,8	-	-	-	-	-	1,60	1,18	1,51	1,25	
130	ZSSB 4,8 / clickplate / ZDBK-Dowel 4,8	0,76	1,52	-	0,34	0,44	0,95	1,16	0,98	1,21	
134	ZSSB 4,8	-	1,07	-	-	-	1,04	0,98	0,97	1,41	
135	ZSSB-E 4,8	-	1,11	-	-	-	1,04	0,98	0,97	1,41	
136	ZSSB-VB 4,8	-	-	1,41	-	-	-	-	-	-	
137	ZSSB-VB-E 4,8	-	-	1,41	-	-	-	-	-	-	
140	ZSSB-Timber 4,8	-	-	-	-	-	1,41	1,18	1,41	1,25	
141	ZSSB-E-Timber 4,8	-	-	-	-	-	1,41	1,18	1,41	1,25	
142	ZSSB-Dowel 4,8	0,76	1,41	-	0,34	0,44	0,95	1,16	0,98	1,21	
146	ZSSB-Modul 4,8	-	1,07	-	-	-	1,04	0,98	0,97	1,16	
147	ZSSB-E-Modul 4,8	-	1,11	-	-	-	1,04	0,98	0,97	1,16	
148	ZSSB-VB-Modul 4,8	-	-	1,16	-	-	-	-	-	-	
149	ZSSB-VB-E-Modul 4,8	-	-	1,16	-	-	-	-	-	-	
152	ZSSB-Timber-Modul 4,8	-	-	-	-	-	1,16	1,16	1,16	1,16	
153	ZSSB-E-Timber-Modul 4,8	-	-	-	-	-	1,16	1,16	1,16	1,16	
154	ZSSB-Dowel-Modul 4,8	0,76	1,16	-	0,34	0,44	0,95	1,16	0,98	1,16	
163	ZSSB / ZDBS	-	1,11	-	-	-	1,04	1,21	0,97	2,34	
163a	ZSSB / ZDBS-VB	-	-	1,57	-	-	-	-	-	-	
164	ZSSB / ZDBS-E	-	1,09	-	-	-	1,04	1,21	0,97	2,34	

\*) C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$

For timber substructures thickness "t" also represents the minimum of effective embedment depth  
(= penetration length of threaded part)

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 174

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure								
		Timber <sup>*)</sup>					Aerated <sup>**)</sup> Concrete EN 12602	Pumice <sup>3*)</sup> EN 1520 LAC...		
		C24	OSB3	P5	Ply- wood			3,5	4,5	
		t [mm] ≥						...2a	...2b	
22	18	19	19							
82	ZKGK-E/R	1,31	1,08	1,17	1,83		1,02	1,59	0,54	1,00
83	ZKGK-E-Modul 6,0	1,16	1,08	1,16	1,16		1,02	1,16	0,54	1,00
84	ZKGK-E/R-Modul 6,0	1,16	1,08	1,16	1,16		1,02	1,16	0,54	1,00
85	ZHVM-E-HPB	1,31	1,08	1,17	1,61		1,02	1,59	0,54	1,00
86	ZTSK-E-Pumice 6,0	1,31	1,08	1,17	1,33		1,02	1,33	0,54	1,00
87	ZGBK-E / ZLVT 0008	1,31	1,08	1,17	1,34		1,02	1,34	0,54	1,00
88	ZGBK-E / ZLVT 0012	1,28	1,08	1,17	1,28		1,02	1,28	0,54	1,00
131	ZSSB 6,0 / clickplate / ZGBK-E 6,0	1,31	1,08	1,17	1,85		1,02	1,59	0,54	1,00
131a	ZCTS 6,0 / ZGBK-E	1,31	1,08	1,17	1,41		1,02	1,41	0,54	1,00
143	ZSSB-HPB 6,0	1,31	1,08	1,17	1,41		1,02	1,41	0,54	1,00
155	ZSSB-HPB-Modul 6,0	1,16	1,08	1,16	1,16		1,02	1,16	0,54	1,00
167	ZSSB / ZGBK-E	1,31	1,08	1,17	2,58		1,02	1,59	0,54	1,00
								min. setting depth = 60,0mm		

<sup>\*)</sup> C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
 OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
 Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
 Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$   
 For timber substructures thickness "t" also represents the minimum of effective embedmend depth  
 (= penetration length of threaded part)

<sup>\*\*) 3,5:</sup> AAC 3,5  $\rho_{class} = 500$   
<sup>4,5:</sup> AAC 4,5  $\rho_{class} = 600$

<sup>3\*)</sup> 2a: LAC 2  $\rho_{class} = 0,5$   
 2b: LAC 2  $\rho_{class} = 1,0$

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure							
		Concrete EN 206-1		Aerated <sup>**) </sup> Concrete EN 12602	Pumice <sup>3*)</sup> EN 1520 LAC...				
		C12/15	C25/30	3,5	4,5	...2a	...2b		
75	ZSDK-Modul 4,8		1,03	1,16	0,81	1,16	0,56	1,04	
76	ZSDK-R-Modul 4,8		1,03	1,16	0,81	1,16	0,56	1,04	
77	ZSDK		1,03	1,46	0,81	1,21	0,56	1,04	
78	ZSDK-R		1,03	1,46	0,81	1,21	0,56	1,04	
78a	ZCTS 4,8 dowel extension		1,03	1,46	0,81	1,21	0,56	1,04	
79	ZTSD		0,95	1,34	0,46	0,69	0,54	0,99	
				min. setting depth	pre- drill Ø	min. setting depth	pre- drill Ø	min. setting depth	
				[mm]	[mm]	[mm]	[mm]	[mm]	
				40,0	8,0	60,0	8,0	60,0	
								8,0	

<sup>\*\*) 3,5: AAC 3,5  $\rho_{class} = 500$   
4,5: AAC 4,5  $\rho_{class} = 600$</sup>

<sup>3\*) 2a: LAC 2  $\rho_{class} = 0,5$   
2b: LAC 2  $\rho_{class} = 1,0$</sup>

**Characteristic Axial Load Resistance  $N_{Rk}$  [kN]**

Annex	<b>Zahn</b> Flat Roof Fasteners	Substructure				
		Concrete EN 206-1		min. setting depth [mm]	pre- drill Ø [mm]	
		C12/15	C25/30			
89	ZBSK-R		1,60	1,85	30,0	5,0
90	ZBSK-Modul 6,0		1,16	1,16	30,0	5,0
91	ZBSK-R-Modul 6,0		1,16	1,16	30,0	5,0
92	ZHVM-Concrete		1,60	1,61	30,0	5,0
93	ZTSK-Concrete 6,0		1,41	1,41	30,0	5,0
94	ZBST / ZLVT 0008		1,60	1,71	30,0	5,0
95	ZBST / ZLVT 0012		1,60	1,67	30,0	5,0
96	ZBSK-E/R		1,60	1,85	40,0	5,0
97	ZBSK-E-Modul 6,0		1,16	1,16	40,0	5,0
98	ZBSK-E/R-Modul 6,0		1,16	1,16	40,0	5,0
99	ZHVM-E-Concrete		1,60	1,61	40,0	5,0
100	ZTSK-E-Concrete 6,0		1,41	1,41	40,0	5,0
101	ZBST-E / ZLVT 0008		1,60	1,71	40,0	5,0
102	ZBST-E / ZLVT 0012		1,60	1,67	40,0	5,0
132	ZSSB 6,0 / clickplate / ZBST 6,3		1,60	1,85	30,0	5,0
132a	ZCTS 6,0 / ZBST 6,3		1,41	1,41	30,0	5,0
133	ZSSB 6,0 / clickplate / ZBST-E 6,3		1,60	1,85	40,0	5,0
133a	ZCTS-E 6,0 / ZBST-E 6,3		1,41	1,41	40,0	5,0
144	ZSSB-Concrete 6,0		1,41	1,41	30,0	5,0
145	ZSSB-E-Concrete 6,0		1,41	1,41	40,0	5,0
156	ZSSB-Concrete-Modul 6,0		1,16	1,16	30,0	5,0
157	ZSSB-E-Concrete-Modul 6,0		1,16	1,16	40,0	5,0
168	ZSSB / ZBST		1,60	2,26	30,0	5,0
169	ZSSB / ZBST-E		1,60	2,26	40,0	5,0

**Characteristic Axial Load Resistance  $N_{Rk}$  [kN]**

Annex	<b>Zahn</b> Flat Roof Fasteners	Substructure							
		Concrete EN 206-1		Aerated <sup>**) </sup> Concrete EN 12602	Pumice <sup>3*)</sup> EN 1520 LAC...				
		C12/15	C25/30	3,5	4,5	...2a	...2b		
63	ZSDK-E -Modul 4,8		1,16	1,16	0,87	1,12	-	0,37	
64	ZSDK-E/R -Modul 4,8		1,16	1,16	0,87	1,12	-	0,37	
65	ZSDK-E		1,48	1,48	0,87	1,12	-	0,37	
66	ZSDK-E/R		1,48	1,48	0,87	1,12	-	0,37	
66a	ZCTS-H-E dowel extension 4,8		1,48	1,48	0,87	1,12	-	0,37	
60a	ZTSD-E		0,89	0,89	0,52	0,67	-	0,22	
158	ZSSB-Dowel-Extension 4,8		1,03	1,41	0,81	1,21	0,56	1,04	
160	ZSSB-Dowel-Extension-Modul 4,8		1,03	1,16	0,81	1,16	0,56	1,04	
161	ZSSB-E-Dowel-Extension-Modul 4,8		1,03	1,16	0,81	1,16	0,56	1,04	
				min. setting depth	pre- drill Ø	min. setting depth	pre- drill Ø	min. setting depth	
				[mm]	[mm]	[mm]	[mm]	[mm]	
				40,0	8,0	60,0	8,0	60,0	
								8,0	

<sup>\*\*) 3,5: AAC 3,5  $\rho_{class} = 500$   
4,5: AAC 4,5  $\rho_{class} = 600$</sup>

<sup>3\*) 2a: LAC 2  $\rho_{class} = 0,5$   
2b: LAC 2  $\rho_{class} = 1,0$</sup>

### Characteristic Axial Load Resistance $N_{Rk}$ [kN]

Annex	Zahn Flat Roof Fasteners	Substructure						
		Steelsheet			Aluminium		Pumice <sup>3*)</sup> EN 1520 LAC...	
		S280GD - EN 10346		t [mm] ≥	EN 485, t ≥ 0,5mm $R_m$ [N/mm <sup>2</sup> ] ≥			
		0,50	0,75		165	215	...2a	...2b
103	ZHRD	1,02	1,02	-	0,42	0,55	0,56	1,02
104	ZHRD-R	1,02	1,02	-	0,42	0,55	0,56	1,02
104a	ZCTS with expanding dowel extens.	1,02	1,02	-	0,42	0,55	0,56	1,02
105	ZHRD on Modul oval 4,8	1,02	1,02	-	0,42	0,55	0,56	1,02
106	ZHRD-R on Modul round 4,8	1,02	1,02	-	0,42	0,55	0,56	1,02
159	ZSSB-ZHRD	1,02	1,02	-	0,42	0,55	0,56	1,02
162	ZSSB-ZHRD-Modul 4,8	1,02	1,02	-	0,42	0,55	0,56	1,02
		min. setting depth <sup>*)</sup> = 30,0mm				min. setting depth	pre-drill Ø	
		pre-drill Ø = 10,0mm				[mm]	[mm]	
						80,0	10,0	

<sup>\*)</sup> The min. setting depth corresponds to the projection of the non-knotted spreader area under the underside of the roof substrate.

<sup>3\*)</sup> 2a: LAC 2  $\rho_{class} = 0,5$   
2b: LAC 2  $\rho_{class} = 1,0$

**Characteristic Axial Load Resistance  $N_{Rk}$  [kN]**

Annex	<b>Zahn</b> Flat Roof Fasteners	Substructure										
		Steelsheet			Timber <sup>*)</sup>				Concrete EN 206-1		min. setting depth	pre- drill Ø
		S280GD - EN 10346	C24	OSB3	P5	Ply- wood						
		t [mm] ≥			t [mm] ≥							
		0,50	0,75	1,50	22	18	19	19	C12/15	C25/30	[mm]	[mm]
107	ZMDS-R	-	1,85	-	1,85	0,95	1,25	1,85	1,51	1,51	30,0	5,0
108	ZMDS-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	30,0	5,0
109	ZMDS-R-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	30,0	5,0
110	ZHVM-Multi	-	1,61	-	1,61	0,95	1,25	1,61	1,51	1,51	30,0	5,0
111	ZTSK-Multi 6,0	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	30,0	5,0
112	ZMDS / ZLVT 0008	-	1,71	-	1,71	0,95	1,25	1,71	1,51	1,51	30,0	5,0
113	ZMDS / ZLVT 0012	-	1,67	-	1,67	0,95	1,25	1,67	1,51	1,51	30,0	5,0
114	ZMDS-E/R	-	1,85	-	1,85	0,95	1,25	1,85	1,51	1,51	40,0	5,0
115	ZMDS-E-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	40,0	5,0
116	ZMDS-E/R-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	40,0	5,0
117	ZHVM-E-Multi	-	1,61	-	1,61	0,95	1,25	1,61	1,51	1,51	40,0	5,0
118	ZTSK-E-Multi 6,0	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	40,0	5,0
119	ZMDS-E / ZLVT 0008	-	1,71	-	1,71	0,95	1,25	1,71	1,51	1,51	40,0	5,0
120	ZMDS-E / ZLVT 0012	-	1,67	-	1,67	0,95	1,25	1,67	1,51	1,51	40,0	5,0
126	ZSSB 6,0 / clickplate / ZMDS 6,0	-	1,85	-	1,85	0,95	1,25	1,85	1,51	1,51	30,0	5,0
126a	ZCTS 6,0 / ZMDS	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	30,0	5,0
127	ZSSB 6,0 / clickplate / ZMDS-E 6,0	-	1,85	-	1,85	0,95	1,25	1,85	1,51	1,51	40,0	5,0
127a	ZCTS-E 6,0 / ZMDS-E	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	40,0	5,0
138	ZSSB 6,0	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	30,0	5,0
139	ZSSB-E 6,0	-	1,41	-	1,41	0,95	1,25	1,41	1,41	1,41	40,0	5,0
150	ZSSB-Multi-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	30,0	5,0
151	ZSSB-E-Multi-Modul 6,0	-	1,16	-	1,16	0,95	1,16	1,16	1,16	1,16	40,0	5,0
165	ZSSB / ZMDS	-	1,88	-	2,20	0,95	1,25	1,93	1,51	1,51	30,0	5,0
166	ZSSB / ZMDS-E	-	1,88	-	2,20	0,95	1,25	1,93	1,51	1,51	40,0	5,0

<sup>\*)</sup> C24 EN 338  $\rho_{min} = 350\text{kg/m}^3$   
OSB3 EN 300  $\rho_{min} = 550\text{kg/m}^3$   
Particleboard / P5 EN 312  $\rho_{min} = 500\text{kg/m}^3$   
Plywood EN 636  $\rho_{min} = 400\text{kg/m}^3$   
For timber substructures thickness "t" also represents the minimum of effective embedmend depth (= penetration length of threaded part)

Zahn Flat Roof Fasteners

Characteristic Axial Load Resistance

Annex 180